

AZzardo®

TECHNOline



collection 2022



BULGARIA

VISTA_G LTD

tel.: +359 32 655 877
mobile: +359 885 388 003
e-mail: sales@iml.bg
• www.vista-g.com



CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



HUNGARY

ELTER LTD.
tel.: +36 74 510 348
e-mail: info@elter.hu
• www.elter.hu



ICELAND

PFAFF
tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.com



ITALY

LEONARDO ANICETO
tel.: +39 3931212029
e-mail: aniceto.staff@gmail.com

ANGELO FOLLIERO
tel.: +39 336 605 301
e-mail: angelofolliero@libero.it



POLAND

AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com



PORTUGAL

DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt



ROMANIA

JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



SLOVAKIA

AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



UKRAINE

ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax: +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua

PROFORMA
KYIV, EKS KAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.kiev.ua



UNITED KINGDOM AND IRELAND

IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk

AZzardo®

TRACKLINE

www.azzardolighting.com

ALPHABETICAL

PICTORIAL LIST

TRACKLine	1
TECHNOLine	89
OUTDOORLine	345



ACCESORIES
FOR TRACK 1-LINE **2**




ACCESORIES
FOR TRACK 3-LINE **12**



ACCESORIES
FOR TRACK MAGNETIC **48**




ADAMO **218**



ADAMO DIAMOND **220**



ADAMO RING **219**



AFI IP54 **394**



AGAPE IP54 **412**



AIDA ROUND **236**




AIDA SQUARE **237**



ALDO TRACK **70**



ALEX **163**



ALF IP65 **396**



ALIX **162**



ALIX 230V **165**



ALIX IP65 **356**



ANCONA **328**



ANCONA WOOD **329**



ANGUS **335**



APULIA IP54 **354**



ARBAX IP54 **376**



ARCHO **332**



ARIDA IP54 **377**



ARO **92**



AVON 320



BIAGIO 223



BILL 123



BLAS 308

BLUETOOTH GATEWAY
+ REMOTE SMART 55

BOOMBOX IP44 418



BORIS 112



BOSTON 122




BOSTON 10W ROUND 255




BRANT 102



BRANT IP44 103



BRANT SQUARE 104



BRANT SQUARE IP44 105



BROSS 96



BROSS ARM 98

BROSS ARM TRACK
3-LINE 40

CARLO 272



CARO ROUND 278



CARO SQUARE 279



CASOLA IP54 374



CASORIA IP54 392



CASPER ROUND IP54 353



CASPER SQUARE IP54 352



CESAR 268



CIVITA IP54 384



CLETO 217



CLOE 213



CLOVER 321



COLLODI 48 CCT 194



CORTONA 198



COSEL IP54 375



COSTA 100



COSTA ARM 101

COSTA ARM TRACK
3-LINE 30

COSTA SPOT 256



COSTA TRACK 3-LINE 31



CREMONA IP54 380



DARIO 113



DIADO 142



ECO ALEX 230V 167



ECO ALIX 166



ECO ALIX NEW 230V 164



EDITTA

273



EDVARD IP65

414



EDVIN IP65

414



EIGER IP54

93



EIGER TRACK 3-LINE

20



ELEGANT BULB

233



ELIN TRACK

72



ELOY

106



ELSA TRACK

73



EMILIO IP54

264



ENOK IP54

390



EREBUS ANGLE

134



EREBUS BASE

134



EREBUS PENDANT

134



EREBUS TRACK 3-LINE

38



EREBUS TUBE

38



ERIKA

289



ESTER ROUND

226



ESTER SQUARE

228



EVA

214



EXO

136




EXO TRACK 1-LINE

6



EXO TRACK 3-LINE

41



EZIO IP54

265



FALCO 12

190



FANO IP54

350



FANO SMART

349



FARO

339



FELIX

311



FILL ROUND

248



FILL SQUARE

249



FLAVIO

138



FLOKI IP54

415



FONS IP65

386



FRAME IP54

410



FRÍDA

252



GAGARIN IP44

388



GALATA IP44

238



GALENA

140



GALILEO 1 PENDANT

204



GALILEO TRACK 3-LINE

27



GAMBINO

314



GAMBINO IP54 378



GELO 287



GINNA IP54 385



GINNO 334



GORAN 369



GULIA TRACK 3-LINE 23



HAVANA IP44 416



HERA GIPS ROUND 299



HERA GIPS SQUARE 298



HUGO 108



HUGO DOWNLIGHT 270



HUGO R 108



HYDE IP54 348



IBIZA 280



IKA IP65 267



IKA IP65 361



ITAKA 285



IVO 274



IVO SQUARE 275



JAKE WALL 2 IP54 367



JANE TRACK 3-LINE 33



JERRY 12V 168



JERRY 230V 169



JERRY TRACK 1-LINE 9



JERRY TRACK 3-LINE 32



JOE IP54 358



JUNONA 192



KASTORIA IP44 239



KERRY SMART CCT 60



KIRA TRACK MANGETIC 66



KIRA TRACK MANGETIC SMART CCT 61



KIRKE TRACK 1-LINE 8



KIRKE TRACK CCT 3-LINE 26



KORI TRACK 75



LAMBDA 309



LAMIR 240



LAMIR DIMM + REMOTE CONTROL 241



LARS IP54 382



LATONA 323



LENS 125



LENS TRACK 3-LINE 42



LEON 141



LEON TRACK 3-LINE 45



LETICIA 316



LETICIA 2 317




LETICIA 2 LED 318



LETICIA 2 LED IP54 379



LINA 257



LINNEA PENDANT 206



LINNEA TRACK CCT 3-LINE 36



LINO 132



LINZ 260



LIVIO 2 IP54 387



LOLO TRACK 1-LINE 7



LOLO TRACK 3-LINE 22



LORENZA 224



LORENZO 225



LUCIANO 222



LUMI 340



LUMI FLEX 341



LUMI FLEX TRACK 28



LUMI TRACK 3-LINE 28



LUNA 15W 258



LUNA 7W 259




MAKALU 128



MAKITA CCT SMART 56



MALTA R 174



MANE 10W 119



MANE 20W / 30W 120



MARIKA 232



MARS 312



MATEO 172



MATERA IP54 413



MAX 12V / MAX 230V 170



MAYA TRACK 74



MEGARA TRACK 3-LINE 21



MIKKA TRACK 3-LINE 34



MIKKEL IP54 400



MILET 284



MINI BROSS 94




MINI ELOY 95



MINI ROUND 114



MINI SQUARE 115



MINORKA 282



MIRA 212



MOMO 173



MONA 12W 146



MONA 18W 147



MONA SPOT 12W 250



MONA SPOT 18W 251



MONA TRACK 3-LINE 35



MONTANA 319



MONZA II R 180



MONZA II S 184



MONZA R 178



MONZA R CCT 186



MONZA R PENDANT 179



MONZA S 182



MONZA S CCT 188



NANO 118



NEMO 288



NEOS 116



NIKEA 154



NIKKI TRACK 68



NIKLAS IP44 398



NIKO TRACK 69



NILS IP44 408



NINO 117



NOGAT 343



NOVA 296



NOVA GIPS 297



OJOS 150



OKA 247



OSCAR IP44 262



OSVALD IP44 403




OVE WALL IP54 395



OZ 303



PABLO IP54 266



PACO 276



PAOLA 230V 156




PAPIKO IP65 355



PAULO 12V 158



PAULO 230V 159




PEDER IP54 368



PIENZA DIMM 191



PIO 277



PIRAMIDE 216



QUADRO 50 CCT LED 196



RAFFAEL 153



RAGGIO 305



RAMONA 336



RASMUS IP65 402



RAUL 324




REMI 281



REMO 110



REMO 1 DOWNLIGHT 269



REMO R 110



REZIA IP54 362



RIMINI IP54 366



RIMINI SQUARE IP54 364



ROLF IP44 404



ROTONDO 124



SAGA TRACK 62



SAGA TRACK CORNER 64



SAGA TRACK SMART 58



SANE 304



SANTOS 130



SANTOS EXPOSED 144



SANTOS SQUARE 131

SANTOS SQUARE
TRACK 3-LINE 43

SANTOS TRACK 3-LINE 24



SARONA IP54 389



SAVIO 286




SCATOLA 325



SCORPIO 143



SIENA 145



SIMON 210



SIRO 290



SISTO 291



SKYE 148



SKYE PENDANT 149



SKYE TRACK 3-LINE 44



SKYE TRACK PENDANT 71



SLIM ROUND 244



SLIM SQUARE 242



SONA CCT LED 197



SONYA SMART CCT 59



SORANO IP44 406



SOVANA PENDANT
CCT LED **202**



SOVANA TOP CCT LED **200**



STAN **292**



TAZ **302**



TITO IP54 **263**



TIVOLI TRACK 3-LINE **39**



TONIO IP54 **360**



TORCH **330**




TORONTO **152**



TORONTO 15W SPOT **254**



TORRES **293**



TRACK MAGNETIC
SET 1 M **78**



TRACK MAGNETIC
SET 1,5 M **80**



TRACK MAGNETIC
SET 2 M **81**



TRACK MAGNETIC
SET 3 M **85**



ULF IP44 **370**



UNA **261**



VASKO **133**



VEGA **331**



VEKTOR ROUND **230**



VEKTOR SQUARE **231**



VELIA ROUND **306**



VELIA SQUARE **307**



VENETO IP54 **373**



VENTA IP54 **372**



VENUS **313**



VERA **338**



VERDI **294**



VERONICA **342**



VIALETTA **327**



VIDAL **326**



VIGO **322**



VISION **139**



ZITA XL IP54 **383**

OLD & NEW **codes list**

A	Adamo Midst (black)	AZ1480 . . . NC1825-M-BK . . .	218
	Adamo Midst (chrome)	AZ1481 . . . NC1825-M-CH . . .	218
	Adamo Midst Diamond (black)	AZ2731	220
	Adamo Midst Diamond (chrome)	AZ2734	220
	Adamo Midst Diamond (gold)	AZ2740	220
	Adamo Midst Diamond (white)	AZ2738	220
	Adamo Midst (gold)	AZ1482 . . . NC1825-M-GO . . .	218
	Adamo Midst (matt black)	AZ2562	218
	Adamo Midst (white)	AZ1483 . . . NC1825-M-W . . .	218
	Adamo Ring (black)	AZ1484 . . . NC1827-BK-CH . . .	219
	Adamo Ring (chrome)	AZ1485 . . . NC1827-CH R . . .	219
	Adamo Ring (gold)	AZ1486 . . . NC1827-GO R . . .	219
	Adamo Ring (matt black)	AZ2567	219
	Adamo Ring (white)	AZ1487 . . . NC1827-WH R . . .	219
	ADAPTER PAR-16 ADAP111	AZ1117	429
	Afi 3000K (black)	AZ4512	394
	Afi 3000K (dark grey)	AZ4510	394
	Afi 4000K (black)	AZ4513	394
	Afi 4000K (dark grey)	AZ4511	394
	Aida Round 9W 3000K (black)	AZ4220	236
	Aida Round 9W 3000K (white)	AZ4218	236
	Aida Round 16W 3000K (black)	AZ4224	236
	Aida Round 16W 3000K (white)	AZ4222	236
	Aida Square 9W 3000K (black)	AZ4227	237
	Aida Square 9W 3000K (white)	AZ4226	237
	Aida Square 16W 3000K (black)	AZ4229	237
	Aida Square 16W 3000K (white)	AZ4228	237
	Aldo Track Magnetic 12W Milky120 3000K (black)	AZ4625	70
	Aldo Track Magnetic 12W Milky120 3000K (white)	AZ4626	70
	Aldo Track Magnetic 12W Points60 3000K (black)	AZ4621	70
	Aldo Track Magnetic 12W Points60 3000K (white)	AZ4622	70
	Aldo Track Magnetic 12W Points60 4000K (black)	AZ4623	70
	Aldo Track Magnetic 12W Points60 4000K (white)	AZ4624	70
	Alex (black)	AZ1358 . . . GM4112-BK . . .	163
	Alex (white)	AZ1359 . . . GM4112-WH . . .	163
	Alf Round 3000K (black)	AZ4663	396
	Alf Round 3000K (dark grey)	AZ4664	396
	Alf Square 3000K (black)	AZ4665	396
	Alf Square 3000K (black)	AZ4666	396
	Alix 230V (black)	AZ3540	165
	Alix 230V (white)	AZ3541	165
	Alix (black)	AZ1357 . . . GM4110-BK . . .	162
	Alix IP65 (black)	AZ4056	356
	Alix IP65 (grey)	AZ4057	356
	Alix IP65 (white)	AZ4055	356
	Alix (white)	AZ1356 . . . GM4110-WH . . .	162
	Ancona L (black)	AZ2852	328
	Ancona L (white)	AZ2853	328
	Ancona M (black)	AZ2194 . . . GW-8663M-BK . . .	328
	Ancona M (white)	AZ2193 . . . GW-8663M-WH . . .	328
	Ancona S (black)	AZ2191 . . . GW-8663S-BK . . .	328
	Ancona S (white)	AZ2192 . . . GW-8664S-WH . . .	328
	Ancona Wood M	AZ2715	329
	Ancona Wood S	AZ2714	329
	Angus (chrome)	AZ2445 . . . SN-6409-CH . . .	335
	Angus (white)	AZ2446 . . . SN-6408-WH . . .	335
	Apulia R (black)	AZ4333	354

	Apulia R (dark grey)	AZ4335	354
	Apulia R (white)	AZ4334	354
	Apulia S (black)	AZ4336	354
	Apulia S (dark grey)	AZ4338	354
	Apulia S (white)	AZ4337	354
	Arbax 1 (dark grey)	AZ4341	376
	Arbax 2 (dark grey)	AZ4342	376
	Archo 2A (chrome)	AZ0326 . . . AX6068-18W-CH . . .	332
	Archo 2B (chrome)	AZ0327 . . . AX6068-36W-CH . . .	332
	Archo 2C (chrome)	AZ0328 . . . AX6068-55W-CH . . .	333
	Archo A (aluminium)	AZ0199 . . . AX6068-18W-ALU . . .	332
	Archo C (aluminium)	AZ0201 . . . AX6068-55W-ALU . . .	333
	Arida (dark grey)	AZ4347	377
	Aro (black)	AZ2558 . . . GM4111-BK . . .	92
	Aro (chrome)	AZ1360 . . . GM4111-CH . . .	92
	Aro (white)	AZ2559 . . . GM4111-WH . . .	92
	Avon (black)	AZ2196 . . . GW-6100-BK . . .	320
	Avon (gold)	AZ2197 . . . GW-6100-GO . . .	320
	Avon (white)	AZ2195 . . . GW-6100-WH . . .	320
B	Biagio (chrome)	AZ1492 . . . NC571-CH . . .	223
	Biagio (gold)	AZ1493 . . . NC571-GO . . .	223
	Bill 10W (black)	AZ3376	123
	Bill 10W (white)	AZ3375	123
	Blas (black)	AZ3069	308
	Bluetooth Gateway Smart	AZ4856	55
	Boombox Bucket RGBW + Remote Control (white)	AZ4665	419
	Boombox Medium RGBW + Remote Control (white)	AZ4664	419
	Boris (aluminium)	AZ1053 . . . GM4108-ALU . . .	112
	Boris (black)	AZ1110 . . . GM4108-BK . . .	112
	Boris (white)	AZ1054 . . . GM4108-WH . . .	112
	Boston 1 Round (black)	AZ3471	255
	Boston 1 Round (white)	AZ3470	255
	Boston Double (black)	AZ3545	103
	Boston Double (white)	AZ3544	103
	Boston Single (black)	AZ3543	103
	Boston Single (white)	AZ3542	103
	Brant 2 (black)	AZ2821	102
	Brant 2 (black/chrome)	AZ2930	102
	Brant 2 Square (black)	AZ2827	104
	Brant 2 Square IP44 (black)	AZ2879	105
	Brant 2 Square IP44 (white)	AZ2823	105
	Brant 2 Square (white)	AZ2826	104
	Brant 2 (white)	AZ2820	102
	Brant (black)	AZ2819	102
	Brant (black/chrome)	AZ2929	102
	Brant Square (black)	AZ2825	104
	Brant Square IP44 (black)	AZ2878	105
	Brant Square IP44 (white)	AZ2822	105
	Brant Square (white)	AZ2824	104
	Brant (white)	AZ2818	102
	Bross 1 (aluminium)	AZ0780 . . . GM4100-ALU . . .	96
	Bross 1 (black/aluminium)	AZ0779 . . . GM4100-BK . . .	96
	Bross 1 (black/black)	AZ2135 . . . GM4100-BK-BK . . .	96
	Bross 1 (black/gold)	AZ2955	96
	Bross 1 (bright grey)	AZ1437 . . . GM4100-BGR . . .	96
	Bross 1 (chrome)	AZ0857 . . . GM4100-CH . . .	96
	Bross 1 (white/aluminium)	AZ0781 . . . GM4100-WH-ALU . . .	96

OLD&NEW CODES LIST

Introduction

Bross 1 (white)	AZ0858 . . . GM4100-WH	96	Ceiling Plate 3-Line + Wire (black)	AZ480	16
Bross 1 (white/black)	AZ1436 . . . GM4100-WH-BK	96	Ceiling Plate 3-Line + Wire (white)	AZ4782	16
Bross 2 (aluminium)	AZ0783 . . . GM4200-ALU	96	Cesar (chrome)	AZ1152 . . . GM2113-CH	268
Bross 2 (black/aluminium)	AZ0782 . . . GM4200-BK-ALU	96	Civita (dark grey)	AZ4361	384
Bross 2 (black/black)	AZ2136 . . . GM4200-BK-BK	96	Civita Sensor (dark grey)	AZ4360	384
Bross 2 (black/gold)	AZ2956	96	Cleto (chrome)	AZ1621 . . . NC2004R-B-CH	217
Bross 2 (bright grey)	AZ1787 . . . GM4200-BGR	96	Cleto (gold)	AZ1622 . . . NC2004R-B-GO	217
Bross 2 (chrome)	AZ0941 . . . GM4200-CH	96	Cloe (chrome)	AZ1466 . . . NC1738-M-CH	213
Bross 2 (white/aluminium)	AZ0784 . . . GM4200-WH-ALU	96	Clover Oval (black)	AZ2997	321
Bross 2 (white)	AZ0859 . . . GM4200-WH	96	Clover Oval (white)	AZ2998	321
Bross 2 (white/black)	AZ1753 . . . GM4200-WH-BK	96	Clover Square (black)	AZ2198 . . . GW-6809-BK	321
Bross Arm 2 (black)	AZ3503	98	Clover Square (white)	AZ2199 . . . GW-6809-WH	321
Bross Arm 2 (white)	AZ3502	98	Collodi 48 CCT (beige)	AZ2716	194
Bross Arm (black)	AZ3499	98	Collodi 48 CCT (grey)	AZ2717	194
Bross Arm Track (black)	AZ3501	40	Cortona 41 3000K (black)	AZ2737	198
Bross Arm Track (white)	AZ3500	40	Cortona 41 3000K (grey)	AZ2735	198
Bross Arm (white)	AZ3498	98	Cortona 41 3000K (white)	AZ2732	198
C Carlo (aluminium)	AZ0804	272	Cortona 41 4000K (black)	AZ2736	198
Carlo (black)	AZ4141	272	Cortona 41 4000K (grey)	AZ2733	198
Carlo (white)	AZ0805	272	Cortona 41 4000K (white)	AZ2730	198
Caro 2 Square (aluminium)	AZ2438 . . . SN-6812S-ALU	279	Cortona 55 3000K (black)	AZ2745	198
Caro 2 Square (black)	AZ2437 . . . SN-6812S-BK	279	Cortona 55 3000K (grey)	AZ2743	198
Caro 2 Square (white)	AZ2436 . . . SN-6812S-WH	279	Cortona 55 3000K (white)	AZ2741	198
Caro 3 Square (aluminium)	AZ2441 . . . SN-6813S-ALU	279	Cortona 55 4000K (black)	AZ2744	198
Caro 3 Square (black)	AZ2440 . . . SN-6813S-BK	279	Cortona 55 4000K (grey)	AZ2742	198
Caro 3 Square (white)	AZ2439 . . . SN-6813S-WH	279	Cortona 55 4000K (white)	AZ2739	198
Caro 4 Square (aluminium)	AZ2444 . . . SN-6814S-ALU	279	Cosel (black)	AZ4353	375
Caro 4 Square (black)	AZ2443 . . . SN-6814S-BK	279	Cosel (dark grey)	AZ4354	375
Caro 4 Square (white)	AZ2442 . . . SN-6814S-WH	279	Costa 3000K (black)	AZ2857	100
Caro Round (aluminium)	AZ2432 . . . SN-6810R-ALU	278	Costa 4000K (black)	AZ4553	100
Caro Round (black)	AZ2431 . . . SN-6810R-BK	278	Costa 4000K (white)	AZ4554	100
Caro Round (white)	AZ2430 . . . SN-6810R-WH	278	Costa Arm (black/black)	AZ2702	101
Caro Square (aluminium)	AZ2435 . . . SN-6811S-ALU	279	Costa Arm Track (black/black)	AZ3486	30
Caro Square (black)	AZ2434 . . . SN-6811S-BK	279	Costa Arm Track (white/white)	AZ3487	30
Caro Square (white)	AZ2433 . . . SN-6811S-WH	279	Costa Arm (white/white)	AZ2703	101
Casola (black)	AZ4355	374	Costa Spot (black/black)	AZ2706	100
Casola (dark grey)	AZ4356	374	Costa Spot (black/black)	AZ2706	256
Casoria Round (black)	AZ4366	392	Costa Spot (white/white)	AZ2705	100
Casoria Round (dark grey)	AZ4365	392	Costa Spot (white/white)	AZ2705	256
Casoria Slim (dark grey)	AZ4368	392	Costa Track 3 Line 12W 3000K (black)	AZ4549	31
Casoria Square (dark grey)	AZ4367	392	Costa Track 3 Line 12W 3000K (white)	AZ4550	31
Casper Round 3000K (black)	AZ4490	353	Costa Track 3 Line 12W 4000K (black)	AZ4551	31
Casper Round 3000K (dark grey)	AZ4492	353	Costa Track 3 Line 12W 4000K (white)	AZ4552	31
Casper Round 3000K (white)	AZ4494	353	Costa (white)	AZ2856	100
Casper Round 4000K (black)	AZ4491	353	Cremona M (black)	AZ 4340	381
Casper Round 4000K (dark grey)	AZ4493	353	Cremona M (dark grey)	AZ2182	381
Casper Round 4000K (white)	AZ4495	353	Cremona M (white)	AZ2181	381
Casper Square 3000K (black)	AZ4496	352	Cremona S (black)	AZ 4339	381
Casper Square 3000K (dark grey)	AZ4498	352	Cremona S (dark grey)	AZ2180	381
Casper Square 3000K (white)	AZ4500	352	Cremona S (white)	AZ2179	381
Casper Square 4000K (black)	AZ4497	352	D Dario (aluminium)	AZ1055 . . . GM4109-ALU	113
Casper Square 4000K (dark grey)	AZ4499	352	Dario (black)	AZ1111 . . . GM4109-BK	113
Casper Square 4000K (white)	AZ4501	352	Dario (white)	AZ1056 . . . GM4109-WH	113
Ceiling plate + wire (black)	AZ4743	5	Diado (chrome)	AZ1453 . . . LC1329-CH	142
Ceiling Plate + Wire (black)	AZ4780	53	Diado (white)	AZ1454 . . . LC1329-WH	142
Ceiling plate + wire (white)	AZ4742	5	E E14 12W	AZ3055	427
Ceiling Plate + Wire (white)	AZ4782	53	E14 12W	AZ3056	428

E14 AZZARDO LAMPA LED E14 5W BALL WH.	AZ4017.	427
E14 AZZARDO LAMPA LED E14 5W BALL WH.	AZ4018.	427
E14 AZZARDO LAMPA LED E14 5W CANDLE WH.	AZ4016.	427
E27 8W LL127081.	AZ1638.	426
E27 10W LL127101.	AZ1639.	426
E27 12W LL127121.	AZ1640.	427
E27 15W LL127151.	AZ1081.	427
E27 AZZARDO LAMPA LED E27 8,5W BALL WH.	AZ4020.	426
E27 AZZARDO LAMPA LED E27 8W BALL AM.	AZ4021.	426
E27 AZZARDO LAMPA LED E27 8W BALL WH.	AZ4019.	426
E27 AZZARDO LAMPA LED E27 8W BALL WH.	AZ4022.	426
Eco Alex v.2 (black).	AZ4317.	167
Eco Alex v.2 (white).	AZ4318.	167
Eco Alix New 230V (antique)	AZ3496.	164
Eco Alix New 230V (black)	AZ3493.	164
Eco Alix New 230V (black/chrome)	AZ3494.	164
Eco Alix New 230V (chrome)	AZ3495.	164
Eco Alix New 230V (white)	AZ3492.	164
Eco Alix v2. (black)	AZ4319.	166
Eco Alix v2. (white)	AZ4320.	166
Editta (aluminium).	AZ0806.	273
Editta (black).	AZ4144.	273
Editta (white)	AZ0807.	273
Edvard (black).	AZ4503.	414
Edvin (black).	AZ4502.	414
Eiger IP54 (black)	AZ4260.	93
Eiger IP54 (black/gold)	AZ4261.	93
Eiger IP54 (white)	AZ4259.	93
Eiger Track 3 Line GU10 (black)	AZ4205.	20
Eiger Track 3 Line GU10 (black/gold)	AZ4206.	20
Eiger Track 3 Line GU10 (white)	AZ4204.	20
Electric 1-Line (black).	AZ4749.	5
Electric 1-Line (white).	AZ4748.	5
Elegant bulb 3000K (chrome)	AZ2227. LL110076-CH.	233
Elegant bulb 4000K (chrome)	AZ2226. LL210076-CH.	233
Elin Track Magnetic 7W 3000K (black)	AZ4630.	72
Elin Track Magnetic 7W 3000K (gold)	AZ4632.	72
Elin Track Magnetic 7W 4000K (black)	AZ4631.	72
Eloy 1 (aluminium)	AZ0991. GM4106-ALU.	106
Eloy 1 (black/aluminium).	AZ0930. GM4106-BK-ALU.	106
Eloy 1 (black/black).	AZ2137. GM4106-BK-BK.	106
Eloy 1 (chrome).	AZ0873. GM4106-CH.	106
Eloy 1 (white/aluminium)	AZ0872. GM4106-WH-ALU.	106
Eloy 1 (white)	AZ0929. GM4106-WH.	106
Eloy 1 (white/black)	AZ1439. GM4106-WH-BK.	106
Eloy 2 (aluminium)	AZ1352. GM4204-ALU.	106
Eloy 2 (black/aluminium).	AZ1355. GM4204-BK-ALU.	106
Eloy 2 (black/black).	AZ2138. GM4204-BK-BK.	106
Eloy 2 (white/aluminium)	AZ1354. GM4204-WH-ALU.	106
Eloy 2 (white)	AZ1353. GM4204-WH.	106
Elsa Track Magnetic 7W 3000K (black)	AZ4633.	73
Elsa Track Magnetic 7W 3000K (gold).	AZ4635.	73
Elsa Track Magnetic 7W 4000K (black)	AZ4634.	73
Emilio (aluminium)	AZ0810. GM2104-ALU.	264
Emilio (black)	AZ0809. GM2104-BK.	264
Emilio (chrome).	AZ0808. GM2104-CH.	264
Emilio (white)	AZ0871. GM2104-WH.	264

End Cap 1-Line (black)	AZ4745.	4
End Cap 1-Line (white)	AZ4744.	4
End Cap 3-Line (black)	AZ4288.	17
End Cap 3-Line (white)	AZ4287.	17
End Power 1-Line (black)	AZ4743.	3
End Power 1-Line (white)	AZ4742.	3
End Power Gips Left 3-Line (black).	AZ4284.	15
End Power Gips Left 3-Line (white)	AZ4283.	15
End Power Gips Right 3-Line (black).	AZ4116.	15
End Power Gips Right 3-Line (white)	AZ4117.	15
End Power Left 3-Line (black).	AZ4284.	14
End Power Left 3-Line (white)	AZ4283.	14
End Power Right 3-Line (black).	AZ4116.	14
End Power Right 3-Line (white)	AZ4117.	14
Enok Round Wall 3000K (dark grey)	AZ4460.	391
Enok Square Wall 3000K (black)	AZ4461.	391
Enok Square Wall 4000K (black)	AZ4462.	391
Erebus Angle (black).	AZ3395.	134
Erebus Angle (white).	AZ3394.	134
Erebus Base (alu)	AZ3389.	134
Erebus Pendant (black).	AZ3393.	134
Erebus Pendant (white)	AZ3392.	134
Erebus Track (black)	AZ3391.	38
Erebus Track (white).	AZ3390.	38
Erebus Tube 14 (black)	AZ3384.	38
Erebus Tube 14 (gold).	AZ3385.	38
Erebus Tube 14 (white).	AZ3383.	38
Erebus Tube 21 (black)	AZ3387.	38
Erebus Tube 21 (gold).	AZ3388.	38
Erebus Tube 21 (white).	AZ3386.	38
Erika (chrome)	AZ2777.	289
Erika (gold)	AZ2776.	289
ES111 15W BLACK LL110151 DIMMABLE - 3000K .	AZ1499.	429
ES111 15W BLACK LL210151 DIMMABLE - 4000K .	AZ1876.	429
ES111 15W White LL110152 DIMMABLE - 3000K .	AZ1500.	429
ES111 15W White LL210152 DIMMABLE - 4000K .	AZ1877.	429
ES111 NEWchrome12W230V LL110121noDIMM-3000K	AZ2362.	431
ES111 NEWchrome12W230V LL110122DIMMABLE-3000K	AZ2364.	431
ES111 NEWchrome12W230V LL210121noDIMM-4000K	AZ2363.	431
ES111 NEWchrome12W230V LL210122DIMMABLE-4000K	AZ2365.	431
ES111 NEWchrome 15W 230V LL110154 DIMMABLE. .	AZ1785.	430
Ester Round 1 (black)	AZ4175.	226
Ester Round 1 (chrome)	AZ1449.	226
Ester Round 1 (gold).	AZ1450.	226
Ester Round 2 (black)	AZ4176.	226
Ester Round 2 (chrome)	AZ1451.	226
Ester Round 2 (gold).	AZ2467.	226
Ester square 1 (black)	AZ4411.	228
Ester square 1 (black)	AZ4411.	228
Ester square 1 (chrome)	AZ4410.	228
Ester square 1 (chrome)	AZ4410.	228
Ester square 1 (gold).	AZ4412.	228
Ester square 1 (gold).	AZ4412.	228
Ester square 2 (black)	AZ4414.	228
Ester square 2 (black)	AZ4414.	228
Ester square 2 (chrome)	AZ4413.	228
Ester square 2 (chrome)	AZ4413.	228

OLD&NEW CODES LIST

Introduction

Ester square 2 (gold)	AZ4415	228
Ester square 2 (gold)	AZ4415	228
Eva Round (chrome)	AZ1458 . . . NC1519R-CH	214
Eva Round (gold)	AZ1459 . . . NC1519R-GO	214
Eva Square (chrome)	AZ1460 . . . NC1519SQ-CH	214
EXO 1 (black)	AZ3193	136
EXO 1 (white)	AZ3194	136
EXO 2 (black)	AZ3195	136
EXO 2 (white)	AZ3196	136
EXO 3 (black)	AZ3197	137
EXO 3 (white)	AZ3198	137
EXO TRACK (black)	AZ3199	41
EXO TRACK (black)	AZ4660	6
EXO TRACK (white)	AZ3200	41
EXO TRACK (white)	AZ4661	6
Ezio (aluminium)	AZ0811 . . . GM2105-ALU	265
Ezio (black)	AZ0812 . . . GM2105-BK	265
Ezio (chrome)	AZ1051 . . . GM2105-CH	265
Ezio (white)	AZ0813 . . . GM2105-WH	265
F Falco 12 3000K (black)	AZ2782	190
Falco 12 3000K (white)	AZ2780	190
Falco 12 4000K (black)	AZ2783	190
Falco 12 4000K (white)	AZ2781	190
Fano R 30 Smart LED RGB (black)	AZ4783	349
Fano R 30 Smart LED RGB (dark grey)	AZ4784	349
Fano R 30 Smart LED RGB (white)	AZ4785	349
Fano R (black)	AZ4371	350
Fano R (dark grey)	AZ2187 . . . MAX-1316R-DGR	351
Fano R (dark grey)	AZ4369	350
Fano R (white)	AZ4373	350
Fano S 30 SMART LED RGB (black)	AZ4786	349
Fano S 30 SMART LED RGB (dark grey)	AZ4787	349
Fano S 30 SMART LED RGB (white)	AZ4788	349
Fano Square (black)	AZ4372	350
Fano Square (dark grey)	AZ2186 . . . MAX-1316S-DGR	351
Fano Square (dark grey)	AZ4370	350
Fano Square (white)	AZ4374	350
Faro (black)	AZ3204	339
Faro (chrome)	AZ2424 . . . SN-6326-CH	339
Faro (satin nickel)	AZ2552 . . . SN-6409-SN	339
Felix L (white)	AZ2427 . . . SN-1036L-WH	311
Felix M (white)	AZ2426 . . . SN-1036M-WH	311
Felix S (gold)	AZ2425 . . . SN-1036S-GO	311
Felix S (white)	AZ2456 . . . SN-1036S-WH	311
Fill R 5W 3000K (black)	AZ3381	248
Fill R 5W 4000K (black)	AZ3382	248
Fill Square 5W 3000K (black)	AZ3379	249
Fill Square 5W 3000K (white)	AZ3377	249
Fill Square 5W 4000K (black)	AZ3380	249
Fill Square 5W 4000K (white)	AZ3378	249
Flavio 2 (white/black)	AZ0792 . . . GM4202-WH-BK	138
Flavio (white/black)	AZ0791 . . . GM4102-WH-BK	138
Flexible Connector 3-Line (black)	AZ4282	17
Flexible Connector 3-Line (white)	AZ4281	17
Floki 3000K (black)	AZ4468	415
Floki 4000K (black)	AZ4467	415
Frame 70 (black)	AZ4305	411

Frame 70 (bright grey)	AZ2131 . . . A-700-BGR	411
Frame 70 (dark grey)	AZ2130 . . . A-700-DGR	411
Frame spike (black)	AZ4307	411
Frame spike (bright grey)	AZ2129 . . . A-414-BGR	411
Frame spike (dark grey)	AZ2128 . . . A-414-DGR	411
Frame wall (black)	AZ4308	411
Frame wall (bright grey)	AZ2133 . . . A-415-BGR	411
Frame wall (dark grey)	AZ2132 . . . A-415-DGR	411
Frida 7W 3000K (black)	AZ4523	252
Frida 7W 3000K (white)	AZ4525	252
Frida 7W 4000K (black)	AZ4524	252
Frida 7W 4000K (white)	AZ4526	252
Frida 12W 3000K (black)	AZ4527	252
Frida 12W 3000K (white)	AZ4529	252
Frida 12W 4000K (black)	AZ4528	252
Frida 12W 4000K (white)	AZ4530	252
G G4 1,6W LL10416 no DIMM – 3000K	AZ2324	433
G9 2,5W LL109251	AZ1377	432
G9 2W LL109021	AZ1376	431
G9 3,5W	AZ3051	432
G9 3,5W	AZ3052	432
G9 4W LL109041	AZ1097	432
G9 6W LL109061	AZ1378	432
G9 8W LL109081	AZ1891	432
Gagarin (dark grey)	AZ4352	388
Galata R IP44 3000K (black)	AZ4379	238
Galata R IP44 3000K (white)	AZ4380	238
Galata R IP44 4000K (black)	AZ4381	238
Galata R IP44 4000K (white)	AZ4382	238
Galena (white)	AZ1457 . . . LC1486-11W-W-WH	140
Galileo 1 pendant 3000K (black)	AZ4069	204
Galileo 1 pendant 3000K (white)	AZ4068	204
Galileo Track 3 Line 15W (black)	AZ4067	27
Galileo Track 3 Line 15W (white)	AZ4066	27
Gambino 1 3000K (black)	AZ4148	378
Gambino 1 3000K (bright grey)	AZ0958	378
Gambino 1 3000K (dark grey)	AZ0957	378
Gambino 1 3000K (white)	AZ0950	378
Gambino 1 4000K (black)	AZ4470	378
Gambino 1 4000K (dark grey)	AZ4471	378
Gambino 1 4000K (white)	AZ4472	378
Gambino 1 (bright grey)	AZ0958 . . . LC8005-BGR	314
Gambino 1 (dark grey)	AZ0957 . . . LC8005-DGR	314
Gambino 1 (white)	AZ0950 . . . LC8005-WH	314
Gambino 2 4000K (white)	AZ1882	378
Gambino 2 (white)	AZ1882 . . . LC8005-2-WH	315
Gelo (white frost)	AZ3539	287
Ginna 3 (black)	AZ3484	385
Ginna 3 (dark grey)	AZ4194	385
Ginna 3 (gold)	AZ3485	385
Ginna 3 (white)	AZ4195	385
Ginno 1 (aluminium)	AZ0764 . . . GM1100-ALU	334
Ginno 1 (white/aluminium)	AZ0761 . . . GM1100-WH-ALU	334
Ginno 2 (aluminium)	AZ0765 . . . GM1200-ALU	334
Ginno 2 (white/aluminium)	AZ0762 . . . GM1200-WH-ALU	334
Ginno 3 (aluminium)	AZ0766 . . . GM1300-ALU	334
Ginno 3 (white/aluminium)	AZ0763 . . . GM1300-WH-ALU	334

Goran Sensor (black)	AZ4695.	369	Ivo (chrome)	AZ1717. . . GM2100-CH.	274
Goran Sensor (dark grey)	AZ4696.	369	Ivo Square (chrome)	AZ1788. . . GM21001S-CH.	275
Goran Sensor (white)	AZ4697.	369	Ivo Square (white)	AZ1825. . . GM21001S-WH.	275
GU10 4W LL110042.	AZ2502.	428	Ivo (white)	AZ0759. . . GM2100-WH.	274
GU10 7W CHROME ELEGANT LED LL110076 3000K.	AZ2227.	428	J Jake Wall 2 (black)	AZ4269.	367
GU10 7W CHROME ELEGANT LED LL210076.	AZ2226.	429	Jake Wall 2 (dark grey)	AZ3321.	367
GU10 7W LL210071 RA>90 DIMMABLE 4000K.	AZ2165.	428	Jake Wall 2 (white)	AZ3322.	367
GU10 AZZARDO LAMPA LED GU10 7W.	AZ4023.	428	Jane track (black)	AZ2457. . . GM3116-BK.	33
GU10 AZZARDO LAMPA LED GU10 7W.	AZ4024.	428	Jane track (white)	AZ2460. . . GM3116-WH.	33
Gulia Track (black)	AZ4710.	23	Jerry 1 12V (black)	AZ1365. . . GM4113-12V-BK.	168
Gulia Track (gold)	AZ4711.	23	Jerry 1 12V (chrome)	AZ1752. . . GM4113-12V-CH.	168
Gulia Track (white)	AZ4709.	23	Jerry 1 12V (white)	AZ1364. . . GM4113-12V-WH.	168
H Havana (black)	AZ4662.	416	Jerry 1 230V (black)	AZ1367. . . GM4113-BK.	169
Havana (white)	AZ4663.	416	Jerry 1 230v (white)	AZ1366. . . GM4113-WH.	169
Hera Gips Round M (white)	AZ3465.	299	Jerry 2 12V (black)	AZ1368. . . GM4205-12V-BK.	168
Hera Gips Round S (white)	AZ3464.	299	Jerry 2 12V (chrome)	AZ1751. . . GM4205-12V-CH.	168
Hera Gips Square M (white)	AZ3467.	298	Jerry 2 12V (white)	AZ1369. . . GM4205-12V-WH.	168
Hera Gips Square S (white)	AZ3466.	298	Jerry 2 230V (black)	AZ1370. . . GM4205-BK.	169
Hugo 1 downlight (aluminium)	AZ1733. . . GM2118S-ALU.	270	Jerry 2 230V (white)	AZ1371. . . GM4205-WH.	169
Hugo 1 downlight (black)	AZ1736. . . GM2118S-BK.	270	Jerry 3 12V (black)	AZ1724. . . GM4302-12V-BK.	168
Hugo 1 downlight (chrome)	AZ1734. . . GM2118S-CH.	270	Jerry 3 12V (chrome)	AZ1750. . . GM4302-12V-CH.	168
Hugo 1 downlight (white)	AZ1735. . . GM2118S-WH.	270	Jerry 3 12V (white)	AZ1723. . . GM4302-12V-WH.	168
Hugo 2 downlight (aluminium)	AZ1737. . . GM2203-ALU.	271	Jerry 3 230V (black)	AZ1886. . . GM4302-BK.	169
Hugo 2 downlight (black)	AZ1740. . . GM2203-BK.	271	Jerry 3 230V (white)	AZ1885. . . GM4302-WH.	169
Hugo 2 downlight (chrome)	AZ1738. . . GM2203-CH.	271	Jerry Track 1 Line (black)	AZ4666.	9
Hugo 2 downlight (white)	AZ1739. . . GM2203-WH.	271	Jerry Track 1 Line (white)	AZ4667.	9
Hugo (aluminium)	AZ0828. . . GM4104-ALU.	108	Jerry track (black)	AZ2458. . . GM4114-BK.	32
Hugo (black)	AZ0826. . . GM4104-BK.	108	Jerry track (white)	AZ2459. . . GM4114-WH.	32
Hugo R (aluminium)	AZ0829. . . GM4104-ALU.	108	Joe Square (black)	AZ4270.	359
Hugo R (black)	AZ0832. . . GM4104-BK.	108	Joe Square (dark grey)	AZ3323.	359
Hugo R (champagne)	AZ0833. . . GM4104-CM.	108	Joe Square (white)	AZ3324.	359
Hugo R (chrome)	AZ0856. . . GM4104-CH.	108	Joe Tube (black)	AZ3314.	358
Hugo R (gold)	AZ0831. . . GM4104-GO.	108	Joe Tube (bright grey)	AZ3316.	358
Hugo R (white)	AZ0830. . . GM4104-WH.	108	Joe Tube (dark grey)	AZ3313.	358
Hugo (white)	AZ0827. . . GM4104-WH.	108	Joe Tube (white)	AZ3315.	358
I Ibiza (black/black)	AZ3532.	280	Joe Wall 1 (black)	AZ3318.	358
Ibiza (black/gold)	AZ2804.	280	Joe Wall 1 (dark grey)	AZ3317.	358
Ibiza (white/black)	AZ1361. . . GM2114-WH-BK.	280	Joe Wall 1 (white)	AZ4315.	358
Ibiza (white/white)	AZ2803.	280	Joe Wall 2 (black)	AZ3320.	359
Ika round IP65 (black)	AZ3017.	267	Joe Wall 2 (dark grey)	AZ3319.	359
Ika round IP65 (black)	AZ3017.	361	Joe Wall 2 (white)	AZ4316.	359
Ika round IP65 (dark grey)	AZ4232.	267	Junona 28 3000K (chrome)	AZ2747.	192
Ika round IP65 (dark grey)	AZ4232.	361	Junona 28 4000K (chrome)	AZ2746.	192
Ika round IP65 (white)	AZ2865.	267	Junona 33 3000K (chrome)	AZ2749.	192
Ika round IP65 (white)	AZ2865.	361	Junona 33 4000K (chrome)	AZ2748.	192
Ika square IP65 (black)	AZ4230.	267	Junona 38 3000K (chrome)	AZ2751.	192
Ika square IP65 (black)	AZ4230.	361	Junona 38 4000K (chrome)	AZ2750.	192
Ika square IP65 (dark grey)	AZ4231.	267	J Kastoria IP44 (black)	AZ4389.	239
Ika square IP65 (dark grey)	AZ4231.	361	Kastoria IP44 (chrome)	AZ4391.	239
Ika square IP65 (white)	AZ2864.	267	Kastoria IP44 (gold)	AZ4390.	239
Ika square IP65 (white)	AZ2864.	361	Kerry Track Magnetic 5W CCT Smart (sand black)	AZ4852.	60
Itaka (black)	AZ4074.	285	Kerry Track Magnetic 15W CCT Smart (sand black)	AZ4854.	60
Itaka (white)	AZ4073.	285	Kira Track Magnetic 12W Points50 (black)	AZ4901.	61
Ivo 2 Square (chrome)	AZ1789. . . GM22002S-CH.	275	Kira Track Magnetic 12W Points60 3000K (black)	AZ4596.	67
Ivo 2 Square (white)	AZ1826. . . GM22025S-WH.	275	Kira Track Magnetic 12W Points60 3000K (white)	AZ4596.	67
Ivo (aluminium)	AZ0758. . . GM2100-ALU.	274	Kira Track Magnetic 12W Points60 4000K (black)	AZ4596.	67
Ivo (black)	AZ1716. . . GM2100-BK.	274	Kira Track Magnetic 12W Points60 4000K (white)	AZ4596.	67

OLD&NEW CODES LIST

Introduction

Kira Track Magnetic 20W Points50 (black)	AZ4902	61	Leon 5 Track (black)	AZ3491	45
Kira Track Magnetic 24W Points60 3000K (black)	AZ4599	67	Leon 5 Track (white)	AZ3490	45
Kira Track Magnetic 24W Points60 3000K (white)	AZ4600	67	Leon 5 (white)	AZ3488	141
Kira Track Magnetic 24W Points60 4000K (black)	AZ4601	67	Leticia 2 (aluminium)	AZ1059.. GM1112-ALU	317
Kira Track Magnetic 24W Points60 4000K (white)	AZ4602	67	Leticia 2 (black)	AZ2933	317
Kira Track Magnetic 30W Points50 (black)	AZ4903	61	Leticia 2 (black/gold)	AZ2815	317
Kirke Track 1 Line 10W CCT (black)	AZ4656	26	Leticia 2 LED (black)	AZ4469	379
Kirke Track 1 Line 10W CCT (white)	AZ4657	26	Leticia 2 LED (dark grey)	AZ2189	379
Kirke Track 3 Line 10W CCT (black)	AZ4658	26	Leticia 2 LED (dark grey)	AZ2189.. GW-A310-DGR	318
Kirke Track 3 Line 10W CCT (white)	AZ4659	26	Leticia 2 LED (white)	AZ2190	379
L Lambda (black)	AZ3346	309	Leticia 2 LED (white)	AZ2190.. GW-A310-WH	318
Lambda (white)	AZ3345	309	Leticia 2 (white)	AZ1058.. GM1112-WH	317
Lamir R 9 IP44 3000K (white)	AZ4384	240	Leticia (anodised gold)	AZ0952.. GM1111-AGO	316
Lamir R 9 IP44 4000K (white)	AZ4383	240	Leticia (black)	AZ2932	316
Lamir R 12 IP44 3000K (white)	AZ4385	240	Leticia (black/gold)	AZ2814	316
Lamir R 12 IP44 4000K (white)	AZ4386	240	Leticia (white)	AZ0951.. GM1111-WH	316
Lamir R 17 IP44 3000K (white)	AZ4387	241	Lina (black)	AZ2708	257
Lamir R 17 IP44 4000K (white)	AZ4392	241	Linda 23 3000K (chrome)	AZ2246.. SH723000-18-CH	246
Lamir S17IP443000KDIMM+Rem.Contr.(white)	AZ4388	241	Linda 23 3000K (white)	AZ2244.. SH713000-18-WH	246
Lamir S17IP444000KDIMM+Rem.Contr.(white)	AZ4393	241	Linda 30 3000K (chrome)	AZ2250.. SH743000-24-CH	246
Lars Round 3000K (black)	AZ4504	382	Linda 30 4000K (chrome)	AZ2251.. SH744000-24-CH	246
Lars Round 4000K (black)	AZ4505	382	Linnea 29 Track 3 Line 12W CCT (black)	AZ4563	36
Lars Square 3000K (black)	AZ4504	382	Linnea 29 Track 3 Line 12W CCT (white)	AZ4564	36
Lars Square 4000K (black)	AZ4505	382	Linnea 57 Track 3 Line 12W CCT (black)	AZ4565	36
Latona (black)	AZ2204 .. GW-681-BK	323	Linnea 57 Track 3 Line 12W CCT (white)	AZ4566	36
Latona (white)	AZ2205 .. GW-681-WH	323	Linnea 86 Track 3 Line 12W CCT (black)	AZ4567	36
L Connector 1-Line (black)	AZ4739	4	Linnea 86 Track 3 Line 12W CCT (white)	AZ4568	36
L Connector 1-Line (white)	AZ4738	4	Linnea 112 Pendant (black)	AZ4569	206
L Connector Gips only Right (black)	AZ4298	15	Linnea 112 Pendant (white)	AZ4570	206
L Connector Gips only Right (white)	AZ4297	15	Linnea 140 Pendant (black)	AZ4571	206
L Connector Left (black)	AZ2985	14	Linnea 140 Pendant (white)	AZ4572	206
L Connector Left (white)	AZ2986	14	Lino (black)	AZ1477 .. NC1802-YLD-BK	132
L Connector Right (black)	AZ2983	14	Lino (chrome)	AZ1478 .. NC1802-YLD-CH	132
L Connector Right (white)	AZ2984	14	Lino (white)	AZ1479 .. NC1802-YLD-WH	132
LED Grill Lamp Concealed 600mm	AZ1189	423	Linz 3000K (acryl)	AZ2774	260
LED Grill Lamp Concealed 1200mm	AZ1191	423	Linz 4000K (acryl)	AZ2775	260
LED Grill Lamp Surface 1200mm	AZ1190	423	Livio 2 (black)	AZ0776 .. GM1101-2-BK	387
LED HERMETIC LAMP Surface 1200mm	AZ1192	423	Livio 2 (bright grey)	AZ0888 .. GM1101-2-BGR	387
LED TUBE 600mm 4300K	AZ1153	422	Livio 2 (dark grey)	AZ1312 .. GM1101-2-DGR	387
LED TUBE 600mm 6400K	AZ1154	422	Lolo Track 1 Line GU10 (black)	AZ4654	7
LED TUBE 1200mm 4300K	AZ1155	422	Lolo Track 1 Line GU10 (white)	AZ4655	7
LED TUBE 1200mm 6400K	AZ1156	422	Lolo Track 3 Line GU10 (black)	AZ4577	22
LED TUBE 1500mm 4300K	AZ1157	422	Lolo Track 3 Line GU10 (white)	AZ4578	22
LED TUBE 1500mm 6400K	AZ1158	422	Lorenza (black)	AZ4174	224
Lens 2 Square (black/black)	AZ3520	127	Lorenza (chrome)	AZ1475	224
Lens 2 Square (black/gold)	AZ3521	127	Lorenza (white)	AZ1476	224
Lens 2 Square (white/white)	AZ3519	127	Lorenzo (black)	AZ4173	225
Lens Round (black/black)	AZ3517	125	Lorenzo (chrome)	AZ1617	225
Lens Round (black/gold)	AZ3518	125	Lorenzo (white)	AZ1496	225
Lens Round (white/white)	AZ3516	125	Luciano Round (chrome)	AZ1470 .. NC1760R-CH	222
Lens Square (black/black)	AZ3514	126	Luciano Round (white)	AZ1549 .. NC1760R-WH	222
Lens Square (black/gold)	AZ3515	126	Luciano Square (chrome)	AZ1471 .. NC1760SQ-CH	222
Lens Square (white/white)	AZ3513	126	Luciano Square (white)	AZ1472 .. NC1760SQ-WH	222
Lens Track (black/black)	AZ3511	42	Lumi (black)	AZ4555	340
Lens Track (black/gold)	AZ3512	42	Lumi Flex (black)	AZ4561	341
Lens Track (white/white)	AZ3510	42	Lumi Flex Track 3 Line (black)	AZ4559	28
Leon 5 (black)	AZ3489	141	Lumi Flex Track 3 Line (white)	AZ4560	28

Lumi Flex (white)	AZ4562	341	Mane 4000K (black)	AZ4322	119
Lumi Track (black)	AZ4557	28	Mane 4000K (gold)	AZ4323	119
Lumi Track (white)	AZ4558	28	Mane 4000K (white)	AZ4324	119
Lumi (white)	AZ4556	340	Marika (antique brown)	AZ2209 . . SH-009-ABR	232
Luna 7W Dim (black/black)	AZ3397	259	Marika (rose gold)	AZ2208 . . SH-008-RGO	232
Luna 7W Dim (white/black)	AZ3396	259	Mars (aluminium)	AZ0895 . . GM1109-ALU	312
Luna 15W Dim (black)	AZ2829	258	Mars (black)	AZ2931	312
Luna 15W Dim (white/black)	AZ2828	258	Mars (black / gold)	AZ1052 . . GM1109-BK-GO	312
M Makalu 1 (black)	AZ4210	128	Mars (white)	AZ0896 . . GM1109-WH	312
Makalu 1 (white)	AZ4211	128	Mars (white / gold)	AZ1090 . . GM1109-WH-GO	312
Makalu 2 (black)	AZ4212	128	Mateo M (white)	AZ1456 . . LC1465-FW-WH	172
Makalu 2 (white)	AZ4213	128	Mateo S (white)	AZ1455 . . LC1464-FW-WH	172
Makalu 3 (black)	AZ4214	128	Max 1 12V (white/black)	AZ1372 . . GM4114-12V-WH-BK	170
Makalu 3 (white)	AZ4215	128	Max 1 230V (white/black)	AZ1373 . . GM4114-WH-BK	170
Makita Tr. Magn. 2x7WCCT Smart (sand black)	AZ4838	56	Max 2 12V (white/black)	AZ1375 . . GM4206-12V-WH-BK	170
Makita Tr. Magn. 7WCCT Smart (sand black)	AZ4836	56	Maya Track Magnetic 3W (black)	AZ4629	74
Makita Tr. Magn. 20WCCT Smart (sand black)	AZ4840	57	Megara Track 3 Line GU10 (black)	AZ4443	21
Makita Tr. Magn. 30WCCT Smart (sand black)	AZ4842	57	Megara Track 3 Line GU10 (white)	AZ4442	21
Malta R 18 3000K (black)	AZ4235	174	Mikkel BK (black)	AZ4485	400
Malta R 18 3000K (white)	AZ4233	174	Mikkel Wall (black)	AZ4484	400
Malta R 18 4000K (black)	AZ4236	174	Milet (black)	AZ4076	284
Malta R 18 4000K (white)	AZ4234	174	Milet (white)	AZ4075	284
Malta R 23 3000K (black)	AZ4239	174	Mini Bross (aluminium)	AZ1756 . . GM4000-ALU	94
Malta R 23 3000K (white)	AZ4237	174	Mini Bross (black)	AZ1710 . . GM4000-BK	94
Malta R 23 4000K (black)	AZ4240	174	Mini Bross (chrome)	AZ1757 . . GM4000-CH	94
Malta R 23 4000K (white)	AZ4238	174	Mini Bross (white)	AZ1711 . . GM4000-WH	94
Malta R 30 3000K (black)	AZ4243	174	Mini Eloy (aluminium)	AZ1754 . . GM4006-ALU	95
Malta R 30 3000K (white)	AZ4241	174	Mini Eloy (black)	AZ1712 . . GM4006-BK	95
Malta R 30 4000K (black)	AZ4244	174	Mini Eloy (chrome)	AZ1755 . . GM4006-CH	95
Malta R 30 4000K (white)	AZ4242	174	Mini Eloy (white)	AZ1713 . . GM4006-WH	95
Malta R 40 3000K (black)	AZ4247	176	Mini Round (black)	AZ1781 . . GM4115-BK	114
Malta R 40 3000K (white)	AZ4245	176	Mini Round (chrome)	AZ1707 . . GM4115-CH	114
Malta R 40 4000K (black)	AZ4248	176	Mini Round (white)	AZ1706 . . GM4115-WH	114
Malta R 40 4000K (white)	AZ4246	176	Mini Simple Connection 3-Line (black)	AZ2981	13
Malta R 50 3000K (black)	AZ4251	176	Mini Simple Connection 3-Line (white)	AZ2982	13
Malta R 50 3000K (white)	AZ4249	176	Mini Square (black)	AZ1382 . . GM4209-BK	115
Malta R 50 4000K (black)	AZ4252	176	Mini Square (white)	AZ1381 . . GM4209-WH	115
Malta R 50 4000K (white)	AZ4250	176	Minorka (black/black)	AZ4142	282
Malta R 60 3000K (black)	AZ4255	176	Minorka (black/gold)	AZ2802	282
Malta R 60 3000K (white)	AZ4253	176	Minorka (white/black)	AZ1362 . . GM2115-WH-BK	282
Malta R 60 4000K (black)	AZ4256	176	Minorka (white/white)	AZ2801	282
Malta R 60 4000K (white)	AZ4254	176	Mira (chrome)	AZ1619 . . NC1695-CH	212
Mane 20W (black)	AZ4153	120	Mira (gold)	AZ1464 . . NC1695-GO	212
Mane 20W DIMM (black)	AZ4325	120	Momo 8 (black)	AZ2279 . . SH2606-BK	173
Mane 20W DIMM (gold)	AZ4326	120	Momo 8 (white)	AZ2278 . . SH2606-WH	173
Mane 20W DIMM (white)	AZ4327	120	Momo 12 (black)	AZ2281 . . SH2612-BK	173
Mane 20W (gold)	AZ4154	120	Momo 12 (white)	AZ2280 . . SH2612-WH	173
Mane 20W (white)	AZ4152	120	Momo 14 (black)	AZ2283 . . SH2618-BK	173
Mane 30W (black)	AZ4156	121	Momo 14 (white)	AZ2282 . . SH2618-WH	173
Mane 30W DIMM (black)	AZ4328	121	Mona 18W 3000K (black)	AZ4545	147
Mane 30W DIMM (gold)	AZ4329	121	Mona 18W 3000K (white)	AZ4546	147
Mane 30W DIMM (white)	AZ4330	121	Mona Spot 12W 3000K (black)	AZ4531	250
Mane 30W (gold)	AZ4157	121	Mona Spot 12W 3000K (black)	AZ4537	146
Mane 30W (white)	AZ4155	121	Mona Spot 12W 3000K (white)	AZ4532	250
Mane 3000K (black)	AZ2844	119	Mona Spot 12W 3000K (white)	AZ4538	146
Mane 3000K (gold)	AZ2846	119	Mona Spot 12W 4000K (black)	AZ4533	250
Mane 3000K (white)	AZ2845	119	Mona Spot 12W 4000K (black)	AZ4539	146

OLD&NEW CODES LIST

XVIII

Introduction

Mona Spot 12W 4000K (white)	AZ4534	250	Monza R 22 3000K (black)	AZ2263	SHR653000-20-BK 178
Mona Spot 12W 4000K (white)	AZ4540	146	Monza R 22 3000K (white)	AZ2261	SHR643000-20-WH 178
Mona Spot 18W 3000K (black)	AZ4535	251	Monza R 22 4000K (black)	AZ2262	SHR654000-20-BK 178
Mona Spot 18W 3000K (white)	AZ4536	251	Monza R 22 4000K (white)	AZ2260	SHR644000-20-WH 178
Mona Track 12W 3000K (black)	AZ4541	35	Monza R 22 CCT + Remote Control (black) AZ4758		186
Mona Track 12W 3000K (white)	AZ4542	35	Monza R 22 CCT + Remote Control (champaigne)	AZ4756	186
Mona Track 12W 4000K (black)	AZ4543	35	Monza R 22 CCT + Remote Control (white) AZ4757		186
Mona Track 12W 4000K (white)	AZ4544	35	Monza R 30 CCT + Remote Control (black) AZ4761		186
Montana (white)	AZ2859	319	Monza R 30 CCT + Remote Control (champaigne)	AZ4759	186
Monza II R 17 3000K (black)	AZ3790	180	Monza R 30 CCT + Remote Control (white) AZ4760		186
Monza II R 17 3000K (white)	AZ3791	180	Monza R 40 3000K (black)	AZ2267	SHR673000-50-BK 178
Monza II R 17 4000K (black)	AZ3792	180	Monza R 40 3000K (white)	AZ2265	SHR663000-50-WH 178
Monza II R 17 4000K (white)	AZ3793	180	Monza R 40 4000K (black)	AZ2266	SHR674000-50-BK 178
Monza II R 30 3000K (black)	AZ3794	180	Monza R 40 4000K (white)	AZ2264	SHR664000-50-WH 178
Monza II R 30 3000K (white)	AZ3795	180	Monza R 40 CCT + Remote Control (black) AZ4764		186
Monza II R 30 4000K (black)	AZ3796	180	Monza R 40 CCT + Remote Control (champaigne)	AZ4762	186
Monza II R 40 3000K DIMM (black)	AZ3798	180	Monza R 40 CCT + Remote Control (white) AZ4763		186
Monza II R 40 3000K DIMM (white)	AZ3799	180	Monza R 50 CCT + Remote Control (black) AZ4767		186
Monza II R 40 4000K DIMM (black)	AZ3800	180	Monza R 50 CCT + Remote Control (champaigne)	AZ4765	186
Monza II R 40 4000K DIMM (white)	AZ3801	180	Monza R 50 CCT + Remote Control (white) AZ4766		186
Monza II R 50 3000K DIMM (black)	AZ3674	180	Monza R pendant 40 3000K (black)	AZ2277	SHPEN3000-50-BK 179
Monza II R 50 3000K DIMM (white)	AZ3675	180	Monza R pendant 40 3000K (white)	AZ2276	SHPEN3000-50-WH 179
Monza II R 50 4000K DIMM (black)	AZ3676	180	Monza R pendant 40 4000K (black)	AZ2496	SHPEN4000-50-BK 179
Monza II R 50 4000K DIMM (white)	AZ3677	180	Monza R pendant 40 4000K (white)	AZ2570	SHPEN4000-50-WH 179
Monza II R 60 3000K DIMM (black)	AZ3678	181	Monza S 22 CCT + Remote Control (black) AZ4770		188
Monza II R 60 3000K DIMM (white)	AZ3679	181	Monza S 22 CCT + Remote Control (champaigne)	AZ4768	188
Monza II R 60 4000K DIMM (black)	AZ3680	181	Monza S 22 CCT + Remote Control (white) AZ4769		188
Monza II R 60 4000K DIMM (white)	AZ3681	181	Monza S 30 CCT + Remote Control (black) AZ4773		188
Monza II S 17 3000K (black)	AZ3682	184	Monza S 30 CCT + Remote Control (champaigne)	AZ4771	188
Monza II S 17 3000K (white)	AZ3683	184	Monza S 30 CCT + Remote Control (white) AZ4772		188
Monza II S 17 4000K (black)	AZ3684	184	Monza S 40 CCT + Remote Control (black) AZ4776		188
Monza II S 17 4000K (white)	AZ3685	184	Monza S 40 CCT + Remote Control (champaigne)	AZ4774	188
Monza II S 30 3000K (black)	AZ3686	184	Monza S 40 CCT + Remote Control (white) AZ4775		188
Monza II S 30 3000K (white)	AZ3687	184	Monza Square 22 3000K (black)	AZ2271	SHS553000-20-BK 182
Monza II S 30 4000K (black)	AZ3688	184	Monza Square 22 3000K (white)	AZ2269	SHS543000-20-WH 182
Monza II S 30 4000K (white)	AZ3689	184	Monza Square 22 4000K (black)	AZ2270	SHS554000-20-BK 182
Monza II S 40 3000K DIMM (black)	AZ3690	184	Monza Square 22 4000K (white)	AZ2268	SHS544000-20-WH 182
Monza II S 40 3000K DIMM (white)	AZ3691	184	Monza Square 40 3000K (black)	AZ2275	SHS573000-50-BK 182
Monza II S 40 4000K DIMM (black)	AZ3692	184	Monza Square 40 3000K (white)	AZ2273	SHS563000-50-WH 182
Monza II S 40 4000K DIMM (white)	AZ3693	184	Monza Square 40 4000K (black)	AZ2274	SHS574000-50-BK 182
Monza II S 50 3000K DIMM (black)	AZ3694	185	Monza Square 40 4000K (white)	AZ2272	SHS564000-50-WH 182
Monza II S 50 3000K DIMM (white)	AZ3695	185	N Nano Round (black)	AZ2785	118
Monza II S 50 4000K DIMM (black)	AZ3697	185	Nano Round (white)	AZ2784	118
Monza II S 50 4000K DIMM (white)	AZ3698	185	Nano Square (black)	AZ2787	118
Monza Pendant accessory (black)	AZ3454	181	Nano Square (white)	AZ2786	118
Monza Pendant accessory (black)	AZ3454	187	Nemo (black)	AZ3399	288
Monza Pendant accessory (champaigne)	AZ4830	187	Nemo (chrome)	AZ3400	288
Monza Pendant accessory (white)	AZ3453	181	Nemo (gold)	AZ3401	288
Monza Pendant accessory (white)	AZ3453	187	Nemo (white)	AZ3398	288
Monza R 8 3000K (black)	AZ2255	SHR613000-5-BK 178	Neos 1 (black/aluminium)	AZ0607	FH31431B-BK-ALU 116
Monza R 8 3000K (white)	AZ2253	SHR603000-5-WH 178	Neos 1 (black/chrome)	AZ0708	FH31431B-BK-CH 116
Monza R 8 4000K (black)	AZ2254	SHR614000-5-BK 178	Neos 1 (white/aluminium)	AZ0606	FH31431B-WH-ALU 116
Monza R 8 4000K (white)	AZ2252	SHR604000-5-WH 178	Neos 1 (white/chrome)	AZ0707	FH31431B-WH-CH 116
Monza R 12 3000K (black)	AZ2259	SHR633000-10-BK 178	Neos 3 (black/chrome)	AZ0742	FH31433B-BK-CH 116
Monza R 12 3000K (white)	AZ2257	SHR623000-10-WH 178	Nikea 1 ES111 (black)	AZ4438	155
Monza R 12 4000K (black)	AZ2258	SHR634000-10-BK 178	Nikea 1 ES111 (white)	AZ4437	155
Monza R 12 4000K (white)	AZ2256	SHR624000-10-WH 178	Nikea 1 ES111 (white/black)	AZ4436	155

Nikea 1 GU10 (black)	AZ4432.	154
Nikea 1 GU10 (white)	AZ4431.	154
Nikea 1 GU10 (white/black)	AZ4430.	154
Nikea 2 ES111 (black)	AZ4441.	155
Nikea 2 ES111 (white)	AZ4440	155
Nikea 2 ES111 (white/black)	AZ4439.	155
Nikea 2 GU10 (black)	AZ4435.	154
Nikea 2 GU10 (white)	AZ4434.	154
Nikea 2 GU10 (white/black)	AZ4433.	154
Nikki Track Magnetic 2 (black/black)	AZ4592.	68
Nikki Track Magnetic 2 (black/gold)	AZ4594.	68
Nikki Track Magnetic 2 (white/black)	AZ4593.	68
Nikki Track Magnetic (black/black)	AZ4589.	68
Nikki Track Magnetic (black/gold)	AZ4591.	68
Nikki Track Magnetic (white/black)	AZ4590.	68
Niklas 2 Wall BK (black)	AZ4488.	399
Niklas Wall (black)	AZ4486.	399
Niklas Wall Sensor (black)	AZ4487.	398
Niko Track 2 Magnetic 3000K (black/black)	AZ4584.	69
Niko Track 2 Magnetic 3000K (black/gold)	AZ4588.	69
Niko Track 2 Magnetic 3000K (white/black)	AZ4585.	69
Niko Track 2 Magnetic 4000K (black/black)	AZ4586.	69
Niko Track 2 Magnetic 4000K (black/gold)	AZ4587.	69
Niko Track Magnetic 3000K (black/black)	AZ4579.	69
Niko Track Magnetic 3000K (black/gold)	AZ4583.	69
Niko Track Magnetic 3000K (white/black)	AZ4580.	69
Niko Track Magnetic 4000K (black/black)	AZ4581.	69
Niko Track Magnetic 4000K (black/gold)	AZ4582.	69
Nils 500 (black)	AZ4480.	409
Nils 800 (black)	AZ4481.	409
Nino 1 (black/aluminium)	AZ1383. FH31431S-BK-ALU	117
Nino 1 (black/chrome)	AZ0736. FH31431S-BK-CH	117
Nino 1 (white/aluminium)	AZ0598. FH31431S-WH-ALU	117
Nino 1 (white/chrome)	AZ0735. FH31431S-WH-CH	117
Nino 2 (black/aluminium)	AZ1385. FH31432S-BK-ALU	117
Nino 2 (white/aluminium)	AZ1386. FH31432S-WH-ALU	117
Nino 2 (white/chrome)	AZ0737. FH31432S-WH-CH	117
Nino 4 (black/aluminium)	AZ1388. FH31434S-BK-ALU	117
Nino 4 (black/chrome)	AZ0852. FH31434S-BK-CH	117
Nino 4 (white/aluminium)	AZ1387. FH31434S-WH-ALU	117
Nino 4 (white/chrome)	AZ0851. FH31434S-WH-CH	117
Nogat (black)	AZ2943.	343
Nogat (white)	AZ2944.	343
Nova 2 (black/black)	AZ2875.	296
Nova 2 GIPS (black/black)	AZ2935.	297
Nova 2 GIPS (white/white)	AZ2934.	297
Nova 2 (white/black)	AZ2877.	296
Nova 2 (white/white)	AZ2876.	296
Nova (black/black)	AZ2869.	296
Nova GIPS (black/black)	AZ2872.	297
Nova GIPS (white/white)	AZ2873.	297
Nova (white/black)	AZ2871.	296
Nova (white/white)	AZ2870.	296
O Ojos 1 (black)	AZ4197	150
Ojos 1 (white)	AZ4196	150
Ojos 2 (black)	AZ4199	150
Ojos 2 (white)	AZ4198	150

Oka AC 3000K (acrylic)	AZ2234. SHAC-3W3000-WH	247
Oka AC 4000K (acrylic)	AZ2235. SHAC-3W4000-WH	247
Oka AL 3000K (black)	AZ4171.	247
Oka AL 3000K (white)	AZ2232. SHAL-3W3000-WH	247
Oka AL 4000K (black)	AZ4172.	247
Oka AL 4000K (white)	AZ2233. SHAL-3W4000-WH	247
Oscar IP44 (black)	AZ2692.	262
Oscar IP44 (chrome)	AZ1715. GM2117-CH	262
Oscar IP44 (gold)	AZ2800	262
Oscar IP44 (white)	AZ1714. GM2117-WH	262
Osvald Wall (black)	AZ4489.	403
Ove Wall 3000K (dark grey)	AZ4508.	395
Ove Wall 4000K (dark grey)	AZ4509.	395
Oz (black)	AZ3372.	303
Oz (satin nikiel)	AZ3374.	303
Oz (white)	AZ3373.	303
P Pablo (aluminium)	AZ1015. GM2107-ALU	266
Pablo (black)	AZ4140.	266
Pablo (white)	AZ0817. GM2107-WH	266
Paco 1 (aluminium)	AZ0795. GM2103-ALU	276
Paco 1 (black)	AZ0797. GM2103-BK	276
Paco 1 (white)	AZ0796. GM2103-WH	276
Paco 2 (aluminium)	AZ0798. GM2201-ALU	276
Paco 2 (black)	AZ0800 GM2201-BK	276
Paco 2 (white)	AZ0799. GM2201-WH	276
Paco 3 (aluminium)	AZ0801. GM2301-ALU	276
Paco 3 (black)	AZ0803. GM2301-BK	276
Paco 3 (white)	AZ0802. GM2301-WH	276
Paola 1 230V (black)	AZ4130.	156
Paola 1 230V (white)	AZ4128	156
Paola 2 230V (white)	AZ4132.	156
Paola 2 230V (white)	AZ4134.	156
Papiko IP65 (black)	AZ4216.	355
Papiko IP65 (white)	AZ4217.	355
Paulo 1 230V (black/aluminium)	AZ0959. GM4107-BK-ALU	159
Paulo 1 230V (white/aluminium)	AZ0960. GM4107-WH-ALU	159
Paulo 3 230V (black/aluminium)	AZ0965. GM4301-BK-ALU	159
Paulo 3 230V (white/aluminium)	AZ0964. GM4301-WH-ALU	159
Paulo 4 pendant 12V (black/aluminium)	AZ1265. GM5400-BK-ALU	158
Paulo 4 pendant 12V (black/black)	AZ2890.	158
Paulo 4 pendant 12V (white/aluminium)	AZ1267. GM5400-WH-ALU	158
Paulo 4 pendant 12V (white/white)	AZ1800. GM5400-WH-WH	158
Peder (black)	AZ4514.	368
Peder (dark grey)	AZ4515.	368
Pienza 3000K (black)	AZ2723.	191
Pienza 3000K (grey)	AZ2721.	191
Pienza 3000K (white)	AZ2719.	191
Pienza 4000K (black)	AZ2722.	191
Pienza 4000K (grey)	AZ2720.	191
Pienza 4000K (white)	AZ2718.	191
Pio 2 (black)	AZ1720. GM2208-BK	277
Pio 2 (chrome)	AZ1749. GM2208-CH	277
Pio 2 (white)	AZ1719. GM2208-WH	277
Pio (black)	AZ1278. GM2108-BK	277
Pio (chrome)	AZ1718. GM2108-CH	277
Pio (white)	AZ0760. GM2108-WH	277
Piramide L (chrome)	AZ1463. NC1674SQ-CH	216

OLD&NEW CODES LIST

Introduction

Piramide L (gold)	AZ1611 . . . NC1674SQ-GO . . .	216	Remo R (gold)	AZ0824	269
Piramide XL (chrome)	AZ1612 . . . NC1673SQ-CH . . .	216	Remo R (gold)	AZ0824	270
Piramide XL (gold)	AZ1462 . . . NC1673SQ-GO . . .	216	Remo R (gold)	AZ0824 . . GM4103-GO . . .	110
Power 3-Line (black)	AZ4294	14	Remo R (white)	AZ0822	269
Power 3-Line (white)	AZ4293	14	Remo R (white)	AZ0822	270
Power Adjustable Connector 3-Line (black) AZ4286		16	Remo R (white)	AZ0822 . . GM4103-WH . . .	110
Power Adjustable Connector 3-Line (black) AZ4286		16	Remo (white)	AZ0819 . . GM4103-WH . . .	110
Power Adjustable Connector 3-Line (white) AZ4285		16	Rezia 1 (black)	AZ4343	362
Power Adjustable Connector 3-Line (white) AZ4285		16	Rezia 1 (dark grey)	AZ4344	362
Power Gips 3-Line (black)	AZ4296	15	Rezia 2 (black)	AZ4345	362
Power Gips 3-Line (white)	AZ4295	15	Rezia 2 (dark grey)	AZ4346	362
Q QR111 17W BLACK LL153172 no DIMM - 3000K	AZ1108	430	Rimini 1 (black)	AZ4265	366
QR111 17W WHITE LL153171 no DIMM - 3000K	AZ1109	430	Rimini 1 (dark grey)	AZ2176	366
QR111 NEW chrome 12W 12V LL10123 no DIMM - 3000K	AZ1182	430	Rimini 1 Square (black)	AZ4311	364
QR111 NEW CHROME 12W 12V LL210123 no DIMM - 4000K	AZ2507	431	Rimini 1 Square (dark grey)	AZ4267	364
QR111 NEW CHROME 15W 12V LL153151 no DIMM	AZ1783	430	Rimini 1 Square (white)	AZ4313	364
QR111 NEW CHROME 15W 12V LL153152 no DIMM	AZ1784	430	Rimini 1 (white)	AZ2175	366
Quadro 50 LED CCT (black)	AZ2759	196	Rimini 2 (black)	AZ4266	366
Quadro 50 LED CCT (silver)	AZ2758	196	Rimini 2 (dark grey)	AZ2178	366
Quadro 50 LED CCT (gold)	AZ2760	196	Rimini 2 Square (black)	AZ4268	364
R Raffael (black)	AZ3497	153	Rimini 2 Square (dark grey)	AZ4312	364
Raffael (brushed copper)	AZ1626 . . . NC2055-BCO . . .	153	Rimini 2 Square (white)	AZ4314	364
Raffael (chrome)	AZ1624 . . . NC2055-CH . . .	153	Rimini 2 (white)	AZ2177	366
Raffael (gold)	AZ1625 . . . NC2055-GO . . .	153	Rolf 1 Wall (black)	AZ4475	404
Raffael (white)	AZ1623 . . . NC2055-WH . . .	153	Rolf 1 Wall (dark grey)	AZ4476	404
Raggio (black)	AZ2964	305	Rolf 1 Wall (white)	AZ4477	404
Raggio (satin nickel)	AZ2965	305	Rolf 2 500 (black)	AZ4456	404
Raggio (white)	AZ2963	305	Rolf 2 500 (dark grey)	AZ4457	404
Ramona 1 Switch (black)	AZ2565	336	Rolf 2 900 (black)	AZ4458	404
Ramona 1 Switch (white)	AZ2566	336	Rolf 2 900 (dark grey)	AZ4459	404
Ramona 2 Switch (black)	AZ2563	336	Rotondo (black)	AZ4208	124
Ramona 2 Switch (white)	AZ2564	336	Rotondo (bronze)	AZ4209	124
Rasmus BK (black)	AZ4483	402	Rotondo (white)	AZ4207	124
Rasmus Wall (black)	AZ4482	402	S Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (black) AZ4603		62
Raul (aluminium)	AZ0892 . . . GM1107-ALU . . .	324	Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (white) AZ4604		62
Raul (chrome)	AZ0868 . . . GM1107-CH . . .	324	Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (black) AZ4605		62
Raul (white)	AZ0891 . . . GM1107-WH . . .	324	Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (white) AZ4606		62
Remi (black)	AZ4143	281	Saga Tr. Magn. 12W Milky 120 Smart (sand black)	AZ4846	58
Remi (white)	AZ1363	281	Saga Tr. Magn. 20W Milky 120 Smart (sand black)	AZ4848	58
Remo 1 downlight (aluminium)	AZ1729 . . . GM2118R-ALU . . .	269	Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (black) AZ4607		62
Remo 1 downlight (black)	AZ1732 . . . GM2118R-BK . . .	269	Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (white) AZ4608		62
Remo 1 downlight (chrome)	AZ1730 . . . GM2118R-CH . . .	269	Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (black) AZ4609		62
Remo 1 downlight (white)	AZ1731 . . . GM2118R-WH . . .	269	Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (white) AZ4610		62
Remo (aluminium)	AZ0820 . . . GM4103-ALU . . .	110	Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (black) AZ4611		62
Remo (black)	AZ0818 . . . GM4103-BK . . .	110	Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (white) AZ4612		62
Remo R (aluminium)	AZ0821	269	Saga Tr. Magn. 36W Milky 120 Smart (sand black)	AZ4850	58
Remo R (aluminium)	AZ0821	270	Saga Tr. Magn. Corner A 24W Milky120 3000K (black) AZ4613		64
Remo R (aluminium)	AZ0821 . . . GM4103-ALU . . .	110	Saga Tr. Magn. Corner A 24W Milky120 3000K (white) AZ4614		64
Remo R (black)	AZ0823	269	Saga Tr. Magn. Corner A 24W Milky120 4000K (black) AZ4615		64
Remo R (black)	AZ0823	270	Saga Tr. Magn. Corner A 24W Milky120 4000K (white) AZ4616		64
Remo R (black)	AZ0823 . . . GM4103-BK . . .	110	Saga Tr. Magn. Corner B 24W Milky120 3000K (black) AZ4617		64
Remo R (champagne)	AZ0825	269	Saga Tr. Magn. Corner B 24W Milky120 3000K (white) AZ4618		64
Remo R (champagne)	AZ0825	270	Saga Tr. Magn. Corner B 24W Milky120 4000K (black) AZ4619		64
Remo R (champagne)	AZ0825 . . . GM4103-CM . . .	110	Saga Tr. Magn. Corner B 24W Milky120 4000K (white) AZ4620		64
Remo R (chrome)	AZ0855	269	Sane FI 40 (black)	AZ2765	304
Remo R (chrome)	AZ0855	270	Sane FI 40 (nickel)	AZ2767	304
Remo R (chrome)	AZ0855 . . . GM4103-CH . . .	110	Sane FI 40 (white)	AZ2766	304

Sane FI 60 (antique)	AZ2770.	304
Sane FI 60 (black)	AZ2768.	304
Sane FI 60 (nickel)	AZ2771.	304
Sane FI 60 (white)	AZ2769.	304
Santos 3000K (black)	AZ2416. . . LM-9013-BK.	130
Santos 3000K (black/black)	AZ4181. . . LM-9013-BK.	130
Santos 3000K (white)	AZ2417. . . LM-9013-WH.	130
Santos 3000K (white/white)	AZ4182. . . LM-9013-WH.	130
Santos Exposed Round (black)	AZ3509.	144
Santos Exposed Round (white)	AZ3508.	144
Santos GU10 (black/black)	AZ4201.	130
Santos GU10 (white/white)	AZ4200.	130
Santos Square (black)	AZ3523.	131
Santos Square Track (black)	AZ3525.	43
Santos Square Track (white)	AZ3524.	43
Santos Square (white)	AZ3522.	131
Santos Track 3 Line 12W 3000K (black/black)	AZ4183.	25
Santos Track 3 Line 12W 3000K (white/white)	AZ4184.	25
Santos Track 3 Line GU10 (black)	AZ4203.	24
Santos Track 3 Line GU10 (white)	AZ4202.	24
Santos track (black/gold)	AZ2924.	25
Santos track (white/gold)	AZ2925.	25
Savio Round	AZ2779.	286
Savio Square.	AZ2778.	286
Scatola (white)	AZ0578. . . MB5798S-WH	325
Scorpio (black chrome)	AZ2952.	143
Scorpio (chrome)	AZ1452. . . LC1295-M-CH	143
Scorpio (white)	AZ1618. . . LC1295-M-WH.	143
Siena 10 3000K (chrome)	AZ2214. . . SH623000-10-CH	145
Siena 10 4000K (chrome)	AZ2215. . . SH624000-10-CH	145
Siena 10 4000K (white)	AZ2211. . . SH604000-10-WH	145
Siena 20 3000K (black)	AZ2218. . . SH613000-20-BK	145
Siena 20 3000K (chrome)	AZ2220. . . SH623000-20-CH	145
Siena 20 4000K (black)	AZ2219. . . SH614000-20-BK.	145
Siena 20 4000K (chrome)	AZ2221. . . SH624000-20-CH	145
Simon Round (black)	AZ1613. . . NC1767R-BK.	210
Simon Round (chrome)	AZ1614. . . NC1767R-CH	210
Simon Round (white matt)	AZ1473. . . NC1767R-WH.	210
Simon Square (black)	AZ1615. . . NC1767SQ-BK	210
Simon Square (chrome)	AZ1616. . . NC1767SQ-CH.	210
Simon Square (white matt)	AZ1474. . . NC1767SQ-WH	210
Siro 1 (aluminium)	AZ0767. . . GM2101-ALU	290
Siro 1 (black/aluminium)	AZ0769. . . GM2101-BK-ALU	290
Siro 1 (black/ (black)	AZ2805.	290
Siro 1 (white)	AZ0768. . . GM2101-WH	290
Siro 2 (aluminium)	AZ0770. . . GM2200-ALU.	290
Siro 2 (black/aluminium)	AZ0772. . . GM2200-BK-ALU.	290
Siro 2 (black/ (black)	AZ2806	290
Siro 2 (white)	AZ0771. . . GM22000-WH.	290
Siro 3 (aluminium)	AZ0773. . . GM2300-ALU.	290
Sisto 1 (aluminium)	AZ0793. . . GM2109-ALU	291
Sisto 1 (black/black)	AZ2810.	291
Sisto 1 (white)	AZ1446. . . GM2109-WH	291
Sisto 2 (aluminium)	AZ0794. . . GM2202-ALU.	291
Sisto 2 (black/black)	AZ2809.	291
Sisto 2 (white)	AZ1447. . . GM2202-WH	291
Skye 3000K (black)	AZ4518.	148



Skye 3000K (white)	AZ4517.	148
Skye pendant 3000K (black)	AZ4522.	149
Skye pendant 3000K (white)	AZ4517.	149
Skye Track 3 Line (black)	AZ4519.	44
Skye Track 3 Line (white)	AZ4520.	44
Skye Track Magnetic Pendant 12W (black)	AZ4636.	71
Skye Track Magnetic Pendant 12W (white)	AZ4637.	71
Slim 9 Round 3000K IP44 (black)	AZ2834.	245
Slim 9 Round 3000K IP44 (chrome)	AZ2861.	245
Slim 9 Round 3000K IP44 (white)	AZ2831.	245
Slim 9 Round 4000K IP44 (black)	AZ2835.	245
Slim 9 Round 4000K IP44 (chrome)	AZ2862.	245
Slim 9 Round 4000K IP44 (white)	AZ2832.	245
Slim 9 Square 3000K IP44 (black)	AZ2833.	242
Slim 9 Square 3000K IP44 (white)	AZ2830.	242
Slim 15 Round 3000K IP44 (black)	AZ2840	245
Slim 15 Round 3000K IP44 (chrome)	AZ2838.	245
Slim 15 Round 3000K IP44 (white)	AZ2839.	245
Slim 15 Round 4000K IP44 (black)	AZ2843.	245
Slim 15 Round 4000K IP44 (chrome)	AZ2841.	245
Slim 15 Round 4000K IP44 (white)	AZ2842.	245
Slim 15 Square 3000K IP44 (black)	AZ2836.	242
Slim 15 Square 3000K IP44 (white)	AZ2837.	242
Sona 47 CCT (white)	AZ2761.	197
Sona 55 CCT (white)	AZ2763.	197
Sonya Tr. Magn. 20W Points60 Smart (sand black)	AZ4844.	59
Sorano 500 (black)	AZ4444	406
Sorano 500 (dark grey)	AZ4358.	406
Sorano 700 (black)	AZ4445.	406
Sorano 700 (dark grey)	AZ4359.	406
Sorano Wall (black)	AZ4446	407
Sorano Wall (dark grey)	AZ4357.	407
Sovana Pendant 45 CCT (black)	AZ3437.	202
Sovana Pendant 45 CCT (grey)	AZ3438.	202
Sovana Pendant 45 CCT (white)	AZ3436.	202
Sovana Pendant 55 CCT (black)	AZ2728.	202
Sovana Pendant 55 CCT (grey)	AZ2729.	202
Sovana Pendant 55 CCT (white)	AZ2727.	202
Sovana Pendant 80 CCT (black)	AZ3449.	202
Sovana Pendant 80 CCT (grey)	AZ3450.	202
Sovana Pendant 80 CCT (white)	AZ3448	202
Sovana Top 45 CCT (black)	AZ3434.	200
Sovana Top 45 CCT (grey)	AZ3435.	200
Sovana Top 45 CCT (white)	AZ3433.	200
Sovana Top 55 CCT (black)	AZ2726.	200
Sovana Top 55 CCT (grey)	AZ2725.	200
Sovana Top 55 CCT (white)	AZ2724.	200
Sovana Top 80 CCT (black)	AZ3446	200
Sovana Top 80 CCT (grey)	AZ3447.	200
Sovana Top 80 CCT (white)	AZ3445.	200
Stan (aluminium)	AZ0860. . . GM2111-ALU	292
Stan (black/black)	AZ2811.	292
Stan (chrome)	AZ2957.	292
Stan (white)	AZ0861. . . GM2111-WH	292
Straight Connector 1-Line (black)	AZ4737.	2
Straight Connector 1-Line (white)	AZ4736.	2
Taz (black)	AZ3369.	302

OLD&NEW CODES LIST

Introduction


Taz (satin nikiel)	AZ3371.	302	Track Magnetic 27 1m (black)	AZ4713.	48
Taz (white)	AZ3370.	302	Track Magnetic 27 1m (white).	AZ4712.	48
T Connector 1-Line (black)	AZ4741.	4	Track Magnetic 27 2m (black)	AZ4717.	48
T Connector 1-Line (white).	AZ4740.	4	Track Magnetic 27 2m (white).	AZ4716.	48
T Connector Gips only Right (black)	AZ4300.	15	Track Magnetic 27 3m (black)	AZ4719.	48
T Connector Gips only Right (white).	AZ4299.	15	Track Magnetic 27 3m (white)	AZ4718.	48
T Connector Left (black)	AZ4278.	14	Track Magnetic 27 Corner90 (black)	AZ5001.	50
T Connector Left (white)	AZ4277.	14	Track Magnetic 27 Corner90 (white)	AZ5002	50
T Connector Right (black)	AZ4276.	14	Track Magnetic 27 Cover (black)	AZ4860.	54
T Connector Right (white)	AZ4275.	14	Track Magnetic 27 Cover (white)	AZ4861.	54
Tito (aluminium)	AZ0814.	263	Track Magnetic 27 Inner Corner90 (black). AZ5001.		50
Tito (black)	AZ4139.	263	Track Magnetic 27 Inner Corner90 (white) AZ5002		50
Tito (white).	AZ0815.	263	Track Magnetic 52 1,5m (black)	AZ4640.	48
Tivoli 3000K (black)	AZ2224. . . SH643000-10-BK . . .	39	Track Magnetic 52 1,5m (white)	AZ4641.	48
Tivoli 3000K (white).	AZ2222. . . SH633000-10-WH. . .	39	Track Magnetic 52 1m (black)	AZ4638.	48
Tivoli 4000K (black)	AZ2225. . . SH644000-10-BK . . .	39	Track Magnetic 52 1m (white).	AZ4639.	48
Tivoli 4000K (white).	AZ2223. . . SH634000-10-WH . . .	39	Track Magnetic 52 2m (black)	AZ4642.	48
Torch (black)	AZ2206. . . GW-609-BK	330	Track Magnetic 52 2m (white).	AZ4643.	48
Torch (white)	AZ2207. . . GW-609-WH	330	Track Magnetic 52 3m (black)	AZ4644.	48
Toronto 13000K (black)	AZ4065.	152	Track Magnetic 52 3m (white).	AZ4645.	48
Toronto 13000K (white)	AZ4070.	152	Track Magnetic 52 Gips1 1,5m (black)	AZ4864.	49
Toronto 1 Spot 3000K (black)	AZ4063.	254	Track Magnetic 52 Gips1 1m (black)	AZ4863.	49
Toronto 1 Spot 3000K (white)	AZ4071.	254	Track Magnetic 52 Gips1 2m (black)	AZ4865.	49
Toronto 23000K (black)	AZ4066.	152	Track Magnetic 52 Gips1 Corner90 (black) AZ4862.		51
Toronto 23000K (white)	AZ4072.	152	Track Magnetic 52 Gips2 1,5m (black)	AZ4648.	49
Torres ES111 (black).	AZ2685.	293	Track Magnetic 52 Gips2 1,5m (white)	AZ4649.	49
Torres ES111 (white)	AZ2684.	293	Track Magnetic 52 Gips2 1m (black)	AZ4646.	49
Torres GU10 (black)	AZ2683.	293	Track Magnetic 52 Gips2 1m (white)	AZ4647.	49
Torres GU10 (white).	AZ2682.	293	Track Magnetic 52 Gips2 2m (black)	AZ4650.	49
Track 1-Line 1,5m (black)	AZ4730.	2	Track Magnetic 52 Gips2 2m (white)	AZ4651.	49
Track 1-Line 1,5m (white).	AZ4731.	2	Track Magnetic 52 Gips2 Corner90 (black) AZ4681.		51
Track 1-Line 1m (black).	AZ4729.	2	Track Magnetic 52 Gips2 Corner90 (white) AZ4682.		51
Track 1-Line 1m (white)	AZ4728.	2	Track Magnetic 52 Gips2 Inner Corner90 (black).	AZ4685.	51
Track 1-Line 2m (black).	AZ4733.	2	Track Magnetic 52 Gips2 Inner Corner90 (white)	AZ4686.	51
Track 1-Line 2m (white)	AZ4732.	2	Track Magnetic 52 Inner Corner90 (black). AZ4683.		50
Track 1-Line 3m (black).	AZ4735.	2	Track Magnetic 52 Inner Corner90 (white) AZ4684.		50
Track 1-Line 3m (white)	AZ4734.	2	Track Magnetic Bluetooth Remote Smart.	AZ4857.	55
Track 1-Line Pendant Accessory 1.5m (black).	AZ4747	4	Track Magnetic Corner90 (black)	AZ4679.	50
Track 1-Line Pendant Accessory 1.5m (white)	AZ4746	4	Track Magnetic Corner90 (white)	AZ4680.	50
Track 3-Line 1,5m (black)	AZ3000	12	Track Magnetic Cover 1m (black)	AZ4652.	53
Track 3-Line 1,5m (white).	AZ2999.	12	Track Magnetic Cover 1m (white)	AZ4653.	53
Track 3-Line 1m (black)	AZ2973.	12	Track Magnetic Driver Insight 60W (black) AZ4649.		52
Track 3-Line 1m (white)	AZ2974.	12	Track Magnetic Driver Insight 60W (white) AZ4670.		52
Track 3-Line 2m (black)	AZ2975.	12	Track Magnetic Driver Insight 100W (black)	AZ4671	52
Track 3-Line 2m (white)	AZ2976.	12	Track Magnetic Driver Insight 100W (white)	AZ4672	52
Track 3-Line 3m (black)	AZ4272.	12	Track Magnetic Driver Insight 200W (black)	AZ4673	52
Track 3-Line 3m (white)	AZ4271.	12	Track Magnetic Driver Insight 200W (white)	AZ4674	52
Track 3-Line Pendant Accessory 1.5m (black)	AZ4797	16	Track Magnetic Driver Meanwell 48V 100W.	AZ4691.	53
Track 3-Line Pendant Accessory 1.5m (white)	AZ4796	16	Track Magnetic Driver Meanwell 48V 200W.	AZ4692	53
Track Gips 3-Line 1m (black).	AZ4290.	13	Track Magnetic Driver Meanwell 48V 350W.	AZ4866.	53
Track Gips 3-Line 1m (white)	AZ4289.	13	Track Magnetic Flex Connector Electric (black)	AZ4687	51
Track Gips 3-Line 2m (black).	AZ4292.	13	Track Magnetic Flex Connector Electric (white).	AZ4688.	51
Track Gips 3-Line 2m (white)	AZ4291.	13	Track Magnetic Mechanical Connector (black)	AZ4689.	52
Track Gips 3-Line 3m (black)	AZ4294.	13	Track Magnetic Mechanical Connector (white)	AZ4690.	52
Track Gips 3-Line 3m (white)	AZ4293.	13	Track Magnetic Set 1,5 M 3000K (black) 52M1531BK	AZ4806.	80
Track Magnetic 27 1,5m (black)	AZ4715.	48	Track Magnetic Set 1,5 M 3000K (black/gold) 52M1531WH	AZ4807.	80
Track Magnetic 27 1,5m (white)	AZ4714	48	Track Magnetic Set 1,5 M 3000K (white/gold) 52M1531BKAZ4808.		80

Track Magnetic Set 1,5 M 4000K (white) 52M1541WH AZ4809.....	80	Vega (white).....	AZ1708... GM1121-WH.....	331
Track Magnetic Set 1 M 3000K (black) 52M1031BK... AZ4798.....	78	Vektor Round (clear glass).....	AZ1494... SC760R-A-CL.....	230
Track Magnetic Set 1 M 3000K (black) 52M1032BK... AZ4802.....	79	Vektor Square (clear glass).....	AZ1495... SC760SQ-A-CL.....	231
Track Magnetic Set 1 M 3000K (black) 52M1041BK... AZ4800.....	78	Velia Round 2 (black).....	AZ4399.....	306
Track Magnetic Set 1 M 3000K (black) 52M1042BK... AZ4804.....	79	Velia Round 2 (brass).....	AZ4397.....	306
Track Magnetic Set 1 M 3000K (white) 52M1031WH... AZ4799.....	78	Velia Round 2 (white).....	AZ4398.....	306
Track Magnetic Set 1 M 3000K (white) 52M1032WH... AZ4803.....	79	Velia Square 2 (black).....	AZ4401.....	307
Track Magnetic Set 1 M 3000K (white) 52M1041WH... AZ4801.....	78	Velia Square 2 (brass).....	AZ4402.....	307
Track Magnetic Set 1 M 3000K (white) 52M1042WH... AZ4805.....	79	Velia Square 2 (white).....	AZ4403.....	307
Track Magnetic Set 2 M 3000K (black) 52M2031BK... AZ4810.....	81	Veneto (black).....	AZ4348.....	373
Track Magnetic Set 2 M 3000K (black) 52M2032BK... AZ4814.....	82	Veneto (dark grey).....	AZ4349.....	373
Track Magnetic Set 2 M 3000K (black) 52M2034BK... AZ4820.....	83	Venta (black).....	AZ4350.....	372
Track Magnetic Set 2 M 3000K (black/gold) 52M2033BK... AZ4818.....	84	Venta (dark grey).....	AZ4351.....	372
Track Magnetic Set 2 M 3000K (white) 52M2031WH... AZ4811.....	81	Venus (aluminium).....	AZ0893... GM1110-ALU.....	313
Track Magnetic Set 2 M 3000K (white) 52M2032WH... AZ4815.....	82	Venus (white).....	AZ0894... GM1110-WH.....	313
Track Magnetic Set 2 M 3000K (white) 52M2034WH... AZ4821.....	83	Vera (black).....	AZ3201.....	338
Track Magnetic Set 2 M 3000K (white/gold) 52M2033WH... AZ4819.....	84	Vera (white).....	AZ4417.....	338
Track Magnetic Set 2 M 4000K (black) 52M2041BK... AZ4812.....	81	Verdi 2 (black).....	AZ3529.....	294
Track Magnetic Set 2 M 4000K (black) 52M2042BK... AZ4816.....	82	Verdi 2 (white).....	AZ3528.....	294
Track Magnetic Set 2 M 4000K (white) 52M2041WH... AZ4813.....	81	Verdi 3 (black).....	AZ3531.....	294
Track Magnetic Set 2 M 4000K (white) 52M2042WH... AZ4817.....	82	Verdi 3 (white).....	AZ3530.....	294
Track Magnetic Set 3 M 3000K (black) 52M3031BK... AZ4822.....	85	Verdi (black).....	AZ3527.....	294
Track Magnetic Set 3 M 3000K (black) 52M3032BK... AZ4824.....	86	Verdi (white).....	AZ3526.....	294
Track Magnetic Set 3 M 3000K (white) 52M3031WH... AZ4823.....	85	Veronica (black).....	AZ1548... MB459-Z-BK.....	342
Track Magnetic Set 3 M 3000K (white) 52M3032WH... AZ4825.....	86	Veronica (chrome).....	AZ1546... MB459-Z-CH.....	342
Track Magnetic Set 3 M 4000K (black) 52M3042BK... AZ4826.....	86	Veronica (white).....	AZ1547... MB459-Z-WH.....	342
Track Magnetic Set 3 M 4000K (white) 52M3042WH... AZ4827.....	86	Vialetto L (black).....	AZ0573... MB5796S-A-BK.....	327
Track Magnetic Straight Connector (black) AZ4677.....	52	Vidal (aluminium).....	AZ0862... GM1104-ALU.....	326
Track Magnetic Straight Connector (black) AZ4677.....	53	Vidal (white).....	AZ0863... GW-608-WH.....	326
Track Magnetic Straight Connector (white) AZ4678.....	52	Vigo (black).....	AZ2203... GW-608-BK.....	322
Track Magnetic Straight Connector (white) AZ4678.....	53	Vigo (white).....	AZ2202... GM1104-WH.....	322
Track Magnetic Suspension Kit 2m (black) . AZ4693.....	52	Vision (black).....	AZ1745... GM4214-BK.....	139
Track Magnetic Suspension Kit 2m (white) . AZ4694.....	52	Vision (white).....	AZ1744... GM4214-WH.....	139
Track Set 1-Line 1,5m (black).....	3	X X Connector 3-Line (black).....	AZ4280.....	16
Track Set 1-Line 1,5m (white).....	3	X Connector 3-Line (white).....	AZ4279.....	16
Track Set 1-Line 1m (black).....	3	X Connector Gips 3-Line (black).....	AZ4302.....	17
Track Set 1-Line 1m (white).....	3	X Connector Gips 3-Line (white).....	AZ4301.....	17
Track Set 1-Line 2m (black).....	3	Z Zita XL (black).....	AZ4150.....	383
Track Set 1-Line 2m (white).....	3	Zita XL (bright grey).....	AZ2201.....	383
Track Set 3-Line 1,5m (black).....	12	Zita XL (dark grey).....	AZ2200.....	383
Track Set 3-Line 1,5m (white).....	12	Zita XL (white).....	AZ4151.....	383
Track Set 3-Line 1m (black).....	12			
Track Set 3-Line 1m (white).....	12			
Track Set 3-Line 2m (black).....	12			
Track Set 3-Line 2m (white).....	12			
U Ulf 1 Wall Sensor (black).....	371			
Ulf 1 Wall Sensor (dark grey).....	371			
Ulf 2 Wall (black).....	371			
Ulf 2 Wall (dark grey).....	371			
Una 3000K (chrome).....	261			
Una 4000K (chrome).....	261			
V Vasko (black).....	133			
Vasko (chrome).....	133			
Vasko (white).....	133			
Vega (anodised gold).....	331			
Vega (black / gold).....	331			
Vega (chrome).....	331			



READING INTRODUCTION

A	B	C	D	E
product name	voltage	protection class	technical specification	colour
	The electrical voltage between two points in the electrical circuit. The unit of voltage is the volt [V] The most common voltage levels for our lamps are: 230V; 48V; 24V or 12V	degree of protection for electrical devices against dust, moisture and water IP66 protection against ingress of dust, protection against powerful water jets or splashing of water from any direction IP54 protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle IP44 protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain) IP20 protection against accidental touch, lack of security moisture	see detailed information on technical specification 	BK – BLACK BCH – BLACK CHROME BGR – BRIGHT GREY DGR – DARK GREY WH – WHITE CH – CHROME AL – ALUMINIUM GO – GOLD AG – ANTIQUE GOLD BR – BROWN CO – CONCRETE COO – COPPER ST – STEEL AM – AMBER OL – OLIVE CHA – CHAMPAGNE AST – ANODISED STEEL ABR – ANODISED BROWN AGO – ANODISED GOLD ACO – ANODISED COPPER



NAME

LED integrated

voltage: 230V LED 18W 1300lm 3000K

IP20

technical specification

installation place 6 Inlet opening 7 9,5cm

beam angle: 120° 8

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4444**

☐ 3000K BLACK (BK) **AZ5555**

Where to find

Product code are written after each color

group energy label

see detailed information on page 433

Energy efficiency exist from A to G see detailed information on page 433

bulb type

1 bulb type

2D bulb

PL-L

T5

E14

E27

G24

G9

AR111

ES111 230V

MR16

GU10

LED

2 number of bulbs

3 maximum lamp watt (W)

not included in the price of the purchased lamp

4 luminosity in lumen

5 light temperature in Kelvin

Installation

6 installation place

ceiling surface mounted

wall surface mounted

pendant

floor

7 the shape and size of the inlet opening (dimensions are in centimeters)

round hole (cm)

square hole (cm)

rectangular hole (cm)

8 beam angle

beam angle is given in degrees (from 1° to 360°)

dimensional drawing

technical drawing view (dimensions are in centimeters)

9 side view


10 top view

11 range of adjustment of the reflector

reflector tilt

reflector rotation


SYSTEM COMPONENTS NAMES FOR 1-LINE TRACK SYSTEM



1-LINE TRACK

1 - LINE


track 1-Line



- 2 ACCESSORIES FOR TRACK 1 LINE
- 6 EXO TRACK
- 7 LOLO TRACK
- 8 KIRKE TRACK
- 9 JERRY TRACK


TRACK 1-LINE

Components for Track 1 Line



Tracks (1m, 1,5m, 2m, 3m)

☒	TRACK 1m (BLACK)		AZ4729
☐	TRACK 1m (WHITE)		AZ4728
☒	TRACK 1,5m (BLACK)		AZ4731
☐	TRACK 1,5m (WHITE)		AZ4730
☒	TRACK 2m (BLACK)		AZ4733
☐	TRACK 2m (WHITE)		AZ4732
☒	TRACK 3m (BLACK)		AZ4735
☐	TRACK 3m (WHITE)		AZ4734




Straight Connector

☒	STRAIGHT CONNECTOR (BLACK)		AZ4737
☐	STRAIGHT CONNECTOR (WHITE)		AZ4736




Available options for installation place (surface and pendant mounted)



Track Set (1m, 1.5m, 2m)
with THE END POWER + END CAP

- SET 1m (BLACK) **AZ4723**
- SET 1m (WHITE) **AZ4722**
- SET 1,5m (BLACK) **AZ4725**
- SET 1,5m (WHITE) **AZ4724**
- SET 2m (BLACK) **AZ4727**
- SET 2M (WHITE) **AZ4726**




End Power

- END POWER (BLACK) **AZ4743**
- END POWER (WHITE) **AZ4742**




TRACK 1-LINE

Accessories for Track 1 Line



L Connector

- ☒ L CONNECTOR (BLACK)AZ4739
- ☐ L CONNECTOR (WHITE)AZ4738



T Connector

- ☒ T CONNECTOR (BLACK)AZ4741
- ☐ T CONNECTOR (WHITE)AZ4740



End Cap


- ☒ END CAP (BLACK)AZ4745
- ☐ END CAP (WHITE)AZ4744



Track 1-Line Pendant Accessory 1.5m


- ☒ TRACK 1-LINE PENDANT ACCESSORY 1.5M (BLACK)AZ4747
- ☐ TRACK 1-LINE PENDANT ACCESSORY 1.5M (WHITE)AZ4746





Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**



TRACK 1 LINE ELECTRIC ADAPTER

- TRACK 1 LINE ELECTRIC ADAPTER (BLACK) **AZ4749**
- TRACK 1 LINE ELECTRIC ADAPTER (WHITE) **AZ4748**





BK *


EXO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max 35W
IP20	
	installation: Track 1 Line

COLOUR / NEW INDEX NO.

■ BLACK (BK)	AZ4660
□ WHITE (WH)	AZ4661



WH

BK




LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 1 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4654**
- WHITE (WH) **AZ4655**



KIRKE TRACK 10W CCT SWITCH

Track 1 Line



KIRKE TRACK 1 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm

3000K | 4000K | 6000K CCT

installation: Track 1 Line


beam angle: 40°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4656**

□ WHITE (WH) **AZ4657**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



WH

BK


JERRY TRACK 1 LINE

bulb not included 


voltage: 230V	ES111 1x Max 16W	
IP20		
technical specification	installation place: Track 1 Line	

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ4666**
- ☐ WHITE (WH) **AZ4667**




SYSTEM COMPONENTS NAMES FOR TRACK 3-LINE SYSTEM



3 - LINE


track 3-Line




- 12 ACCESORIES FOR TRACK 3 LINE
- 20 EIGER TRACK
- 21 MEGARA TRACK
- 22 LOLO TRACK
- 23 GULIA TRACK
- 24 SANTOS TRACK
- 26 KIRKE TRACK CCT
- 27 GALILEO TRACK
- 28 LUMI TRACK
- 28 LUMI FLEX TRACK
- 30 COSTA ARM TRACK
- 31 COSTA TRACK
- 32 JERRY TRACK
- 33 JANE TRACK
- 34 MIKKA TRACK
- 35 MONA TRACK
- 36 LINNEA TRACK CCT
- 38 EREBUS TRACK
- 38 EREBUS TUBE
- 39 TIVOLI TRACK
- 40 BROSS ARM TRACK
- 41 EXO TRACK
- 42 LENS TRACK
- 43 SANTOS SQUARE TRACK
- 44 SKYE TRACK
- 45 LEON TRACK

TRACK 3-LINE

Accessories for Track 3 Line



Example of the connection between track



TRACKS (1m, 1,5m, 2m, 3m)

☒	TRACK 1m (BLACK)	AZ2973
☐	TRACK 1m (WHITE)	AZ2974
☒	TRACK 1,5m (BLACK)	AZ3000
☐	TRACK 1,5m (WHITE)	AZ2999
☒	TRACK 2m (BLACK)	AZ2975
☐	TRACK 2m (WHITE)	AZ2976
☒	TRACK 3m (BLACK)	AZ4272
☐	TRACK 3m (WHITE)	AZ4271





Track Set (1m, 1,5m, 2m)

with THE END POWER + END CAP

☒	TRACK SET 1m (BLACK)	AZ2987
☐	TRACK SET 1m (WHITE)	AZ2991
☒	TRACK SET 1,5m (BLACK)	AZ3001
☐	TRACK SET 1,5m (WHITE)	AZ3002
☒	TRACK SET 2m (BLACK)	AZ2992
☐	TRACK SET 2m (WHITE)	AZ2988



Available options for installation place – surface-mounted, flush-mounted and suspended



TRACKS GIPS (1m, 2m, 3m)

- TRACK GIPS 1m (BLACK) **AZ4290**
- TRACK GIPS 1m (WHITE) **AZ4289**
- TRACK GIPS 2m (BLACK) **AZ4292**
- TRACK GIPS 2m (WHITE) **AZ4291**
- TRACK GIPS 3m (BLACK) **AZ4294**
- TRACK GIPS 3m (WHITE) **AZ4293**




MINI SIMPLE CONNECTION

- MINI SIMPLE CONNECTION (BLACK) **AZ2981**
- MINI SIMPLE CONNECTION (WHITE) **AZ2982**




TRACK 3-LINE

Accessories for Track 3 Line





End Power (Left, Right)

- ☒ END POWER RIGHT (BLACK)AZ4116
- ☐ END POWER RIGHT (WHITE)AZ4117
- ☒ END POWER LEFT (BLACK)AZ4284
- ☐ END POWER LEFT (WHITE)AZ4283




Power

- ☒ POWER (BLACK)AZ4274
- ☐ POWER (WHITE)AZ4273




L Connector (Left, Right)

- ☒ L CONNECTOR RIGHT (BLACK)AZ2983
- ☐ L CONNECTOR RIGHT (WHITE)AZ2984
- ☒ L CONNECTOR LEFT (BLACK)AZ2985
- ☐ L CONNECTOR LEFT (WHITE)AZ2986



T Connector (Left, Right)

- ☒ T CONNECTOR LEFT (BLACK)AZ4276
- ☐ T CONNECTOR LEFT (WHITE)AZ4275
- ☒ T CONNECTOR RIGHT (BLACK)AZ4278
- ☐ T CONNECTOR RIGHT (WHITE)AZ4277






End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK)AZ4304
- END POWER GIPS RIGHT (WHITE)AZ4303
- END POWER GIPS LEFT (BLACK)AZ4310
- END POWER GIPS LEFT (WHITE)AZ4309





LEFT



Power Gips

- POWER GIPS (BLACK)AZ4296
- POWER GIPS (WHITE)AZ4295




L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK)AZ4298
- L CONNECTOR GIPS RIGHT (WHITE)AZ4297




LEFT



T Connector Gips (only Right)


- T CONNECTOR GIPS RIGHT (BLACK)AZ4300
- T CONNECTOR GIPS RIGHT (WHITE)AZ4299



LEFT

TRACK 3-LINE

Accessories for Track 3 Line




X Connector

- ☒ X CONNECTOR (BLACK)AZ4280
- ☐ X CONNECTOR (WHITE)AZ4279




Power Adjustable Connector

- ☒ POWER ADJUSTABLE CONNECTOR (BLACK)AZ4286
- ☐ POWER ADJUSTABLE CONNECTOR (WHITE)AZ4285



Track 3-Line Pendant Accessory 1.5m


- ☒ TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK)AZ4797
- ☐ TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE)AZ4796



Ceiling Plate + Wire



- ☒ CEILING PLATE + WIRE (BLACK)AZ4780
- ☐ CEILING PLATE + WIRE (WHITE)AZ4782






X Connector Gips

- X CONNECTOR GIPS (BLACK)AZ4302
- X CONNECTOR GIPS (WHITE)AZ4301



Flexible Connector

- FLEXIBLE CONNECTOR (BLACK)AZ4282
- FLEXIBLE CONNECTOR (WHITE)AZ4281



End Cap

- END CAP (BLACK)AZ4288
- END CAP (WHITE)AZ4287




TRACK 3 LINE ELECTRIC ADAPTER


- ELECTRIC (BLACK)AZ3003
- ELECTRIC (WHITE)AZ3012



Diagram showing the correct way to connect accessories to busbars (trackline)

The orange line indicates polarity of the system (observe earth contact)





EIGER TRACK

Track 3 Line



BK *


EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4205**
- BLACK / GOLD (BK/GO) **AZ4206**
- WHITE (WH) **AZ4204**






WH *

MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4443** WHITE (WH) **AZ4442**

LOLO TRACK

Track 3 Line



BK *


LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ4577**
☐ WHITE (WH) **AZ4578**



WH



BK





GO *


GULIA TRACK TRACK 3-LINE GU10

bulb not included 

voltage: 230V	LED GU10 1x Max. 50W	
IP20	installation place: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4710**
- WHITE (WH) **AZ4709**
- GOLD (GO) **AZ4711**



SANTOS TRACK

Track 3 Line



BK *


SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4203**
 WHITE (WH) **AZ4202**



TILT 90°

ROTATION 350°



BK / BK

WH / WH





BK / BK *

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 950lm 3000K


LED

installation place: Track 3 Line

beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4183**
- WHITE / WHITE (WH / WH) **AZ4184**
- BLACK / GOLD (BK / GO) **AZ2924**
- WHITE / GOLD (WH / GO) **AZ2925**



Track 3 Line



BK *



WH

BK

KIRKE TRACK 3 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm


3000K | 4000K | 5500K CCT

installation: Track 3 Line

beam angle: 40°

LED

COLOUR / NEW INDEX NO.

☒ BLACK (BK) **AZ4658**
☐ WHITE (WH) **AZ4659**


TILT 90°

ROTATION 350°





WH *

GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 15W 1200lm 3000K

LED

installation place: Track 3 Line


beam angle: 12°÷ 35°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4066**

☒ BLACK (BK) **AZ4067**



12° 35°



Track 3 Line



BK *

LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

☐ WHITE FINISH SHINING (WH) **AZ4558**
☒ BLACK FINISH SHINING (BK) **AZ4557**


ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 350°



BK *

LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

☐ WHITE FINISH SHINING (WH) **AZ4560**
☒ BLACK FINISH SHINING (BK) **AZ4559**


ADJUSTABLE BEAM ANGLE

ROTATION 360°



WH



BK




WH




BK

* - EXPLANATION SHORTCUT PAGE 2 (E)



ADJUSTABLE BEAM ANGLE



Track 3 Line



COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V

IP20

technical

specification




LED 12W 1020lm 3000K

LED

installation place: Track Electric 3 Line

beam angle: 25°

COLOUR / NEW INDEX NO.

☐ WHITE / WHITE (WH / WH) **AZ3487**
☒ BLACK / BLACK (BK / BK) **AZ3486**


TILT 90°

ROTATION 360°





COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1100lm 3000K

LED 12W 1100lm 4000K


installation place: Track 3 Line

beam angle: 25°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4550**
- ☒ 3000K BLACK (BK) **AZ4549**
- ☐ 4000K WHITE (WH) **AZ4552**
- ☒ 4000K BLACK (BK) **AZ4551**





BK *


JERRY TRACK 3 LINE ES111

bulb not included ☒

voltage: 230V	connect 1x ES111 MAX 50W	☒
IP20		
	installation place – track 3 x line	☒

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2459**
- ☒ BLACK (BK) **AZ2458**





BK *



WH

BK


JANE TRACK 3 LINE GU10

bulb not included ☒

voltage: 230V	connect 1x GU10 MAX 50W	☐
IP20		
	installation place – track 3 x line	☒

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2460**
- ☒ BLACK (BK) **AZ2457**



Track 3 Line



BK *

MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 24W 1700lm 3000K

IP20



technical


specification

LED

installation: Track 3 Line

beam angle: 120°

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4516**


TILT 40°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



BK *

MONA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 1000lm 3000K

LED 12W 1050lm 4000K


installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4541**
- ☒ 3000K BLACK (BK) **AZ4542**
- ☐ 4000K WHITE (WH) **AZ4544**
- ☒ 4000K BLACK (BK) **AZ4543**



TILT 80°

ROTATION 350°



WH *

MONA TRACK 3 LINE 18W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 18W 1500lm 3000K


installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4548**
- ☒ BLACK (BK) **AZ4547**



TILT 80°

ROTATION 350°



WH



WH



BK



BK



LINNEA TRACK CCT SWITCH



Track 3 Line



LINNEA 29 TRACK 12W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 700lm


3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4564**
☒ BLACK (BK) **AZ4563**


TILT 90°

ROTATION 350°



LINNEA 86 TRACK 3 LINE 36W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 36W 2000lm


3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4568**
☒ BLACK (BK) **AZ4567**


TILT 90°

* - EXPLANATION SHORTCUT PAGE 2 (E)

Azzardo®


LINNEA 57 TRACK 3 LINE 24W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 24W 1400lm


3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4566**
☒ BLACK (BK) **AZ4565**


TILT 90°





EREBUS TRACK

Track 3 Line




EREBUS TRACK

bulb not included 

voltage: 230V	LED GU10 1xMax 35W 
IP20	
	installation place: Track Electric 3 Line 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3390**
- ☒ BLACK (BK) **AZ3391**



TILT 90°  ROTATION 360° 




WH / GO / BK*

EREBUS TUBE


TUBE 14

- ☐ WHITE (WH) **AZ3383**
- ☒ BLACK (BK) **AZ3384**
- ☒ GOLD (GO) **AZ3385**



TUBE 21

- ☐ WHITE (WH) **AZ3386**
- ☒ BLACK (BK) **AZ3387**
- ☒ GOLD (GO) **AZ3388**





WH *

TIVOLI TRACK 10W 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 3000K RA $\geq$ 90 840lm

LED 10W 4000K RA $\geq$ 90 880lm


installation: Track 3 Line

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ2222**
- ☐ 3000K BLACK (BK) **AZ2224**
- ☐ 4000K WHITE (WH) **AZ2223**
- ☐ 4000K BLACK (BK) **AZ2225**



TILT 90°

ROTATION 350°



BK

WH



BROSS ARM TRACK

Track 3 Line




BROSS ARM TRACK

bulb not included 

voltage: 230V	LED GU10 1xMax 35W 
IP20	
	installation place: Track Electric 3 Line 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH). **AZ3500**
- ☒ BLACK (BK). **AZ3501**



AZZARDO PATENT EU

TILT 90°  ROTATION 360° 







BK *

EXO TRACK

voltage: 230V	LED GU10 1xMax 35W	bulb not included 
IP20		
	installation place: Track Electric 3 Line	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ3199**
-  WHITE (WH) **AZ3200**



WH

BK





BK/BK *


LENS TRACK

bulb not included 

voltage: 230V	LED GU10 1xMax 35W	
IP20		
	installation place: Track Electric 3 Line	

COLOUR / NEW INDEX NO.

-  WHITE / WHITE (WH/WH) **AZ3510**
-  BLACK / BLACK (BK/BK) **AZ3511**
-  BLACK / GOLD (BK/GO) **AZ3512**




WH/WH

BK/BK

BK/GO



BK *



WH

BK

SANTOS SQUARE TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20

LED

technical

installation: Track 3 Line

specification


beam angle: 60°



COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3524**

BLACK (BK) **AZ3525**



TILT 90°

ROTATION 360°



Track 3 Line



WH *

SKYE TRACK 3 LINE 3000K

LED integrated 

voltage: 230V

LED 12W 1300lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4519**
☒ BLACK (BK) **AZ4520**


TILT 60°

ROTATION 350°



WH

BK





LEON 5 TRACK

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1020lm 3000K

LED

installation place: Track Electric 3 Line


beam angle: 60°




COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3490**

BLACK (BK) **AZ3491**




NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



MAGNETIC

track Magnetic




- 48 ACCESORIES FOR TRACK MAGNETIC
- 55 BLUETOOTH GATEWAY/REMOTE SMART
- 56 MAKITA CCT SMART
- 58 SAGA TRACK SMART
- 59 SONYA SMART CCT
- 60 KERRY SMART CCT
- 61 KIRA SMART CCT
- 62 SAGA TRACK
- 64 SAGA TRACK CORNER
- 66 KIRA TRACK
- 68 NIKKI TRACK
- 69 NIKO TRACK
- 70 ALDO TRACK
- 71 SKYE TRACK PENDANT
- 72 ELIN TRACK
- 73 ELSA TRACK
- 74 MAYA TRACK
- 75 KORI TRACK

TRACK MAGNETIC

Accessories for Track Magnetic

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).



Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2x



■ TRACK 27 1m (BLACK)	AZ4713
□ TRACK 27 1m (WHITE)	AZ4712
■ TRACK 27 1,5m (BLACK)	AZ4715
□ TRACK 27 1,5m (WHITE)	AZ4714
■ TRACK 27 2m (BLACK)	AZ4717
□ TRACK 27 2m (WHITE)	AZ4716
■ TRACK 27 3m (BLACK)	AZ4719
□ TRACK 27 3m (WHITE)	AZ4718



Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2x


■ TRACK 52 1m (BLACK)	AZ4638
□ TRACK 52 1m (WHITE)	AZ4639
■ TRACK 52 1,5m (BLACK)	AZ4640
□ TRACK 52 1,5m (WHITE)	AZ4641
■ TRACK 52 2m (BLACK)	AZ4642
□ TRACK 52 2m (WHITE)	AZ4643
■ TRACK 52 3m (BLACK)	AZ4644
□ TRACK 52 3m (WHITE)	AZ4645

Available options for installation place – surface-mounted, flush-mounted and suspended



Track Magnetic 52 Gips1 (1m, 1,5m, 2m) WITH END CAP 2x

- TRACK 52 GIPS1 1m (BLACK)AZ4863
- TRACK 52 GIPS1 1,5m (BLACK)AZ4864
- TRACK 52 GIPS1 2m (BLACK)AZ4865



Track Magnetic 52 Gips2 (1m, 1,5m, 2m) WITH END CAP 2x

- TRACK 52 GIPS2 1m (BLACK)AZ4646
- TRACK 52 GIPS2 1m (WHITE)AZ4647
- TRACK 52 GIPS2 1,5m (BLACK)AZ4648
- TRACK 52 GIPS2 1,5m (WHITE)AZ4649
- TRACK 52 GIPS2 2m (BLACK)AZ4650
- TRACK 52 GIPS2 2m (WHITE)AZ4651



TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic 52 Inner Corner90
SURFACE INNER CORNER 90°

- ☒ INNER CORNER 90 (BLACK)AZ4683
- ☐ INNER CORNER 90 (WHITE)AZ4684



Track Magnetic 52 Corner90

- ☒ CORNER90 (BLACK)AZ4679
- ☐ CORNER90 (WHITE)AZ4680




Track Magnetic 27 Inner Corner90

- ☒ 27 INNER CORNER 90 (BLACK)AZ5001
- ☐ 27 INNER CORNER 90 (WHITE)AZ5002



Track Magnetic 27 Corner90

- ☒ 27 CORNER 90 (BLACK)AZ5003
- ☐ 27 CORNER 90 (WHITE)AZ5004






Track Magnetic 52 Gips2 Inner Corner90 SURFACE INNER CORNER 90°

- ☒ 152 GIPS2 INNER CORNER90 (BLACK)AZ4685
- ☐ 52 GIPS2 INNER CORNER90 (WHITE)AZ4686




Track Magnetic 52 Gips2 Corner90

- ☒ 52 GIPS2 CORNER90 (BLACK)AZ4681
- ☐ 52 GIPS2 CORNER90(WHITE)AZ4682




Track Magnetic 52 Gips1 Corner90

- ☒ 52 GIPS1 CORNER90 (BLACK)AZ4862




Track Magnetic Flex Connector Electric

- ☒ FLEX CONNECTOR ELECTRIC (BLACK)AZ4687
- ☐ FLEX CONNECTOR ELECTRIC (WHITE)AZ4688





TRACK MAGNETIC

Accessories for Track Magnetic





Track Magnetic Driver Inside (60W; 100W; 200W)

- | | | |
|-------------------------------------|--------------------------------------|---------------|
| ☒ | DRIVER INSIDE 60W (BLACK) | AZ4669 |
| ☐ | DRIVER INSIDE 60W (WHITE) | AZ4670 |
| ☒ | DRIVER INSIDE 100W (BLACK) | AZ4671 |
| ☐ | DRIVER INSIDE 100W (WHITE) | AZ4672 |
| ☒ | DRIVER INSIDE 200W (BLACK) | AZ4673 |
| ☐ | DRIVER INSIDE 200W (WHITE) | AZ4674 |




Track Magnetic Straight Connector

- | | | |
|-------------------------------------|-------------------------------------|---------------|
| ☒ | STRAGHT CONNECTOR (BLACK) | AZ4677 |
| ☐ | STRAGHT CONNECTOR (WHITE) | AZ4678 |



Track Magnetic Mechanical Connector

- | | | |
|-------------------------------------|--|---------------|
| ☒ | MECHANICAL CONNECTOR (BLACK) | AZ4689 |
| ☐ | MECHANICAL CONNECTOR (WHITE) | AZ4690 |



Track Magnetic Suspension Kit 2m


- | | | |
|-------------------------------------|--|---------------|
| ☒ | TRACK MAGNETIC SUSPENSION KIT 2m (BLACK) | AZ4693 |
| ☐ | TRACK MAGNETIC SUSPENSION KIT 2m (WHITE) | AZ4694 |






Track Magnetic Driver Meanwell 48V 100W / 200W / 350W

- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**
- DRIVER MEANWELL (350W) **AZ4866**




Track Magnetic Driver Electric Connector

- ☒ DRIVER ELECTRIC CONNECTOR (BLACK) **AZ4675**
- ☐ DRIVER ELECTRIC CONNECTOR (WHITE) **AZ4676**




Track Magnetic Cover 1m

- ☒ COVER 1m (BLACK) **AZ4652**
- ☐ COVER 1m (WHITE) **AZ4653**




Ceiling Plate + Wire

- ☒ CEILING PLATE + WIRE (BLACK) **AZ4780**
- ☐ CEILING PLATE + WIRE (WHITE) **AZ4782**




TRACK MAGNETIC

Track Magnetic




Track Magnetic 27 Cover Power Driver Inside

- MAGNETIC 27 COVER (BLACK) **AZ4860**
- MAGNETIC 27 COVER (WHITE) **AZ4661**



OPTION 1 Track Magnetic Bluetooth Remote Smart Operating Schematic

AZ4857




* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.

Bluetooth Gateway Smart

AZ4856




OPTION 2

←

OR

OPTION 1

←



Track Magnetic  Bluetooth Remote Smart

AZ4857



MAKITA TRACK MAGNETIC 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 7W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4836**


MAKITA 2 TRACK MAGNETIC 2X 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 2x 7W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4838**


TILT 90° ROTATION 360°

TILT 90° ROTATION 360°

* - EXPLANATION SHORTCUT PAGE 2 (E)



MAKITA TRACK MAGNETIC 20W CCT SMART

LED integrated

voltage: 48V

LED 20W 1560lm CCT

IP20



LED

technical


installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) **AZ4840**



MAKITA TRACK MAGNETIC 30W CCT SMART

LED integrated

voltage: 48V

LED 30W 2340lm CCT

IP20



LED

technical


installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) **AZ4842**





SAGA TRACK MAGNETIC 12W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 12W 600lm CCT

IP20


technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4846**

SAGA TRACK MAGNETIC 20W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 20W 1100lm CCT

IP20


technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4848**

SAGA TRACK MAGNETIC 36W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 36W 1900lm CCT

IP20

technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4850**



SONYA TRACK MAGNETIC CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 20W 2100lm CCT


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4844**





KERRY TRACK MAGNETIC 5W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 5W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4852**


KERRY TRACK MAGNETIC 15W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 15W 1220lm CCT


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4854**




KIRA TRACK MAGNETIC 12W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1150lm




installation: Track Magnetic – 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4901**



KIRA TRACK MAGNETIC 20W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1450lm





installation: Track Magnetic – 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4902**



KIRA TRACK MAGNETIC 30W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1750lm





installation: Track Magnetic – 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4903**





SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 550lm 3000K

LED 12W 600lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4604**
- ☐ 3000K BLACK (BK) **AZ4603**
- ☐ 4000K WHITE (WH) **AZ4606**
- ☐ 4000K BLACK (BK) **AZ4605**

2.2
8

SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1100lm 3000K

LED 24W 1200lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4608**
- ☐ 3000K BLACK (BK) **AZ4607**
- ☐ 4000K WHITE (WH) **AZ4610**
- ☐ 4000K BLACK (BK) **AZ4609**

2.2
8

SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 36W 1800lm 3000K

installation: Track Magnetic – 52 or 27

beam angle: 120°

LED




COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4612**
- ☐ BLACK (BK) **AZ4611**

2.2
8





SAGA TRACK MAGNETIC CORNER A 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4614**
- ☐ 3000K BLACK (BK) **AZ4613**
- ☐ 4000K WHITE (WH) **AZ4616**
- ☐ 4000K BLACK (BK) **AZ4615**



SAGA TRACK MAGNETIC CORNER B 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K

installation: Track Magnetic – 52 or 27



beam angle: 120°

LED



COLOUR / NEW INDEX NO.


- ☐ 3000K WHITE (WH) **AZ4618**
- ☐ 3000K BLACK (BK) **AZ4617**
- ☐ 4000K WHITE (WH) **AZ4620**
- ☐ 4000K BLACK (BK) **AZ4619**





Track type – 52 mm





KIRA TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 750lm 3000K

LED 12W 800lm 4000k



installation: Track Magnetic – 52 or 27

beam angle: 60°



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4596**
- ☒ 3000K BLACK (BK) **AZ4595**
- ☐ 4000K WHITE (WH) **AZ4598**
- ☒ 4000K BLACK (BK) **AZ4597**



KIRA TRACK MAGNETIC 24W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1300lm 3000K

LED 24W 1400lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 60°



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4600**
- ☒ 3000K BLACK (BK) **AZ4599**
- ☐ 4000K WHITE (WH) **AZ4602**
- ☒ 4000K BLACK (BK) **AZ4601**



Track Magnetic



GO/BK *

NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4589**
- GOLD / BLACK (GO/BK) **AZ4591**
- WHITE / BLACK (WH/BK) **AZ4590**



BK/BK *

NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 2x3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4592**
- GOLD / BLACK (GO/BK) **AZ4594**
- WHITE / BLACK (WH/BK) **AZ4593**



* - EXPLANATION SHORTCUT PAGE 2 (E)

Azzardo®



WH/BK *

NIKO TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 550lm 3000K

LED 7W 600lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.


4000K GOLD / BLACK (GO/BK) . . . **AZ4583**

3000K BLACK / BLACK (BK/BK) . . . **AZ4579**

3000K WHITE / BLACK (WH/BK) . . . **AZ4580**

4000K BLACK / BLACK (BK/BK) . . . **AZ4581**

4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



TILT 90°

ROTATION 360°



GO/BK *

NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 2x7W 550lm 3000K

LED 2x7W 600lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.


3000K GOLD / BLACK (GO/BK) . . . **AZ4588**

3000K BLACK / BLACK (BK/BK) . . . **AZ4584**

3000K WHITE / BLACK (WH/BK) . . . **AZ4585**

4000K BLACK / BLACK (BK/BK) . . . **AZ4586**

4000K WHITE / BLACK (WH/BK) . . . **AZ4587**




TILT 90°

ROTATION 360°



Track Magnetic



BK *

ALDO TRACK MAGNETIC 12W MILKY120

3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 12W 900lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4626**
☒ BLACK (BK) **AZ4625**

ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 360°



WH

BK

WH

BK



WH *

ALDO TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 12W 1300lm 3000K

LED 12W 1300lm 4000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4622**
☒ 3000K BLACK (BK) **AZ4621**
☐ 4000K WHITE (WH) **AZ4624**
☒ 4000K BLACK (BK) **AZ4623**

ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY


TILT 90°

ROTATION 350°

* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



WH

BK

SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1200lm 3000K

LED


installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.


WHITE (WH) **AZ4637**

BLACK (BK) **AZ4636**



TILT 60°





ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical
specification




LED 7W 850lm 3000K

LED 7W 900lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 190°

LED





GO *

ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 700lm 3000K

LED 7W 750lm 4000K

installation Track Magnetic – 52 or 27

beam angle: 190°


LED

COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4633**

3000K GOLD (GO) **AZ4635**

4000K BLACK (BK) **AZ4634**



GO

BK





BK *

MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 250lm 3000K

IP20

LED

technical


installation Track Magnetic – 52 or 27

specification

beam angle: 190°



COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4629**




GO *

KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V

IP20

technical

specification





LED 5W 500lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°



GO



BK





SETS FOR TRACK MAGNETIC

SETS FOR

Track Magnetic




- 78** TRACK MAGNETIC SET 1 M
- 80** TRACK MAGNETIC SET 1,5 M
- 81** TRACK MAGNETIC SET 2 M
- 85** TRACK MAGNETIC SET 3 M

TRACK MAGNETIC SET 1 M



Sets for Track Magnetic



52M1031BK-AZ4798

track magnetic 1m, 3000K, black



52M1031WH-AZ4799

track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 1120lm 3000K

LED 26W 1815lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4798	(52M1031BK)
	3000K WHITE (BK)	AZ4799	(52M1031WH)
	4000K BLACK (BK)	AZ4800	(52M1041BK)
	4000K WHITE (BK)	AZ4801	(52M1041WH)


Set specification:

AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603

AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604

AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605

AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



*** Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M1032BK-AZ4802
track magnetic 1m, 3000K, black



52M1032WH-AZ4803
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 2022m 3000K

LED 26W 1930lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829




COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4802	(52M1032BK)
3000K WHITE (BK)	AZ4803	(52M1032WH)
4000K BLACK (BK)	AZ4804	(52M1042BK)
4000K WHITE (BK)	AZ4805	(52M1042WH)

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



Set specification:

AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584

AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585

AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586

AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



52M1531BK-AZ4806
track magnetic 1,5 m, 3000K, black



52M1531BK/GO-AZ4807
track magnetic 1,5 m, 3000K, black/gold

TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 41W 2905lm 3000K

LED 41W 2910lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829


LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4806	(52M1531BK)
	3000K BLACK/GOLD (BK/GO).	AZ4807	(52M1531BK/GO)
	3000K WHITE/GOLD (WH/GO).	AZ4808	(52M1531WH/GO)
	4000K BLACK (BK)	AZ4809	(52M1541BK)



52M1531WH/GO-AZ4808
track magnetic 1,5 m, 3000K, white/gold



Set specification:

AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630

AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632

AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4608+2x AZ4632

AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4609+2x AZ4631



ELIN TRACK MAGNETIC 7W 3000K GOLD

- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



52M2031BK-AZ4810
track magnetic 2m, 3000K, black



52M2031WH-AZ4811
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 51W 3131lm 3000K

LED 53W 3041lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4810	(52M2031BK)
3000K WHITE (BK)	AZ4811	(52M2031WH)
4000K BLACK (BK)	AZ4812	(52M2041BK)
4000K WHITE (BK)	AZ4813	(52M2041WH)



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584

AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585

AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586

AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

TRACK MAGNETIC SET 1,5 M



Track Magnetic



52M2032BK-AZ4814

track magnetic 2m, 3000K, black



52M2032WH-AZ4815

track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 69W 3533lm 3000K

LED 69W 3609lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4814	(52M2032BK)
	3000K WHITE (BK)	AZ4815	(52M2032WH)
	4000K BLACK (BK)	AZ4816	(52M2042BK)
	4000K WHITE (BK)	AZ4817	(52M2042WH)

Set specification:

AZ4814 =

AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595

AZ4815 =


AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596

AZ4816 =

AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597

AZ4817 =

AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

NIKO TRACK MAGNETIC 7W 3000K WH/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K WH

NIKO TRACK MAGNETIC 7W 3000K BK/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K BK



52M2034BK-AZ4820
track magnetic 2m, 3000K, black




52M2034WH-AZ4821
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K

LED integrated	
voltage: 48V	LED 51W 3131lm 3000K
IP20	installation: Track Magnetic
technical specification	pendant with AZ4828 or AZ4829
COLOUR / NEW INDEX NO.	
3000K BLACK (BK) AZ4820	(52M2034BK)
3000K WHITE (BK) AZ4821	(52M2034WH)

Set specification:

AZ4820 =
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592
AZ4821 =
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



TRACK MAGNETIC SET 1,5 M




Sets for Track Magnetic



52M2033BK/GO-AZ4818

track magnetic 2m, 3000K, black/gold



52M2033WH/GO-AZ4819

track magnetic 2m, 3000K, white/gold

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 53W 3540lm 3000K

LED

installation: Track Magnetic

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK/GOLD (BK/GO). . . . **AZ4818**

(52M2033BK/GO)


3000K WHITE/GOLD (WH/GO). . . . **AZ4819**

(52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M3031BK-AZ4822
track magnetic 3m, 3000K, black



52M3031WH-AZ4823
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V	LED 156W 8722lm 3000K	LED
IP20		
technical	installation: Track Magnetic	
specification	pendant with AZ4828 or AZ4829	

COLOUR / NEW INDEX NO.


	3000K BLACK (BK) AZ4822	(52M3031BK)
	3000K WHITE (BK) AZ4823	(52M3031WH)

Set specification:

AZ4822=
AZ4644 + AZ4673 + AZ4652 + 2 X AZ4604 + AZ4611 + 4 X AZ4621
AZ4823=
AZ4645 + AZ4674 + AZ4653 + 2 X AZ4605 + AZ4612 + 4 X AZ4522



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m




ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

TRACK MAGNETIC SET 3 M



Sets for Track Magnetic



52M3032BK-AZ4824

track magnetic 3m, 3000K, black



52M3032WH-AZ4825

track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 145W 7332lm 3000K

LED 120W 6316lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4824	(52M3032BK)
	3000K WHITE (BK)	AZ4825	(52M3032WH)
	4000K BLACK (BK)	AZ4826	(52M3042BK)
	4000K WHITE (BK)	AZ4827	(52M3042WH)

Set specification:

AZ4824 =

AZ4644 + AZ4673 + AZ4652 + 2 X AZ4603 + AZ4611 + 2 X AZ4579 + 2 X AZ4584

AZ4825 =

AZ4645 + AZ4674 + AZ4653 + 2 X AZ4604 + AZ4612 + 2 X AZ4580 + 2 X AZ4585

AZ4826 =

AZ4644 + AZ4673 + AZ4652 + 2 X AZ4605 + AZ4609 + 2 X AZ4581 + 2 X AZ4586

AZ4827 =

AZ4645 + AZ4674 + AZ4653 + 2 X AZ4606 + AZ4610 + 2 X AZ4582 + 2 X AZ4587



NIKO 2 TRACK MAGNETIC 7W 3000K WH/BK




NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO TRACK MAGNETIC 7W 3000K BK/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



AZzardo®

TECHNOLINE

www.azzardolighting.com




EXPOSED DOWNLIGHTS

EXPOSED

downlights

- 92 ARO
- 93 EIGER IP54
- 94 MINI BROSS
- 95 MINI ELOY
- 96 BROSS
- 98 BROSS ARM
- 100 COSTA
- 101 COSTA ARM
- 102 BRANT
- 103 BRANT IP44
- 104 BRANT SQUARE
- 105 BRANT SQUARE IP44
- 106 ELOY
- 108 HUGO
- 108 HUGO R
- 110 REMO
- 110 REMO R
- 112 BORIS
- 113 DARIO
- 114 MINI ROUND
- 115 MINI SQUARE
- 116 NEOS
- 117 NINO
- 118 NANO
- 119 MANE 10W
- 120 MANE 20W / 30W
- 122 BOSTON
- 123 BILL
- 124 ROTONDO
- 125 LENS
- 128 MAKALU
- 130 SANTOS
- 131 SANTOS SQUARE
- 132 LINO
- 133 VASKO
- 134 EREBUS BASE
- 134 EREBUS PENDANT
- 134 EREBUS ANGLE
- 136 EXO
- 138 FLAVIO
- 139 VISION
- 140 GALENA
- 141 LEON
- 142 DIADO
- 143 SCORPIO
- 144 SANTOS EXPOSED
- 145 SIENA
- 146 MONA 12W
- 147 MONA 18W
- 148 SKYE
- 149 SKYE PENDANT
- 150 OJOS
- 152 TORONTO
- 153 RAFFAEL
- 154 NIKEA
- 156 PAOLA 230V
- 158 PAULO 12V
- 159 PAULO 230V
- 162 ALIX
- 163 ALEX
- 164 ECO ALIX NEW 230V
- 165 ALIX 230V
- 166 ECO ALIX
- 167 ECO ALEX 230V
- 168 JERRY 12V



- 169 JERRY 230V
- 170 MAX 12V / MAX 230V
- 172 MATEO
- 173 MOMO
- 174 MALTA R
- 178 MONZA R
- 179 MONZA R PENDANT
- 180 MONZA II R
- 182 MONZA S
- 184 MONZA II S
- 186 MONZA R CCT
- 188 MONZA S CCT
- 190 FALCO 12
- 191 PIENZA DIMM
- 192 JUNONA
- 194 COLLODI 48 CCT
- 196 QUADRO 50 CCT LED

- 197 SONA CCT LED
- 198 CORTONA
- 200 SOVANA TOP CCT LED
- 202 SOVANA PENDANT CCT LED
- 204 GALILEO 1 PENDANT
- 206 LINNEA PENDANT

ARO IP54

Exposed downlights



CH *


ARO IP54


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP54	installation place

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1360**
- WHITE (WH) **AZ2559**
- BLACK (BK) **AZ2558**





EIGER IP54

bulb not included

voltage: 230V	GU10 1x MAX 50W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4260**
- BLACK / GOLD (BK/GO) **AZ4261**
- WHITE (WH) **AZ4259**



RECOMMENDED FOR DROPPED CEILING



MINI BROSS

Exposed downlights



MINI BROSS

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU)	AZ1756
BLACK (BK)	AZ1710
WHITE (WH)	AZ1711
CHROME (CH)	AZ1757



TILT 45°

ROTATION 350°





WH *


MINI ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ1754
	BLACK (BK)	AZ1712
	WHITE (WH)	AZ1713
	CHROME (CH)	AZ1755



BROSS

Exposed downlights




BROSS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0780
	BLACK / ALUMINIUM (BK/ALU)	AZ0779
	WHITE (WH)	AZ0858
	WHITE / ALUMINIUM (WH / ALU)	AZ0781
	CHROME (CH)	AZ0857
	WHITE / BLACK (WH/BK)	AZ1436
	BLACK / BLACK (BK/BK)	AZ2135
	BLACK / GOLD (BK/GO)	AZ2955



TILT 45° ROTATION 350°




BROSS 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0783
	BLACK / ALUMINIUM (BK/ALU)	AZ0782
	WHITE (WH)	AZ0859
	WHITE / ALUMINIUM (WH / ALU)	AZ0784
	CHROME (CH)	AZ0941
	WHITE / BLACK (WH/BK)	AZ1753
	BLACK / BLACK (BK/BK)	AZ2136
	BRIGHT GREY (BGR)	AZ1787
	BLACK / GOLD (BK/GO)	AZ2956



TILT 45° ROTATION 350°





BROSS ARM

Exposed downlights




BROSS ARM

bulb not included 	
voltage: 230V	LED GU10 1xMax 35W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3498**
- ☒ BLACK (BK) **AZ3499**



AZZARDO PATENT EU




BROSS ARM 2

bulb not included 	
voltage: 230V	LED GU10 2xMax 35W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3502**
- ☒ BLACK (BK) **AZ3503**



AZZARDO PATENT EU




* - EXPLANATION SHORTCUT PAGE 2 (E)




BROSS ARM

Exposed downlights

99



WH



BK



WH



BK

Exposed downlights

new



WH *

COSTA 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1000lm 3000K

LED 12W 1100lm 4000K


installation place

beam angle: 24°

LED



COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ2856**☒ 3000K BLACK (BK) **AZ2857**☐ 4000K WHITE (WH) **AZ4554**☒ 4000K BLACK (BK) **AZ4553**

TILT 90°

ROTATION 350°



WH



BK



BK / BK *

COSTA SPOT

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1020lm 3000K


installation place ☐ inlet opening Ø 8,9cm

beam angle: 24°

LED



COLOUR / NEW INDEX NO.

☒ WHITE/WHITE (WH/WH) **AZ2705**☒ BLACK/BLACK (BK/BK) **AZ2706**

TILT 90°

ROTATION 350°



WH



BK





BK / BK *

COSTA ARM

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20



technical
specification

installation place


beam angle: 24°

LED

COLOUR / NEW INDEX NO.

☒ WHITE/WHITE (WH/WH) **AZ2703**

☒ BLACK/BLACK (BK/BK) **AZ2702**



WH / WH

BK / BK



BRANT

Exposed downlights



BK / CH *


BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2819**
- WHITE (WH) **AZ2818**
- BLACK / CHROME (BK / CH) **AZ2929**




TILT 20°



BK / CH *

CH *

WH *



BK *


BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2821**
- WHITE (WH) **AZ2820**
- BLACK / CHROME (BK / CH) **AZ2930**



TILT 20°



BK / CH *

WH *

BK *




**BRANT IP44**

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- ☒ CHROME (CH) **AZ2691**
- ☐ WHITE (WH) **AZ2690**


**BRANT 2 IP44**

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP44		
	installation place	


COLOUR / NEW INDEX NO.

- ☒ CHROME (CH) **AZ2817**
- ☐ WHITE (WH) **AZ2816**



BRANT SQUARE

Exposed downlights



BK *


BRANT SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2824**
☒ BLACK (BK) **AZ2825**



TILT 20°



WH *


BRANT 2 SQUARE

bulb not included


voltage: 230V	LED connect GU10 2x Max 50W	
IP20		
	installation place	


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2826**
☒ BLACK (BK) **AZ2827**



TILT 20°





BK *


BRANT SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2822**
- ☒ BLACK (BK) **AZ2878**



WH *


BRANT 2 SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2823**
- ☒ BLACK (BK) **AZ2879**






ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	installation place

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0991
	BLACK / ALUMINIUM (BK / ALU).	AZ0930
	WHITE (WH).	AZ0929
	WHITE / ALUMINIUM (WH / ALU)	AZ0872
	CHROME (CH).	AZ0873
	BLACK / BLACK (BK / BK).	AZ2137
	WHITE / BLACK (WH / BK)	AZ1439



TILT 45° ROTATION 350°




ELOY 2

bulb not included


voltage: 230V	LED connect GU10 2x Max.50W
IP20	installation place

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ1352
	BLACK / ALUMINIUM (BK / ALU).	AZ1355
	WHITE (WH).	AZ1353
	WHITE / ALUMINIUM (WH / ALU)	AZ1354
	BLACK / BLACK (BK / BK).	AZ2138



TILT 45° ROTATION 350°




* - EXPLANATION SHORTCUT PAGE 2 (E)



HUGO

Exposed downlights





HUGO

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0828**
- BLACK (BK) **AZ0826**
- WHITE (WH) **AZ0827**




HUGO R

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0829**
- BLACK (BK) **AZ0832**
- WHITE (WH) **AZ0830**
- GOLD (GO) **AZ0831**
- CHAMPAGNE (CHA) **AZ0833**
- CHROME (CH) **AZ0856**



* - EXPLANATION SHORTCUT PAGE 2 (E)



REMO

Exposed downlights




REMO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0820
	BLACK (BK)	AZ0818
	WHITE (WH)	AZ0819




REMO R

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0821
	BLACK (BK)	AZ0823
	WHITE (WH)	AZ0822
	GOLD (GO)	AZ0824
	CHAMPAGNE (CHA)	AZ0825
	CHROME (CH)	AZ0855





BORIS

Exposed downlights




BORIS

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1053**
- WHITE (WH) **AZ1054**
- BLACK (BK) **AZ1110**



* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU *


DARIO

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1055**
- WHITE (WH) **AZ1056**
- BLACK (BK) **AZ1111**



ALU

BK



WH



MINI ROUND

Exposed downlights




MINI ROUND

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH). **AZ1706**
- ☐ BLACK (BK). **AZ1781**
- ☐ CHROME (CH). **AZ1707**






MINI SQUARE

bulb not included 	
voltage: 230V	LED connect GU10 1x Max 50W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH). **AZ1381**
- ☒ BLACK (BK). **AZ1382**



NEOS

Exposed downlights




NEOS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0708**
- BLACK / ALUMINIUM (BK / ALU). . . . **AZ0607**
- WHITE / CHROME (WH / CH) **AZ0707**
- WHITE / ALUMINIUM (WH / ALU) **AZ0606**




NEOS 3

bulb not included

voltage: 230V	LED connect GU10 3x Max.50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0742**





WH / CH *


NINO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . **AZ0736**
- BLACK / ALUMINIUM (BK / ALU) . . . **AZ1383**
- WHITE / CHROME (WH / CH) . . . **AZ0735**
- WHITE / ALUMINIUM (WH / ALU) . . . **AZ0598**



WH / CH *


NINO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / ALUMINIUM (BK / ALU) . . . **AZ1385**
- WHITE / CHROME (WH / CH) . . . **AZ0737**
- WHITE / ALUMINIUM (WH / ALU) . . . **AZ1386**



WH / CH *


NINO 4

bulb not included

voltage: 230V	connect GU10 4x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . **AZ0852**
- BLACK / ALUMINIUM (BK / ALU) . . . **AZ1388**
- WHITE / CHROME (WH / CH) . . . **AZ0851**
- WHITE / ALUMINIUM (WH / ALU) . . . **AZ1387**



Exposed downlights



NANO SQUARE

LED integrated

voltage: 230V

LED 5W 420lm 3000K

IP20



technical

installation place


specification

beam angle: 26°

LED

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2786**
- ☒ BLACK (BK) **AZ2787**



NANO ROUND

LED integrated

voltage: 230V

LED 5W 420lm 3000K

IP20



technical

installation place


specification

beam angle: 26°

LED

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2784**
- ☒ BLACK (BK) **AZ2785**





BK *


MANE 10W 3000K

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2844**
- WHITE (WH) **AZ2845**
- GOLD (GO) **AZ2846**



GO *


MANE 10W 4000K

LED integrated

voltage: 230V	LED 10W 830lm 4000K	
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4322**
- WHITE (WH) **AZ4324**
- GOLD (GO) **AZ4323**



MANE 20W

Exposed downlights




MANE 20W

voltage: 230V	LED 20W 1600lm 3000K	LED integrated
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4153
	WHITE (WH)	AZ4152
	GOLD (GO)	AZ4154





MANE 20W DIMM

voltage: 230V	LED 20W DIMM 1600lm 3000K	LED integrated
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4325
	WHITE (WH)	AZ4327
	GOLD (GO)	AZ4326






MANE 30W

LED integrated	
voltage: 230V	LED 30W 2400lm 3000K
IP20	
technical	installation place
specification	beam angle: 23°

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4156
	WHITE (WH)	AZ4155
	GOLD (GO)	AZ4157





MANE 30W DIMM

LED integrated	
voltage: 230V	LED 30W DIMM 2400lm 3000K
IP20	
technical	installation place
specification	beam angle: 23°

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4328
	WHITE (WH)	AZ4330
	GOLD (GO)	AZ4329



BOSTON 10W TUBE



Exposed downlights




BOSTON 10W TUBE

LED integrated

voltage: 230V	LED 10W 685lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 21°	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3469**
- ☒ BLACK (BK) **AZ3468**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BILL 10W


LED integrated 

voltage: 230V	LED 10W 850lm 4000K
IP20	
technical	installation place 
specification	beam angle: 60° 



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3375**
- ☒ BLACK (BK) **AZ3376**



ROTONDO

Exposed downlights

new




ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4207**
- ☐ BLACK (BK) **AZ4208**
- ☐ BRONZE (BZ) **AZ4209**



TILT 45°



LENS ROUND

Exposed downlights

125




LENS ROUND

bulb not included 	
voltage: 230V	LED GU10 1xMax 35W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ WHITE / WHITE (WH/WH) **AZ3516**
- ☒ BLACK / BLACK (BK/BK) **AZ3517**
- ☒ BLACK / GOLD (BK/GO) **AZ3518**



LENS SQUARE

Exposed downlights




LENS SQUARE

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3513**
- BLACK / BLACK (BK/BK) **AZ3514**
- BLACK / GOLD (BK/GO) **AZ3515**



AZZARDO PATENT EU



* - EXPLANATION SHORTCUT PAGE 2 (E)

LENS 2 SQUARE

Exposed downlights

127



BK/GO *


LENS 2 SQUARE

bulb not included

voltage: 230V	LED GU10 2xMax 35W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3519**
- BLACK / BLACK (BK/BK) **AZ3520**
- BLACK / GOLD (BK/GO) **AZ3521**



AZZARDO PATENT EU



MAKALU

Exposed downlights

new



BK *


MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4210**
 WHITE (WH) **AZ4211**



TILT 90°

ROTATION 360°

new



WH *


MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4212**
 WHITE (WH) **AZ4213**



TILT 90°

ROTATION 360°

new



BK *


MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4214**
 WHITE (WH) **AZ4215**



TILT 90°

ROTATION 360°



BK

WH

BK

WH

BK

WH

* - EXPLANATION SHORTCUT PAGE 2 (E)



Exposed downlights



SANTOS 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1135lm 3000K


LED

installation place

beam angle: 23,5°

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) **AZ2417**
- BLACK / GOLD (BK/GO) **AZ2416**
- WHITE / WHITE (WH/WH) **AZ4182**
- BLACK / BLACK (BK/BK) **AZ4181**



TILT 90°

ROTATION 350°



SANTOS GU10

bulb not included

voltage: 230V

IP20

GU10 1x Max 50W

installation place

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4201**
- WHITE / WHITE (WH/WH) **AZ4200**



TILT 90°

ROTATION 360°





WH *

SANTOS SQUARE

LED integrated 

voltage: 230V

LED 12W 825lm 3000K

IP20



LED

technical
specification

installation place




beam angle: 26°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3522**

☒ BLACK (BK) **AZ3523**



LINO


Exposed downlights



CH *



CH



BK-CHROME




WH-MATT

LINO

bulb not included 	
voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ WHITE MATT (WH) **AZ1479**
- ☒ BLACK (BK) **AZ1477**
- ☐ CHROME (CH) **AZ1478**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


VASKO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE MATT (WH) **AZ1491**
- ☒ BLACK (BK) **AZ1489**
- ☐ CHROME (CH). **AZ1490**






CH

BK-CHROME



WH-MATT



Bases	+	Tubes	=	Result
BASES TYPE		size 14 or 21		BASE + TUBE
				
SIMPLE BASE	+	TUBE 14 / TUBE 21	=	SIMPLE BASE + TUBE 14 / 21
ALUMINIUM (ALU) AZ3389		14 WHITE (WH) AZ3383 14 BLACK (BK) AZ3384 14 GOLD (GO) AZ3385 21 WHITE (WH) AZ3386 21 BLACK (BK) AZ3387 21 GOLD (GO) AZ3388		SIMPLE BASE (ALU) AZ3389 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388
	+	TUBE 14 / TUBE 21	=	PENDANT BASE + TUBE
WHITE (WH) AZ3392 BLACK (BK) AZ3393		14 WHITE (WH) AZ3383 14 BLACK (BK) AZ3384 14 GOLD (GO) AZ3385 21 WHITE (WH) AZ3386 21 BLACK (BK) AZ3387 21 GOLD (GO) AZ3388		PENDANT BASE (WH) AZ3392 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 PENDANT BASE (BK) AZ3393 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388
	+	TUBE 14 / TUBE 21	=	ANGLE BASE + TUBE
WHITE (WH) AZ3394 BLACK (BK) AZ3395		14 WHITE (WH) AZ3383 14 BLACK (BK) AZ3384 14 GOLD (GO) AZ3385 21 WHITE (WH) AZ3386 21 BLACK (BK) AZ3387 21 GOLD (GO) AZ3388		ANGLE BASE (WH) AZ3394 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 ANGLE BASE (BK) AZ3395 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388
	+	TUBE 14 / TUBE 21	=	TRACK + TUBE
WHITE (WH) AZ3390 BLACK (BK) AZ3391		14 WHITE (WH) AZ3383 14 BLACK (BK) AZ3384 14 GOLD (GO) AZ3385 21 WHITE (WH) AZ3386 21 BLACK (BK) AZ3387 21 GOLD (GO) AZ3388		TRACK (WH) AZ3390 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 TRACK (BK) AZ3391 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388

* - EXPLANATION SHORTCUT PAGE 2 (E)





EXO

Exposed downlights



EXO 1

bulb not included

voltage: 230V	LED connect GU10 1x Max 35W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3193**
- WHITE (WH) **AZ3194**




EXO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max 35W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3195**
- WHITE (WH) **AZ3196**






EXO 3

bulb not included 	
voltage: 230V	LED connect GU10 3x Max 35W 
IP20	
	installation place  

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3197**
- WHITE (WH) **AZ3198**



FLAVIO

Exposed downlights



WH / BK *


FLAVIO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0791**



TILT 90°



WH / BK *


FLAVIO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0792**




TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®






VISION

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ1745**



TILT 45°



GALENA

Exposed downlights




GALENA

LED integrated

voltage: 230V	LED 11W 3000K RA>80	
IP20	1000 lm	
technical	installation place	
specification	beam angle: 112°	

COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) **AZ1457**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LEON 5

LED integrated

voltage: 230V

LED 12W 910lm 3000K

IP20



LED

technical

installation place



specification


beam angle: 24,5°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3488**


☒ BLACK (BK) **AZ3489**



TILT 90°



Exposed downlights



DIADO

LED integrated

voltage: 230V

LED 5W 3000K RA>80

IP20

407 lm

LED

technical

installation place




specification

beam angle: 18°



COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) **AZ1454**
☒ CHROME (CH) **AZ1453**




BK *



SCORPIO

LED integrated

voltage: 230V

LED 10W 3000K RA>80

IP20

980 lm

LED

technical

installation place



specification

beam angle: 45°




COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1452**

WHITE (WH) **AZ1618**

BLACK CHROME (BCH) **AZ2952**



Exposed downlights



SANTOS EXPOSED ROUND

LED integrated

voltage: 230V

LED 12W 645lm 3000K

IP20



technical


specification

installation place

beam angle: 23°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3508**
☒ BLACK (BK) **AZ3509**


TILT 90°

ROTATION 350°






SIENA 10W 3000K/4000K

voltage: 230V	LED 10W 3000K RA $\geq$ 90 840lm	LED integrated
IP20	LED 10W 4000K RA $\geq$ 90 880lm	
technical	installation place	
specification	beam angle: 17°	

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2214**
- 4000K WHITE (WH) **AZ2211**
- 4000K CHROME (CH) **AZ2215**




SIENA 20W 3000K/4000K

voltage: 230V	LED 20W 3000K RA $\geq$ 90 1680lm	LED integrated
IP20	LED 20W 4000K RA $\geq$ 90 1760lm	
technical	installation place	
specification	beam angle: 32°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ2218**
- 3000K CHROME (CH) **AZ2220**
- 4000K BLACK (BK) **AZ2219**
- 4000K CHROME (CH) **AZ2221**



CH



BK



WH



MONA 12W



Exposed downlights



MONA 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1000lm 3000/4000K


LED

installation place

beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4538**
- ☒ 3000K BLACK (BK) **AZ4537**
- ☐ 4000K WHITE (WH) **AZ4540**
- ☒ 4000K BLACK (BK) **AZ4539**





MONA 18W 3000K

LED integrated

voltage: 230V

LED 18W 1500lm 3000K

IP20



LED

technical
specification


installation place

beam angle: 120°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4546**

☒ 3000K BLACK (BK) **AZ4545**



Exposed downlights

new



BK *



WH

BK

SKYE 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



technical

installation place

specification

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4517**
☒ BLACK (BK) **AZ4518**


Ø 11

TILT 40°

ROTATION 360°



new



BK *

SKYE PENDANT 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 950lm 3000K

LED


installation place

beam angle: 60°

COLOUR / NEW INDEX NO.


☐ WHITE (WH) **AZ4522**

☒ BLACK (BK) **AZ4521**




TILT 40°

ROTATION 360°



WH



BK



Exposed downlights




OJOS 1

LED integrated

voltage: 230V		LED 9W 700lm 3000K		
IP20		installation place		
technical specification		beam angle: 24°		

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4196**
☒ BLACK (BK) **AZ4197**



TILT 75° ROTATION 350°




OJOS 2

LED integrated

voltage: 230V	LED 2x9W 700lm 3000K	
IP20		
technical specification		
	installation place	
	beam angle: 24°	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4198**
☒ BLACK (BK) **AZ4199**



TILT 75° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



TORONTO

Exposed downlights




TORONTO 1 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K		LED
IP20			
technical specification			
installation place	beam angle: 21°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4070**
- BLACK (BK) **AZ4064**



TILT 90° ROTATION 360°




TORONTO 2 3000K

LED integrated

voltage: 230V	LED 2x10W 700lm 3000K		LED
IP20			
technical specification			
installation place	beam angle: 21°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4072**
- BLACK (BK) **AZ4065**



TILT 90° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)




RAFFAEL

bulb not included ☒	
voltage: 230V	LED connect GU10 1x Max 50W ☒
IP20	
	installation place ☐

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1624**
- WHITE (WH) **AZ1623**
- GOLD (GO) **AZ1625**
- BRUSHED COPPER (BCO) **AZ1626**
- BLACK (BK) **AZ3497**



NIKEA GU10

Exposed downlights




NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4430**
- WHITE (WH) **AZ4431**
- BLACK (BK) **AZ4432**



TILT 45° ROTATION 350°




NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.


- WHITE / BLACK (WH / BK) **AZ4433**
- WHITE (WH) **AZ4434**
- BLACK (BK) **AZ4435**



TILT 45° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)




NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4436**
- WHITE (WH). **AZ4437**
- BLACK (BK). **AZ4438**




NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4439**
- WHITE (WH). **AZ4440**
- BLACK (BK). **AZ4441**



PAOLA 230V

Exposed downlights




PAOLA 1 230V

bulb not included


voltage: 230V	connect 1x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4128**
- ☒ BLACK (BK) **AZ4130**



TILT 40°




PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4132**
- ☒ BLACK (BK) **AZ4134**



TILT 40°

* - EXPLANATION SHORTCUT PAGE 2 (E)

PAOLA 230V

Exposed downlights

157



PAULO 12V

Exposed downlights




PAULO 1 12V

bulb not included ☒

voltage: 12V	connect G53 QR 111 1x12V
IP20	driver 12 V included
	installation place ☐

COLOUR / NEW INDEX NO.

☒ WHITE / WHITE (WH / WH) **AZ1790**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH / ALU *

PAULO 1 230V


bulb not included

voltage: 230V	Bulbs and connector types are shown on the pages 70-71
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU) . . . **AZ0959**

WHITE / ALUMINIUM (WH / ALU) . . . **AZ0960**



TILT 45°



WH / ALU *

PAULO 3 230V


bulb not included

voltage: 230V	Bulbs and connector types are shown on the pages 70-71
IP20	
	installation place


COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU) . . . **AZ0965**

WHITE / ALUMINIUM (WH / ALU) . . . **AZ0964**










TILT 45°








PAULO 230V BULBS GU10 SYSTEM

Exposed downlights

Paulo 230V	+	PAR-16	+	Bulb	=	Result
LAMP BODY		ADAP111		GU10		
	+					LAMP BODY + PAR-16 + BULB
PAULO 1						
	+					
PAULO 2						
	+					
PAULO 3						
	+					
PAULO 4						
				Bulb GU10 7W dimmable	=	Paulo 230V GU10 7W dimmable
				Bulb GU10 7W no dimmable	=	Paulo 230V GU10 7W no dimmable

Paulo 230V	+	Bulb	=	Result
LAMP BODY		ES111		LAMP BODY + BULB =
	+			
PAULO 1				
	+			
PAULO 2				
	+			
PAULO 3				
	+			
PAULO 4				
		ES111 CH 12W dimmable 3000K	=	Paulo 230V ES111 12W dimmable 3000K
		ES111 CH 12W dimmable 4000K	=	Paulo 230V ES111 12W dimmable 4000K
		ES111 CH 12W no dimmable 3000K	=	Paulo 230V ES111 12W no dimmable 3000K
		ES111 CH 12W no dimmable 4000K	=	Paulo 230V ES111 12W no dimmable 4000K
		ES111 WH 15W dimmable 3000K	=	Paulo 230v ES111 15W dimmable 3000K
		ES111 WH 15W dimmable 4000K	=	Paulo 230V ES111 15W dimmable 4000K
		ES111 BK 15W dimmable 3000K	=	Paulo 230V ES111 15W dimmable 3000K
		ES111 BK 15W dimmable 4000K	=	Paulo 230V ES111 15W dimmable 4000K

* - EXPLANATION SHORTCUT PAGE 2 (E)

Paulo 12V	+	Bulb	=	Result
LAMP BODY		QR111		LAMP BODY + BULB =
 PAULO 1	+			
 PAULO 2	+			
 PAULO 3	+			
 PAULO 4	+			
		Bulb QR111 BK 17W no dimmable 3000K	=	Paulo 12V QR111 BK 17W no dimmable 3000K
		Bulb QR111 BK 17W no dimmable 4000K	=	Paulo 12V QR111 BK 17W no dimmable 4000K
		Bulb QR111 WH 17W no dimmable 3000K	=	Paulo 12V QR111 WH 17W no dimmable 3000K
		Bulb QR111 WH 17W no dimmable 4000K	=	Paulo 12V QR111 WH 17W no dimmable 4000K
		Bulb QR111 CH 12W no dimmable 3000K	=	Paulo 12V QR111 CH 17W no dimmable 3000K
		Bulb QR111 CH 12W no dimmable 4000K	=	Paulo 12V QR111 CH 17W no dimmable 4000K



ALIX

Exposed downlights




ALIX

bulb not included 

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1356**
- ☒ BLACK (BK) **AZ1357**



TILT 40°  ROTATION 350° 




WH *

ALEXbulb not included 

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1359**
- ☒ BLACK (BK) **AZ1358**



TILT 40°

ROTATION 350°



WH

BK



ECO ALIX NEW 230V

Exposed downlights



BK *


ECO ALIX NEW 230V

bulb not included 

voltage: 230V	LED ES111 1x Max 35W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

-  WHITE (WH). **AZ3492**
-  BLACK (BK). **AZ3493**
-  BLACK CHROME (BK). **AZ3494**
-  CHROME (CH). **AZ3495**
-  ANTIQUE GOLD (AG). **AZ3496**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ALIX 230V

Exposed downlights

165




ALIX 230V

bulb not included

voltage: 230V	LED connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3541**
- ☒ BLACK (BK) **AZ3540**



ECO ALIX

Exposed downlights




ECO ALIX V2.

bulb not included 


voltage: 230V	ES111 1x Max. 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4320**
- ☒ BLACK (BK) **AZ4319**



* - EXPLANATION SHORTCUT PAGE 2 (E)





ECO ALEX V.2

bulb not included 

voltage: 230V	ES111 1 x MAX 16W	
IP20		
	installation place	


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4318**
- ☒ BLACK (BK) **AZ4317**



JERRY 12V

Exposed downlights



CH *


JERRY 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1364**
- BLACK (BK) **AZ1365**
- CHROME (CH) **AZ1752**



TILT 90° ROTATION 330°



BK *


JERRY 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1369**
- BLACK (BK) **AZ1368**
- CHROME (CH) **AZ1751**



TILT 90° ROTATION 330°



BK *


JERRY 3 12V

bulb not included

voltage: 12V	connect 3x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1723**
- BLACK (BK) **AZ1724**
- CHROME (CH) **AZ1750**



TILT 90° ROTATION 330°



WH *


JERRY 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1366**
☒ BLACK (BK) **AZ1367**



BK *


JERRY 2 230V

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1371**
☒ BLACK (BK) **AZ1370**



WH *


JERRY 3 230V

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1885**
☒ BLACK (BK) **AZ1886**



MAX 12V / MAX 230V

Exposed downlights



WH/BK *


MAX 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1372**



TILT 90° ROTATION 330°



WH/BK *


MAX 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1373**



TILT 90° ROTATION 330°



WH/BK *


MAX 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1375**



TILT 90° ROTATION 330°

* - EXPLANATION SHORTCUT PAGE 2 (E)





WH *


MATEO S

LED integrated

voltage: 230V	LED 7W 3000K RA>80 520lm	LED
IP20	520 lm	
technical specification	installation place	
	beam angle: 110°	

COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) **AZ1455**



WH *


MATEO M

LED integrated

voltage: 230V	LED 9W 3000K RA>80	LED
IP20	710 lm	
technical specification	installation place	
	beam angle: 112°	


COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) **AZ1456**



* - EXPLANATION SHORTCUT PAGE 2 (E)





MOMO 8 3000K

LED integrated

voltage: 230V

IP20

technical

specification


LED 6W 3000K RA $\geq$ 90 500lm

LED



installation place

beam angle: 88°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ2278

BLACK (BK) AZ2279



MOMO 12 3000K

LED integrated

voltage: 230V

IP20

technical

specification


LED 12W 3000K RA $\geq$ 90 1000lm

LED



installation place

beam angle: 89°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ2280

BLACK (BK) AZ2281



MOMO 14 3000K

LED integrated

voltage: 230V

IP20

technical

specification


LED 18W 3000K RA $\geq$ 90 1500lm

LED


installation place

beam angle: 90°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ2282

BLACK (BK) AZ2283



Exposed downlights



MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1150lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4233**
- ☒ 3000K BLACK (BK) **AZ4235**
- ☐ 4000K WHITE (WH) **AZ4234**
- ☒ 4000K BLACK (BK) **AZ4236**



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	
IP20	LED 18W 1650lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4237**
- ☒ 3000K BLACK (BK) **AZ4239**
- ☐ 4000K WHITE (WH) **AZ4238**
- ☒ 4000K BLACK (BK) **AZ4240**




MALTA R 30 3000K / 4000K

LED integrated

voltage: 230V	LED 24W 2200lm 3000K	
IP20	LED 24W 2200lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4241**
- ☒ 3000K BLACK (BK) **AZ4243**
- ☐ 4000K WHITE (WH) **AZ4242**
- ☒ 4000K BLACK (BK) **AZ4244**







MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 32W 2700lm 3000K

LED 32W 2750lm 4000K

installation place

beam angle: 115°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4245**
- ☐ 3000K BLACK (BK) **AZ4247**
- ☐ 4000K WHITE (WH) **AZ4246**
- ☐ 4000K BLACK (BK) **AZ4248**



MALTA R 50 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 42W 3200lm 3000K

LED 42W 3400lm 4000K

installation place



beam angle: 115°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4249**
- ☐ 3000K BLACK (BK) **AZ4251**
- ☐ 4000K WHITE (WH) **AZ4250**
- ☐ 4000K BLACK (BK) **AZ4252**



MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 48W 4100lm 3000K

LED 48W 4400lm 4000K

installation place


beam angle: 115°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4253**
- ☐ 3000K BLACK (BK) **AZ4255**
- ☐ 4000K WHITE (WH) **AZ4254**
- ☐ 4000K BLACK (BK) **AZ4256**





MONZA R TOP



Exposed downlights



MONZA R 8 3000K/ 4000K

LED integrated

voltage: 230V	LED 5W 3000K RA $\geq$ 90 420lm	LED
IP20	LED 5W 4000K RA $\geq$ 90 590lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH)	AZ2253
☒ 3000K BLACK (BK)	AZ2255
☐ 4000K WHITE (WH)	AZ2252
☒ 4000K BLACK (BK)	AZ2254



MONZA R 12 3000K/ 4000K

LED integrated

voltage: 230V	LED 10W 3000K RA $\geq$ 90 840lm	LED
IP20	LED 10W 4000K RA $\geq$ 90 1020lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH)	AZ2257
☒ 3000K BLACK (BK)	AZ2259
☐ 4000K WHITE (WH)	AZ2256
☒ 4000K BLACK (BK)	AZ2258




MONZA R 22 3000K/ 4000K

LED integrated

voltage: 230V	LED 20W 3000K RA $\geq$ 90 1680lm	LED
IP20	LED 20W 4000K RA $\geq$ 90 1760lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH)	AZ2261
☒ 3000K BLACK (BK)	AZ2263
☐ 4000K WHITE (WH)	AZ2260
☒ 4000K BLACK (BK)	AZ2262




MONZA R 40 3000K/ 4000K

LED integrated

voltage: 230V	LED 50W 3000K RA $\geq$ 90 4200lm	LED
IP20	LED 50W 4000K RA $\geq$ 90 4400lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH)	AZ2265
☒ 3000K BLACK (BK)	AZ2267
☐ 4000K WHITE (WH)	AZ2264
☒ 4000K BLACK (BK)	AZ2266





MONZA R PENDANT 40

LED integrated

voltage: 230V

IP20

technical

specification



LED 50W 3000K RA $\geq$ 90 4200lm

LED 50W 4000K RA $\geq$ 90 4400lm

LED

installation place


beam angle: 120°

COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ2277**

4000K WHITE (WH) **AZ2570**

4000K BLACK (BK) **AZ2496**



MONZA II R SCREWLESS BODY



Exposed downlights



BK *


MONZA II R 17 3000K/ 4000K

LED integrated

voltage: 230V	LED 18W 1890lm 3000K		
IP20	LED 18W 1890lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ3791
	3000K BLACK (BK)	AZ3790
	4000K WHITE (WH)	AZ3793
	4000K BLACK (BK)	AZ3792



BK *


MONZA II R 30 3000K/ 4000K

LED integrated

voltage: 230V	LED 36W 3500lm 3000K		
IP20	LED 36W 3500lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ3795
	3000K BLACK (BK)	AZ3794
	4000K WHITE (WH)	AZ3796
	4000K BLACK (BK)	AZ3796



BK *


MONZA II R 40 3000K/ 4000K DIMM

LED integrated

voltage: 230V	LED 46W 4508lm 3000K		
IP20	LED 46W 4508lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ3799
	3000K BLACK (BK)	AZ3798
	4000K WHITE (WH)	AZ3801
	4000K BLACK (BK)	AZ3800



BK *


MONZA II R 50 3000K/ 4000K DIMM

LED integrated

voltage: 230V	LED 74W 6120lm 3000K		
IP20	LED 74W 6120lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ3675
	3000K BLACK (BK)	AZ3674
	4000K WHITE (WH)	AZ3677
	4000K BLACK (BK)	AZ3676





MONZA II R 60 3000K/ 4000K DIMM

LED integrated

voltage: 230V

IP20

technical

specification



LED 90W 7520lm 3000K

LED 90W 7520lm 4000K


installation place

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ3679**
- ☒ 3000K BLACK (BK) **AZ3678**
- ☐ 4000K WHITE (WH) **AZ3681**
- ☒ 4000K BLACK (BK) **AZ3680**



MONZA PENDANT ACCESSORIES**

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3453**
- ☒ BLACK (BK) **AZ3454**



** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



MONZA SQUARE



Exposed downlights




MONZA S 22 3000K/ 4000K

LED integrated

voltage: 230V	LED 20W 3000K RA≥90 1680lm		
IP20	LED 20W 4000K RA≥90 1760lm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ2269**
- ☐ 3000K BLACK (BK) **AZ2271**
- ☐ 4000K WHITE (WH) **AZ2268**
- ☐ 4000K BLACK (BK) **AZ2270**





MONZA S 40 3000K/ 4000K

LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm		
IP20	LED 50W 4000K RA≥90 4400lm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ2273**
- ☐ 3000K BLACK (BK) **AZ2275**
- ☐ 4000K WHITE (WH) **AZ2272**
- ☐ 4000K BLACK (BK) **AZ2274**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA II SQUARE SCREWLESS BODY



Exposed downlights



WH *

MONZA II S 17 3000K/ 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 18W 1890lm 3000K

LED 18W 1940lm 4000K

installation place

beam angle: 120°

LED




COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ3682**

4000K WHITE (WH) **AZ3685**

4000K BLACK (BK) **AZ3684**



WH *

MONZA II S 30 3000K/ 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 36W 3500lm 3000K

LED 36W 3550lm 4000K

installation place

beam angle: 120°

LED




COLOUR / NEW INDEX NO.

3000K WHITE (WH) **AZ3687**

3000K BLACK (BK) **AZ3686**

4000K WHITE (WH) **AZ3689**

4000K BLACK (BK) **AZ3688**



BK *

MONZA II S 40 3000K/ 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 46W 4508lm 3000K

LED 46W 4508lm 4000K

installation place

beam angle: 120°

LED





COLOUR / NEW INDEX NO.

3000K WHITE (WH) **AZ3691**

3000K BLACK (BK) **AZ3690**

4000K WHITE (WH) **AZ3693**





MONZA II S 50 3000K/ 4000K DIMM

LED integrated

voltage: 230V

IP20

technical

specification



LED 74W 6120lm 3000K

LED 74W 6120lm 4000K


installation place

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ3695**
- ☒ 3000K BLACK (BK) **AZ3694**
- ☐ 4000K WHITE (WH) **AZ3698**
- ☒ 4000K BLACK (BK) **AZ3697**



MONZA R CCT + REMOTE CONTROL



Exposed downlights



MONZA R 22 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM		LED
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4758
WHITE (WH)	AZ4757
CHAMPAIGNE (CHA)	AZ4756




MONZA R 30 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM		LED
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4761
WHITE (WH)	AZ4760
CHAMPAIGNE (CHA)	AZ4759




MONZA R 40 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM		LED
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4764
WHITE (WH)	AZ4763
CHAMPAIGNE (CHA)	AZ4762




MONZA R 50 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 80W 5500lm CCT DIMM		LED
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4767
WHITE (WH)	AZ4766
CHAMPAIGNE (CHA)	AZ4765





MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- | | | |
|--------------------------|------------------|--------|
| ☐ | WHITE (WH) | AZ3453 |
| ☐ | BLACK (BK) | AZ3454 |
| ☐ | CHAMPAIGNE (CHA) | AZ4830 |



** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM

Time of confirmation of settings
from the remote control is 10s

Exposed downlights

new



WH *

MONZA S 22 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V

LED 20W 1400lm CCT DIMM

IP20

technical

specification




installation place

beam angle: 110°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4770**■ WHITE (WH) **AZ4769**■ CHAMPAIGNE (CHA) **AZ4768**

new



CHA *

MONZA S 30 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V

LED 30W 2100lm CCT DIMM

IP20

technical

specification




installation place

beam angle: 110°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4773**■ WHITE (WH) **AZ4772**■ CHAMPAIGNE (CHA) **AZ4771**

BK *

MONZA S 40 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V

LED 50W 3500lm CCT DIMM

IP20

technical

specification




installation place

beam angle: 110°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4776**■ WHITE (WH) **AZ4775**■ CHAMPAIGNE (CHA) **AZ4774**

new



BK

new



WH

new



CHA

Time of confirmation of settings
from the remote control is 10s



FALCO 12 3000K/4000K



Exposed downlights



WH *

FALCO 12 3000K

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20



LED

technical

installation place



specification



beam angle: 114°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2780**

☒ BLACK (BK) **AZ2782**



BK *

FALCO 12 4000K

LED integrated

voltage: 230V

LED 12W 1020lm 4000K

IP20



LED

technical

installation place



specification


beam angle: 114°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2781**

☒ BLACK (BK) **AZ2783**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

PIENZA DIMM 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 24W 1800lm 3000K dimm

LED

installation place




beam angle: 107°



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2719**
- ☐ GREY (GR) **AZ2721**



GR *

PIENZA DIMM 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 24W 1900lm 4000K dimm

LED

installation place




beam angle: 107°



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2718**
- ☐ GREY (GR) **AZ2720**
- ☒ BLACK (BK) **AZ2722**



WH *

GR *

BK *



JUNONA 3000K/4000K



Exposed downlights



CH *

JUNONA 28 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm 3000/4000K

LED

installation place


beam angle: 115°



COLOUR / NEW INDEX NO.

CHROME (CH-4000K) **AZ2746**CHROME (CH-3000K) **AZ2747**

5,2



28



CH *

JUNONA 33 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 18W 1250lm 3000/4000K

LED

installation place

beam angle: 115°



COLOUR / NEW INDEX NO.

CHROME (CH-4000K) **AZ2748**CHROME (CH-3000K) **AZ2749**

5,5



33



CH *

JUNONA 38 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 24W 1660lm 3000/4000K

LED

installation place

beam angle: 115°



COLOUR / NEW INDEX NO.

CHROME (CH-4000K) **AZ2750**CHROME (CH-3000K) **AZ2751**

5,7



38



COLLODI 48 CCT + REMOTE CONTROLE



Exposed downlights



GR *



BE

GR

COLLODI 48 CCT + REMOTE CONTROLE

LED integrated

voltage: 230V

IP20

technical

specification



CCT LED 50W 3400lm

2700 ÷ 6500K

installation place


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

 BEIGE (BE) **AZ2716**

 GREY (GR) **AZ2717**


48





QUADRO 50 CCT + REMOTE CONTROLE



Exposed downlights



GO *

QUADRO 50 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

LED 60W 5600lm

IP20

2700K~6500K dimm

LED

technical


installation place

specification

beam angle: 111°

COLOUR / NEW INDEX NO.


- SILVER (SL) **AZ2758**
- BLACK (BK) **AZ2759**
- GOLD (GO) **AZ2760**



SL

BK

GO



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®





WH *

SONA 47 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

IP20

technical

specification



LED 45W 3600lm

2700 ÷ 6500K dimm

installation place

beam angle: 123°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2761**

7.5



47



WH *

SONA 55 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

IP20

technical

specification



LED 45W 3600lm

2700 ÷ 6500K dimm

installation place


beam angle: 120°

LED

COLOUR / NEW INDEX NO.


☐ WHITE (WH) **AZ2763**

7.5



55

LED
DIMPOWER



CORTONA 3000K/4000K



Exposed downlights



BK *

CORTONA 41 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 24W 1840lm 3000K

LED


installation place

beam angle: 116°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2732**
- ☐ GREY (GR) **AZ2735**
- ☒ BLACK (BK) **AZ2737**

7.5 |



41



WH *

CORTONA 41 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 24W 1860lm 4000K

LED

installation place

beam angle: 116°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2730**
- ☐ GREY (GR) **AZ2733**
- ☒ BLACK (BK) **AZ2736**

7.5 |



41



GR *

CORTONA 55 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 50 3600lm 3000K

LED


installation place

beam angle: 114°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2741**
- ☐ GREY (GR) **AZ2743**
- ☒ BLACK (BK) **AZ2745**

9 |



55



BK *

CORTONA 55 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 50W 3620lm 4000K

LED


installation place

beam angle: 114°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2739**
- ☐ GREY (GR) **AZ2742**
- ☒ BLACK (BK) **AZ2744**

9 |



55



SOVANA TOP CCT + REMOTE CONTROLE



Exposed downlights



GR *

SOVANA TOP 45 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 40W 2200lm

2700 ÷ 6500K dimm

installation place

beam angle: 120°

LED




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3433**

☐ GREY (GR) **AZ3435**

☒ BLACK (BK) **AZ3434**



WH *

SOVANA TOP 55 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 50W 2750lm

3000 ÷ 6500K dimm

installation place

beam angle: 120°

LED




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2724**

☐ GREY (GR) **AZ2725**

☒ BLACK (BK) **AZ2726**



BK *

SOVANA TOP 80 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 80W 4000lm

2700 ÷ 6500K dimm

installation place

beam angle: 130°

LED




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3445**

☐ GREY (GR) **AZ3447**


☒ BLACK (BK) **AZ3446**



WH *

GR *

BK *





SOVANA PENDANT CCT + REMOTE CONTROLE



Exposed downlights



GR *

SOVANA PENDANT 45 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 40W 2200lm


2700 ÷ 6500K dimm

installation place

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3436**☐ GREY (GR) **AZ3438**☒ BLACK (BK) **AZ3437**

Ø 45



BK *

SOVANA PENDANT 55 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 50W 2750lm



2700 ÷ 6500K dimm

installation place

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2727**☐ GREY (GR) **AZ2729**☒ BLACK (BK) **AZ2728**

55



BK *

SOVANA PENDANT 80 CCT LED

LED integrated

voltage: 230V

IP20

technical

specification



LED 80W 4000lm



2700 ÷ 6500K dimm

installation place

beam angle: 130°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3448**☐ GREY (GR) **AZ3450**☒ BLACK (BK) **AZ3449**

Ø 80



WH *

GR *

BK *



* - EXPLANATION SHORTCUT PAGE 2 (E)



GALILEO 1 PENDANT

Exposed downlights



GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V

LED 15W 750lm 3000K

IP20

technical

specification



installation place

adjustable beam angle: 12°÷ 35°

LED

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4068**

BLACK (BK) **AZ4069**



12° 35°

ADJUSTABLE BEAM ANGLE





LINNEA PENDANT CCT SWITCH



Exposed downlights




LINNEA 112 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 48W 2700lm		LED
IP20	3000K/4000K/5500K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4570**
- ☒ BLACK (BK) **AZ4569**





LINNEA 140 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 54W 3100lm		LED
IP20	3000K/4000K/5500K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4572**
- ☒ BLACK (BK) **AZ4571**







EXCLUSIVE DOWNLIGHTS

EXCLUSIVE

downlights



- 210 SIMON
- 212 MIRA
- 213 CLOE
- 214 EVA
- 216 PIRAMIDE
- 217 CLETO
- 218 ADAMO
- 219 ADAMO RING
- 220 ADAMO DIAMOND
- 222 LUCIANO
- 223 BIAGIO
- 224 LORENZA
- 225 LORENZO
- 226 ESTER ROUND
- 228 ESTER SQUARE
- 230 VEKTOR ROUND
- 231 VEKTOR SQUARE
- 232 MARIKA
- 233 ELEGANT BULB



WH-MATT *


SIMON ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1473**
- CHROME (CH). **AZ1614**
- BLACK CHROME (BCH) **AZ1613**



WH-MATT

WH-MATT

BK-CHROME

BK-CHROME

CH

CH



WH-MATT *


SIMON SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1474**
- CHROME (CH). **AZ1616**
- BLACK CHROME (BCH) **AZ1615**




* - EXPLANATION SHORTCUT PAGE 2 (E)



MIRA

Exclusive downlights



GO *


MIRA

bulb not included 

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	 Ø 7cm

COLOUR / NEW INDEX NO.

-  GOLD (GO) **AZ1464**
-  CHROME (CH). **AZ1619**



CH

* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *

CLOE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	Ø 6,5cm

COLOUR / NEW INDEX NO.

 CHROME (CH). **AZ1466**

EVA

Exclusive downlights



CH *



EVA ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1459**
- CHROME (CH). **AZ1458**



CH

GO



CH *


EVA SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1460**



CH

* - EXPLANATION SHORTCUT PAGE 2 (E)



PIRAMIDE

Exclusive downlights



CH *



PIRAMIDE L

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,0cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1611**
- CHROME (CH). **AZ1463**



GO *


PIRAMIDE XL

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,0cm

COLOUR / NEW INDEX NO.


- GOLD (GO) **AZ1462**
- CHROME (CH). **AZ1612**



GO

CH






CLETO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening Ø 7,0cm


COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1621**
- GOLD (GO) **AZ1622**



ADAMO MIDST

Exclusive downlights



BK MATT *


ADAMO MIDST

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

	WHITE MATT (WH)	AZ1483
	CHROME (CH).	AZ1481
	BLACK CHROME (BCH)	AZ1480
	BLACK MATT (BK).	AZ2562
	GOLD (GO)	AZ1482





BK-CHROME / BK-MATT / CH / GO / WH-MATT *


ADAMO RING

bulb not included ☒

voltage: 0V	accessory for Adamo Midst and Adamo Diamond
IP20	
aluminium	installation place ☐

COLOUR / NEW INDEX NO.

- ☐ WHITE MATT (WH) **AZ1487**
- ☒ CHROME (CH) **AZ1485**
- ☐ BLACK CHROME (BCH) **AZ1484**
- ☐ BLACK MATT (BK) **AZ2567**
- ☐ GOLD (GO) **AZ1486**



ADAMO DIAMOND

Exclusive downlights



CH *


ADAMO MIDST DIAMOND CH

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2734**



BCH *


ADAMO MIDST DIAMOND BCH

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.

BLACK CHROME (BCH) **AZ2731**



WH *



ADAMO MIDST DIAMOND WH

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2738**



GO *


ADAMO MIDST DIAMOND GO

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.


GOLD (GO) **AZ2740**





LUCIANO

Exclusive downlights





LUCIANO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1471**
- WHITE (WH). **AZ1472**




LUCIANO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1470**
- WHITE (WH). **AZ1549**






BIAGIO

bulb not included 	
voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place 
	inlet opening  Ø 6,5cm

COLOUR / NEW INDEX NO.

-  GOLD (GO) **AZ1493**
-  CHROME (CH). **AZ1492**



LORENZA


Exclusive downlights



LORENZA


bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

- COLOUR / NEW INDEX NO.
- WHITE MATT (WH) **AZ1476**
 - CHROME (CH) **AZ1475**
 - BLACK (BK) **AZ4174**



* - EXPLANATION SHORTCUT PAGE 2 (E)






LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	7cm


COLOUR / NEW INDEX NO.

	WHITE MATT (WH)	AZ1496
	CHROME (CH).	AZ1617
	BLACK (BK).	AZ4173



ESTER ROUND

Exclusive downlights





ESTER ROUND 1

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1449**
- GOLD (GO) **AZ1450**
- BLACK (BK) **AZ4175**




ESTER ROUND 2

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1451**
- GOLD (GO) **AZ2467**
- BLACK (BK) **AZ4176**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER ROUND

Exclusive downlights

227



ESTER SQUARE

Exclusive downlights




ESTER SQUARE 1

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4410**
- GOLD (GO) **AZ4412**
- BLACK (BK) **AZ4411**





ESTER SQUARE 2

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4413**
- GOLD (GO) **AZ4415**
- BLACK (BK) **AZ4414**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER SQUARE

Exclusive downlights

229



VEKTOR ROUND

Exclusive downlights




VEKTOR ROUND

bulb not included 

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	 Ø 6,5cm

COLOUR / NEW INDEX NO.

 CLEAR GLASS **AZ1494**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CLEAR GLASS *

VEKTOR SQUARE

bulb not included ☒

voltage: 230V

connect GU10 1x Max 50W



IP20

installation place




inlet opening

Ø 6,5cm

COLOUR / NEW INDEX NO.

☒ CLEAR GLASS **AZ1495**



MARIKA

Exclusive downlights





MARIKA

bulb not included 

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	 Ø 8cm

COLOUR / NEW INDEX NO.

-  ROSE GOLD (RG) **AZ2208**
-  ANTIQUE BROWN (AB) **AZ2209**



ELEGANT BULB LED GU10 7W

Exclusive downlights




CH *

ELEGANT LED GU10 7W 3000K/4000K


voltage: 230V	GU10 7W 230V RA>90	
IP20		

COLOUR / NEW INDEX NO.

-  3000K (CHROME) **AZ2227**
-  4000K (CHROME) **AZ2226**




ELEGANT BULB LED GU10 7W
DEDICATED
FOR EXCLUSIVE DOWNLIGHTS SERIES



DOWNLIGHTS

DOWNlights

- 236 AIDA ROUND
- 237 AIDA SQUARE
- 238 GALATA IP44
- 239 KASTORIA IP44
- 240 LAMIR R IP44
- 241 LAMIR 17
- 242 SLIM SQUARE
- 244 SLIM ROUND
- 247 OKA
- 248 FILL ROUND
- 249 FILL SQUARE
- 250 MONA SPOT 12W
- 251 MONA SPOT 18W
- 252 FRIDA
- 254 TORONTO 15W SPOT
- 255 BOSTON 10W ROUND
- 256 COSTA
- 257 LINA
- 258 LUNA 15W
- 259 LUNA 7W
- 260 LINZ
- 261 UNA
- 262 OSCAR IP44
- 263 TITO IP54
- 264 EMILIO IP54
- 265 EZIO IP54
- 266 PABLO IP54
- 267 IKA IP65
- 268 CESAR
- 269 REMO 1 DOWNLIGHT
- 270 HUGO DOWNLIGHT
- 272 CARLO
- 273 EDITTA
- 274 IVO
- 275 IVO SQUARE
- 276 PACO
- 277 PIO
- 278 CARO ROUND
- 279 CARO SQUARE
- 280 IBIZA
- 281 REMI
- 282 MINORKA
- 284 MILET
- 285 ITAKA
- 286 SAVIO
- 287 GELO
- 288 NEMO
- 289 ERIKA
- 290 SIRO
- 291 SISTO
- 292 STAN
- 293 TORRES
- 294 VERDI
- 296 NOVA
- 297 NOVA GIPS
- 298 HERA GIPS SQUARE
- 299 HERA GIPS ROUND





BK *

AIDA ROUND 10W 3000K

LED integrated

voltage: 230V

IP20

technical
specification

LED 10W 700lm 3000K

LED

installation place inlet opening 9,2cm

beam angle: 100°

COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ4218** BLACK (BK) **AZ4220**

Ø 10



WH *

AIDA ROUND 16W 3000K

LED integrated

voltage: 230V

IP20

technical
specification


LED 16W 1300lm 3000K

LED


installation place inlet opening 13cm

beam angle: 100°

COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ4222** BLACK (BK) **AZ4224**

Ø 14,5





AIDA SQUARE 10W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP20



technical
specification

installation place ☐ inlet opening 9,2x9,2cm




beam angle: 100°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4226**

☒ BLACK (BK) **AZ4227**



AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K

IP20



technical
specification

installation place ☐ inlet opening 13x13cm


beam angle: 100°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4228**

☒ BLACK (BK) **AZ4229**






GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP44	LED 9W 700lm 4000K	
technical specification		installation place  inlet opening  6,3cm
		beam angle: 120° 

COLOUR / NEW INDEX NO.

- | | | |
|-------------------------------------|----------------------------|---------------|
| ☐ | 3000K WHITE (WH) | AZ4380 |
| ☒ | 3000K BLACK (BK) | AZ4379 |
| ☐ | 4000K WHITE (WH) | AZ4382 |
| ☒ | 4000K BLACK (BK) | AZ4381 |



* - EXPLANATION SHORTCUT PAGE 2 (E)



KASTORIA IP44

LED integrated

voltage: 230V

LED 7W 550lm 3000K

IP44




technical
specification

installation place inlet opening 4,5cm
beam angle: 120°

LED

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4391**
- BLACK (BK) **AZ4389**
- GOLD (GO) **AZ4390**



LAMIR R IP44



Downlights



LAMIR R 9 IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical
specification



LED 9W 700lm 3000K

LED 9W 700lm 4000K

installation place inlet opening 6,8cm

beam angle: 120°



COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4384**

☐ 4000K WHITE (WH) **AZ4383**



9,1



LAMIR R 12 IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical
specification



LED 16W 1300lm 3000K

LED 16W 1300lm 4000K

installation place adjust. inlet: 7,50÷9,6cm

beam angle: 120°



COLOUR / NEW INDEX NO.


☐ 3000K WHITE (WH) **AZ4385**

☐ 4000K WHITE (WH) **AZ4386**



12

Adjusting the position of the wings in relation to the diameter of the hole,
the range of the size of the hole from (inlet opening)



Lamir R9 – no adjustable wings

Lamir R12 (adjustable the position of the wings) – 7,5÷9,6cm

Lamir R17 and S17 (adjustable the position of the wings) – 7,4÷15,1cm



LAMIR S 17 DIMM IP44 3000K / 4000K

+ REMOTE CONTROL

LED integrated

voltage: 230V

IP44

technical
specification



LED 22W DIMM 1800lm 3000K DIMM

LED 22W DIMM 1800lm 4000K DIMM

LED


installation place adjust. inlet: $7,4 \div 15,1$ cm

beam angle: 120°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4388**

☐ 4000K WHITE (WH) **AZ4393**



LAMIR R 17 DIMM IP44 3000K / 4000K

+ REMOTE CONTROL

LED integrated

voltage: 230V

IP44

technical
specification



LED 22W DIMM 1800lm 3000K

LED 22W DIMM 1800lm 4000K

LED


installation place adjust. inlet: $7,4 \div 15,1$ cm

beam angle: 120°


COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4387**

☐ 4000K WHITE (WH) **AZ4392**



Key function



SLIM SQUARE IP44



Downlights



SLIM 9 SQUARE IP44 3000K

LED integrated

voltage: 230V

LED 6W 500lm 3000K RA>90

IP44





LED

technical
specificationinstallation place inlet opening $\varnothing$ 7,7cm

beam angle: 120°

COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ2830** BLACK (BK) **AZ2833**

SLIM 15 SQUARE IP44 3000K

LED integrated

voltage: 230V

LED 12W 1000lm 3000K RA>90

IP44




LED

technical
specificationinstallation place inlet opening $\varnothing$ 12,5cm

beam angle: 120°


COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ2837** BLACK (BK) **AZ2836**






CH



BK



WH



CH



BK



WH





BK *


SLIM 9 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90	
IP44	technical specification	
installation place ☐	inlet opening Ø 7,4cm	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ2861**
- BLACK (BK). **AZ2834**
- WHITE (WH). **AZ2831**



WH *


SLIM 9 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 6W 500lm 4000K RA>90	
IP44	technical specification	
installation place ☐	inlet opening Ø 7,4cm	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ2862**
- BLACK (BK). **AZ2835**
- WHITE (WH). **AZ2832**



BK *



SLIM 15 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90	
IP44	technical specification	
installation place ☐	inlet opening Ø 12,5cm	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ2838**
- BLACK (BK). **AZ2840**
- WHITE (WH). **AZ2839**



CH *


SLIM 15 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 4000K RA>90	
IP44	technical specification	
installation place ☐	inlet opening Ø 12,5cm	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ2841**
- BLACK (BK). **AZ2843**
- WHITE (WH). **AZ2842**





LINDA 23 3000K

LED integrated

voltage: 230V

IP20

technical
specification


LED 18W 3000K RA>90 1500lm

LED

installation place inlet opening Ø21cm

beam angle: 120°

COLOUR / NEW INDEX NO.

 3000K WHITE (WH) **AZ2244** 3000K CHROME (CH) **AZ2246**

LINDA 30 3000K/4000K

LED integrated

voltage: 230V

IP20

technical
specification

LED 24W 3000K RA>90 2010lm


LED

LED 24W 4000K RA>90 2100lm


installation place inlet opening Ø28cm

beam angle: 120°

COLOUR / NEW INDEX NO.

 3000K CHROME (CH) **AZ2250** 4000K CHROME (CH) **AZ2251**

new



OKA AL 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


LED

installation place ☐ inlet opening $\varnothing$ 3,5cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- ☐ WHITE 3000K (WH) **AZ2232**
- ☐ WHITE 4000K (WH) **AZ2233**
- ☐ BLACK 3000K (BK) **AZ4171**
- ☐ BLACK 4000K (BK) **AZ4172**



AC *



OKA AC 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


LED

installation place ☐ inlet opening $\varnothing$ 3,6cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- ☐ ACRYLIC 3000K (AC) **AZ2234**
- ☐ ACRYLIC 4000K (AC) **AZ2235**



new

BK



Downlights



BK *

FILL R 5W 3000K / 4000K

LED integrated 

voltage: 230V

IP20

technical

specification



LED 5W 425lm 3000K


LED 5W 425lm 4000K

LED

installation place  inlet opening  Ø 4cmbeam angle: 60° 

usb charger including

COLOUR / NEW INDEX NO.

■ BLACK 3000K (BK) **AZ3381**■ BLACK 4000K (BK) **AZ3382**



BK *



WH

BK

FILL S 5W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 425lm 3000K

LED 5W 425lm 4000K

LED

installation place inlet opening Ø 4cm

beam angle: 60°


COLOUR / NEW INDEX NO.

☐ WHITE 3000K (WH) **AZ3377**

☒ BLACK 3000K (BK) **AZ3379**

☐ WHITE 4000K (WH) **AZ3378**

☒ BLACK 4000K (BK) **AZ3380**



MONA SPOT 12W



Downlights




MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP20	LED 12W 1000lm 4000K	
technical	installation place inlet opening 7,5cm	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4532**
- ☒ 3000K BLACK (BK) **AZ4531**
- ☐ 4000K WHITE (WH) **AZ4534**
- ☒ 4000K BLACK (BK) **AZ4533**





MONA SPOT 18W 3000K

LED integrated

voltage: 230V

LED 18W 1300lm 3000K

IP20



LED

technical
specification

installation place


inlet opening 9,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

3000K WHITE (WH) **AZ4536**

3000K BLACK (BK) **AZ4535**



Downlights




FRIDA 7W 3000K / 4000K

LED integrated	
voltage: 230V	LED 7W 500lm 3000K
IP54	LED 7W 550lm 4000K
technical specification	installation place inlet opening 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4525**
- ☒ 3000K BLACK (BK) **AZ4523**
- ☐ 4000K WHITE (WH) **AZ4526**
- ☒ 4000K BLACK (BK) **AZ4524**




FRIDA 12W 3000K / 4000K

LED integrated	
voltage: 230V	LED 12W 1100lm 3000K
IP54	LED 12W 1100lm 4000K
technical specification	installation place inlet opening 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4529**
- ☒ 3000K BLACK (BK) **AZ4527**
- ☐ 4000K WHITE (WH) **AZ4530**
- ☒ 4000K BLACK (BK) **AZ4528**



* - EXPLANATION SHORTCUT PAGE 2 (E)



TORONTO 15W SPOT



Downlights

new



BK *



BK



WH

TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

LED 15W 1020lm 3000K

IP20

LED

technical




installation place inlet opening 16,2cm

specification

beam angle: 21°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4071**☒ BLACK (BK) **AZ4063**

TILT 90°



ROTATION 360°





WH *

BOSTON 10W ROUND

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 685lm 3000K

LED


installation place inlet opening 9,6cm

beam angle: 21°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3471**

BLACK (BK) **AZ3470**



TILT 45°

ROTATION 360°




COSTA SPOT



Downlights



BK / BK *



WH

BK

COSTA SPOT

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1020lm 3000K

LED


installation place inlet opening Ø 9cm

beam angle: 24°

COLOUR / NEW INDEX NO.

WHITE/WHITE (WH/WH) **AZ2705**

BLACK/BLACK (BK/BK) **AZ2706**



TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

LINA

LED integrated

voltage: 230V

LED 2W 170lm 3000K

IP20



LED


technical
specification

installation place ☐ inlet opening Ø 4,6cm

beam angle: 19°

COLOUR / NEW INDEX NO.

☒ BLACK (BK) **AZ2708**



TILT 90°

ROTATION 360°





BK *

LUNA 15W DIM

LED integrated

voltage: 230V

IP20

technical

specification



LED 15W 1270lm


3000K RA>90 dimm

installation place inlet opening Ø 8,5cm

beam angle: 22°

LED

COLOUR / NEW INDEX NO.

 WHITE / BLACK (WH / BK) **AZ2828** BLACK / BLACK (BK / BK). **AZ2829**

TILT 90°

ROTATION 350°





WH / BK *

LUNA 7W

LED integrated

voltage: 230V

IP20

technical
specification



LED 7W 595lm 3000K

LED


installation place inlet opening Ø 7cm

beam angle: 28°

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ3396**

BLACK / BLACK (BK / BK) **AZ3397**



TILT 90°

ROTATION 350°



WH / BK

BK / BK



LINZ IP44

Downlights



LINZ IP44

LED integrated

voltage: 230V

LED 5W 420lm 3000/4000K

IP44



technical
specification

LED

installation place inlet opening Ø 5,8cm


beam angle: 180°

COLOUR / NEW INDEX NO.

ACRYL (ACR) (3000K) **AZ2774**

ACRYL (ACR) (4000K) **AZ2775**





CH *

UNA IP44

LED integrated

voltage: 230V

LED 7W 590lm 3000/4000K

IP44



LED

technical

installation place inlet opening Ø 6,2cm


specification

beam angle: 180°

COLOUR / NEW INDEX NO.

CHROME (CH) (3000K) **AZ2772**

CHROME (CH) (4000K) **AZ2773**



OSCAR IP44

Downlights





OSCAR IP44

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP44	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH). **AZ1714**
- CHROME (CH). **AZ1715**
- BLACK (BK). **AZ2692**
- GOLD (GO). **AZ2800**



* - EXPLANATION SHORTCUT PAGE 2 (E)




TITO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED	
IP54		
	installation place	
	inlet opening	Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0814**
- WHITE (WH) **AZ0815**
- BLACK (BK) **AZ4139**



EMILIO IP54

Downlights





EMILIO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø 5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0810**
- BLACK (BK) **AZ0809**
- WHITE (WH) **AZ0871**
- CHROME (CH) **AZ0808**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



EZIO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0811**
- BLACK (BK) **AZ0812**
- WHITE (WH) **AZ0813**
- CHROME (CH) **AZ1051**



ALU

BK


CH

WH



PABLO IP54

Downlights




PABLO


bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1015**
- WHITE (WH) **AZ0817**
- BLACK 4000K (AC) **AZ4140**






IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W	
IP65		
	installation place	
	inlet opening	Ø 5,9cm

COLOUR / NEW INDEX NO.

WHITE (WH).	AZ2864
BLACK (BK).	AZ4230
DARK GREY (DGR).	AZ4231




IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W	
IP65		
	installation place	
	inlet opening	Ø 5,9cm

COLOUR / NEW INDEX NO.

WHITE (WH).	AZ2865
BLACK (BK).	AZ3017
DARK GREY (DGR).	AZ4232



CESAR

Downlights




CH *

CESAR

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	9x9cm

COLOUR / NEW INDEX NO.

 CHROME (CH). **AZ1152**

TILT 45°




CH



CH






REMO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max.50W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU)	AZ1729
BLACK (BK)	AZ1732
WHITE (WH)	AZ1731
CHROME (CH)	AZ1730




REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight
IP20	
Aluminium	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU)	AZ0821
BLACK (BK)	AZ0823
WHITE (WH)	AZ0822
GOLD (GO)	AZ0824
CHAMPAGNE (CHA)	AZ0825
CHROME (CH)	AZ0855



HUGO 1 DOWNLIGHT

Downlights





HUGO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 10,5cm

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ1733
	BLACK (BK)	AZ1736
	WHITE (WH)	AZ1735
	CHROME (CH)	AZ1734




REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight
IP20	
Aluminium	installation place

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0821
	BLACK (BK)	AZ0823
	WHITE (WH)	AZ0822
	GOLD (GO)	AZ0824
	CHAMPAGNE (CHA)	AZ0825
	CHROME (CH)	AZ0855





WH / BK *


HUGO 2 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	
	inlet opening	10,5x22,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1737**
- BLACK (BK) **AZ1740**
- WHITE (WH) **AZ1739**
- CHROME (CH) **AZ1738**



CARLO

Downlights





CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0804**
- WHITE (WH) **AZ0805**
- BLACK (BK) **AZ4141**



* - EXPLANATION SHORTCUT PAGE 2 (E)




EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU)AZ0806
- WHITE (WH)AZ0807
- BLACK (BK)AZ4144



TILT 45 °



IVO

Downlights



ALU *


IVO

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 6,4cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0758**
- BLACK (BK) **AZ1716**
- WHITE (WH) **AZ0759**
- CHROME (CH) **AZ1717**



WH

ALU

BK

CH



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *



IVO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 6,4cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1788**
- WHITE (WH). **AZ1825**



CH

WH



CH

WH



CH *


IVO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	
	inlet opening	6,5x14,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1789**
- WHITE (WH). **AZ1826**



PACO

Downlights




PACO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	8x8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0795**
- BLACK (BK) **AZ0797**
- WHITE (WH) **AZ0796**



TILT 45°




PACO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	
	inlet opening	8x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0798**
- BLACK (BK) **AZ0800**
- WHITE (WH) **AZ0799**



TILT 45°




PACO 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W	
IP20		
	installation place	
	inlet opening	8x24cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0801**
- BLACK (BK) **AZ0803**
- WHITE (WH) **AZ0802**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)





WH *



PIO

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	6,3x6,3cm

COLOUR / NEW INDEX NO.

- WHITE (WH). **AZ0760**
- BLACK (BK). **AZ1278**
- CHROME (CH). **AZ1718**



WH

BK

CH

WH

BK

CH



WH *


PIO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	
	inlet opening	7x14,6cm

COLOUR / NEW INDEX NO.

- WHITE (WH). **AZ1719**
- BLACK (BK). **AZ1720**
- CHROME (CH). **AZ1749**



CARO ROUND

Downlights




CARO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2432**
- BLACK (BK) **AZ2431**
- WHITE (WH) **AZ2430**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU *



CARO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2435**
 BLACK (BK) **AZ2434**
 WHITE (WH) **AZ2433**



WH *


CARO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	
	inlet opening	8x15,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2438**
 BLACK (BK) **AZ2437**
 WHITE (WH) **AZ2436**



BK *



CARO 3 SQUARE

bulb not included

voltage: 230V	connect GU10 3x Max 50W	
IP20		
	installation place	
	inlet opening	8x23,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2441**
 BLACK (BK) **AZ2440**
 WHITE (WH) **AZ2439**



ALU *


CARO 4 SQUARE

bulb not included

voltage: 230V	connect GU10 4x Max 50W	
IP20		
	installation place	
	inlet opening	16x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2444**
 WHITE (WH) **AZ2442**



IBIZA

Downlights



WH / BK *


IBIZA

bulb not included


voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	Ø 10cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1361**
- BLACK / GOLD (BK / GO) **AZ2804**
- WHITE / WHITE (WH / WH) **AZ2803**
- BLACK / BLACK (BK / BK) **AZ3532**



TILT 45°



WH / BK

BK / GO

WH / WH

BK / BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

REMI

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 8,5cm

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ1363**
- ☒ BLACK (BK) **AZ4143**




TILT 40°



MINORKA

Downlights




MINORKA

bulb not included	
voltage: 230V	GU10 1x Max 50W
IP20	
installation place	
inlet opening 9,5x9,5cm	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**




* - EXPLANATION SHORTCUT PAGE 2 (E)



MILET

Downlights





MILET

bulb not included 

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	 7,2 x 7,2cm

- COLOUR / NEW INDEX NO.
- ☐ WHITE (WH) **AZ4075**
 - ☒ BLACK (BK) **AZ4076**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

ITAKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4073**
- ☒ BLACK (BK) **AZ4074**






ACR *

SAVIO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 5,8cm

COLOUR / NEW INDEX NO.

 ACRYL (ACR) **AZ2779**




ACR *


SAVIO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 5,8cm

COLOUR / NEW INDEX NO.

 ACRYL (ACR) **AZ2778**





GELO

bulb not included 

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	 Ø 6,6cm

COLOUR / NEW INDEX NO.

☐ WHITE FROST (WH) **AZ3539**



NEMO

Downlights




NEMO

bulb not included


voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	
	inlet opening	Ø 6,8cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3398**
- BLACK (BK) **AZ3399**
- CHROME (CH) **AZ3400**
- GOLD (GO) **AZ3401**



* - EXPLANATION SHORTCUT PAGE 2 (E)



GO *


ERIKA

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 5,4cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ2776**
- CHROME (WH) **AZ2777**



GO

CH



SIRO

Downlights



BK / BK *


SIRO 1

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	Ø 15cm

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0767
	BLACK / ALUMINIUM (BK / ALU) . . .	AZ0769
	WHITE (WH)	AZ0768
	BLACK / BLACK (BK / BK)	AZ2805



BK / BK *


SIRO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	31x15cm

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0770
	BLACK / ALUMINIUM (BK / ALU) . . .	AZ0772
	WHITE (WH)	AZ0771
	BLACK / BLACK (BK / BK)	AZ2806



ALU *


SIRO 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111	
IP20	connect GU10 3x Max 40W	
	installation place	
	inlet opening	48x15cm

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0773
--	---------------------------	---------------



* - EXPLANATION SHORTCUT PAGE 2 (E)





BK / ALU *


SISTO 1

bulb not included

voltage: 230V	1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	16X16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0793**
- WHITE / BLACK (WH/BK) **AZ1446**
- BLACK / BLACK (BK/BK) **AZ2810**



BK / BK *


SISTO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30,5x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0794**
- WHITE / BLACK (WH/BK) **AZ1447**
- BLACK/BLACK (BK/BK) **AZ2809**



STAN

Downlights



ALU /ALU *


STAN

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	Ø 14,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU). **AZ0860**
- WHITE (WH). **AZ0861**
- BLACK / BLACK (BK / BK). **AZ2811**
- CHROME (CH). **AZ2957**



* - EXPLANATION SHORTCUT PAGE 2 (E)





BK *

TORRES GU10

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	Ø 8,2cm

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2682**
- ☒ BLACK (BK) **AZ2683**



TILT 40°



WH *



TORRES ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20		
	installation place	
	inlet opening	Ø 14,5cm

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2684**
- ☒ BLACK (BK) **AZ2685**




TILT 40°



VERDI

Downlights



WH *


VERDI

bulb not included


voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	17x17cm

COLOUR / NEW INDEX NO.

WHITE (WH)	AZ3526
BLACK (BK)	AZ3527



TILT 45°



BK *


VERDI 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30x17cm

COLOUR / NEW INDEX NO.

WHITE (WH)	AZ3528
BLACK (BK)	AZ3529



TILT 45°



WH

BK




WH

BK



WH

BK



WH *


VERDI 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111	
IP20	connect GU10 3x Max 40W	
	installation place	
	inlet opening	45x17cm

COLOUR / NEW INDEX NO.

WHITE (WH)	AZ3530
BLACK (BK)	AZ3531




TILT 45°



NOVA

Downlights



BK / BK *


NOVA 1

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	15x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2869**
- WHITE / WHITE (WH /WH) **AZ2870**
- WHITE / BLACK (WH /BK) **AZ2871**



TILT 45°



BK / BK *


NOVA 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30,5x15cm

COLOUR / NEW INDEX NO.


- BLACK / BLACK (BK /BK) **AZ2875**
- WHITE / WHITE (WH /WH) **AZ2876**
- WHITE / BLACK (WH /BK) **AZ2877**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)




WH / WH *

NOVA GIPS

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	15,2x15,2cm

COLOUR / NEW INDEX NO.

☒ BLACK / BLACK (BK/BK) **AZ2872**
☐ WHITE / WHITE (WH/WH) **AZ2873**


TILT 45°




BK / BK *

NOVA 2 GIPS

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30.5x15.2cm

COLOUR / NEW INDEX NO.

☒ BLACK / BLACK (BK /BK) **AZ2935**
☐ WHITE / WHITE (WH /WH) **AZ2934**


TILT 45°



BK/BK

WH/WH

BK/BK

WH/WH



HERA GIPS SQUARE

Downlights





WH *

HERA GIPS SQUARE S WH

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	10x10cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ3466**



WH *

HERA GIPS SQUARE M WH

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	12x12cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ3467**


glass diffuser only included with AZ3467



Recommended plasterboard profile: 12mm






WH *

HERA GIPS ROUND M

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	Ø 13cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3465**


WH *

HERA GIPS ROUND S

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	Ø 10cm

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3464**




INDOOR WALL LAMPS

INDOOR



wall lamps

- 302 TAZ
- 303 OZ
- 304 SANE
- 305 RAGGIO
- 306 VELIA ROUND
- 307 VELIA SQUARE
- 308 BLAS
- 309 LAMBDA
- 311 FELIX
- 312 MARS
- 313 VENUS
- 314 GAMBINO
- 316 LETICIA
- 317 LETICIA 2
- 318 LETICIA 2 LED
- 319 MONTANA
- 320 AVON
- 321 CLOVER
- 322 VIGO
- 323 LATONA
- 324 RAUL
- 325 SCATOLA
- 326 VIDAL
- 327 VIALETTO
- 328 ANCONA
- 329 ANCONA WOOD
- 330 TORCH
- 331 VEGA
- 332 ARCHO
- 334 GINNO
- 335 ANGUS
- 336 RAMONA
- 338 VERA
- 339 FARO
- 340 LUMI
- 341 LUMI FLEX
- 342 VERONICA
- 343 NOGAT



TAZ

Indoor wall lamps




TAZ

LED integrated


voltage: 230V	LED 1W 85lm 4000K		
IP20			
technical specification			
installation place	☐ inlet opening Ø 4,8cm		
beam angle: 360°			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3369**
- WHITE (WH) **AZ3370**
- SATIN NICKEL (SN) **AZ3371**



* - EXPLANATION SHORTCUT PAGE 2 (E)



OZ

LED integrated

voltage: 230V

LED 1W 85lm 4000K

IP20

LED

technical





specification

installation place ☐ inlet opening Ø 4,8cm

beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3372**
- WHITE (WH) **AZ3373**
- SATIN NICKEL (SN) **AZ3374**





SANE Ø 40

LED integrated

voltage: 230V

IP20

technical
specification

LED 1W 85lm 3000K

Transformer 230V – included


LED

installation place inlet opening Ø 4,8cm

beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2765**
- WHITE (WH) **AZ2766**
- NICKEL (NI) **AZ2767**



SANE Ø 60

LED integrated

voltage: 230V

IP20

technical
specification

LED 2W 170lm 3000K

Transformer 230V – included



LED

installation place inlet opening Ø 5cm

beam angle: 180°


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2768**
- WHITE (WH) **AZ2769**
- ANTIQUE BRUSH (ANB) **AZ2770**
- NICKEL (NI) **AZ2771**







WH



WH



BK



SN

RAGGIO

LED integrated

voltage: 230V

LED 3W 240lm 3000K

IP54

Transformer 230V – included

LED

technical
specification




installation place inlet opening 8.8x4cm

beam angle: 15°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2963**
- BLACK (BK) **AZ2964**
- SATIN NICKEL (SN) **AZ2965**



VELIA ROUND

Indoor wall lamps





VELIA ROUND 2

bulb not included	
voltage: 230V	GU10 2x Max 50W
IP20	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4398**
- BLACK (BK) **AZ4399**
- BRASS (BS) **AZ4397**






VELIA SQUARE 2

bulb not included 

voltage: 230V	GU10 2x Max 50W	
IP20	installation place	


COLOUR / NEW INDEX NO.

-  WHITE (WH) **AZ4403**
-  BLACK (BK) **AZ4401**
-  BRASS (BS) **AZ4402**



BLAS

Indoor wall lamps




BLAS

bulb not included 	
voltage: 230V	connect G9 1x Max 40W 
IP20	installation place 

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ3069**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LAMBDA

LED integrated

voltage: 230V

LED 10W 850lm 3000K

IP20



LED

technical

installation place





specification

beam angle: 90°




COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ3346**
- ☐ WHITE (WH) **AZ3345**








FELIX S

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x90°	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2456**
- ☒ GOLD (GO) **AZ2425**




FELIX M

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x110°	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2426**




FELIX L

LED integrated

voltage: 230V	LED 12W 1008lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x110°	


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2427**



MARS

Indoor wall lamps




MARS

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0895**
- WHITE (WH) **AZ0896**
- WHITE / GOLD (WH/GO) **AZ1090**
- BLACK / GOLD (BK/GO) **AZ1052**
- BLACK / BLACK (BK / BK) **AZ2931**



* - EXPLANATION SHORTCUT PAGE 2 (E)




VENUS

bulb not included 

voltage: 230V	connect G9 1x Max.40W 
IP20	installation place 


COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) **AZ0893**
- ☐ WHITE (WH) **AZ0894**




GAMBINO LED IP54

Indoor wall lamps



FOUR ADJUSTABLE LIGHT ANGLE



GAMBINO

LED integrated

voltage: 230V

IP54

technical

specification



LED 2x3W 480 lm 3000K


LED

installation place


beam angle: adjustable max 90°


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0950**
- BRIGHT GREY (BGR) **AZ0958**
- DARK GREY (DGR) **AZ0957**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°





GAMBINO 2

LED integrated

voltage: 230V

LED 4x3W 480 lm 3000K

IP54



LED

technical

installation place




specification

beam angle: adjustable max 90°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ1882**




EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA

Indoor wall lamps



BK/ GO *



WH

AGO

BK / GO

BK / BK


LETICIA

bulb not included

voltage: 230V	connect G9 1x Max.40W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH). **AZ0951**
- ANODISED GOLD (AGO). **AZ0952**
- BLACK / GOLD (BK / GO) **AZ2814**
- BLACK / BLACK (BK / BK) **AZ2932**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)

LETICIA 2

Indoor wall lamps

317




LETICIA 2

bulb not included 

voltage: 230V	connect G9 1x Max.40W	
IP20	installation place	

COLOUR / NEW INDEX NO.

-  ALUMINIUM (ALU) **AZ1059**
-  WHITE (WH) **AZ1058**
-  BLACK / GOLD (BK / GO) **AZ2815**
-  BLACK / BLACK (BK / BK) **AZ2933**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA 2 LED IP54



Indoor wall lamps



LETICIA 2 LED

LED integrated

voltage: 230V

LED 2x3W 3000K 420lm

IP54



technical

installation place

specification



beam angle: adjustable max 90°

LED



COLOUR / NEW INDEX NO.

- DARK GRAY (DGR) **AZ2189**
- WHITE (WH) - **AZ2190**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)





WH *

MONTANA

LED integrated

voltage: 230V

LED 5W 450lm 3000K

IP20



technical

installation place


specification

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2859**



TILT 90°

ROTATION 360°



WH





WH *



BK

WH

GO

AVON

LED integrated

voltage: 230V

LED 5W 3000K 385lm

IP20

LED

technical

installation place




specification

beam angle: 90°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2196**
- WHITE (WH) **AZ2195**
- GOLD (GO) **AZ2197**





BK *

CLOVER SQUARE **

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 3000K 840lm

LED


installation place

beam angle: 360°



COLOUR / NEW INDEX NO.

BLACK (BK) **AZ2198**

WHITE (WH) **AZ2199**


WH *

CLOVER OVAL

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 3000K 840lm

LED


installation place

beam angle: 360°



COLOUR / NEW INDEX NO.

BLACK (BK) **AZ2997**

WHITE (WH) **AZ2998**



** - OFFERED ONLY OUTSIDE OF THE EUROPEAN UNION

VIGO LED IP54

Indoor wall lamps



WH *



BK

WH

VIGO

LED integrated

voltage: 230V

LED 2x3W 420lm 3000K

IP54



LED

technical


installation place

specification

beam angle: 2x90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2203**
- WHITE (WH) **AZ2202**



* - EXPLANATION SHORTCUT PAGE 2 (E)

AzZardo®



BK *



BK

WH

LATONA

LED integrated

voltage: 230V

LED 10W 800lm 3000K

IP20

LED

technical

installation place


specification

beam angle: 90°




COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ2204**
- ☐ WHITE (WH) **AZ2205**



RAUL

Indoor wall lamps



CH *


RAUL

bulb not included 

voltage: 230V	connect G9 2x Max.40W	
IP20	installation place	

COLOUR / NEW INDEX NO.

-  ALUMINIUM (ALU) **AZ0892**
-  WHITE (WH) **AZ0891**
-  CHROME (CH) **AZ0868**



ALU

WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

SCATOLA

LED integrated

voltage: 230V

IP20

technical

specification



LED 9W 720 lm 3000K

LED

installation place




beam angle: 60°




COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ0578**



VIDAL

Indoor wall lamps



WH *



ALU


VIDAL

bulb not included 

voltage: 230V	connect G9 1x Max.40W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) **AZ0862**
- ☐ WHITE (WH) **AZ0863**



* - EXPLANATION SHORTCUT PAGE 2 (E)



VIALETTTO L

LED integrated 

voltage: 230V

LED 12W 965 lm 3000K

IP20



technical

installation place

LED


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ0573**



Indoor wall lamps



BK *

ANCONA S IP54

LED integrated

voltage: 230V

LED 6W 445lm 3000K

IP54



LED

technical

installation place




specification

beam angle: 360°



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2192**
- ☒ BLACK (BK) **AZ2191**



BK *

ANCONA M IP54

LED integrated

voltage: 230V

LED 9W 890lm 3000K

IP54



LED

technical

installation place





specification

beam angle: 360°



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2193**
- ☒ BLACK (BK) **AZ2194**



WH

BK



BK *

ANCONA L IP54

LED integrated

voltage: 230V

LED 24W 1680lm 3000K

IP54



LED

technical

installation place




specification


beam angle: 360°



COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ2852**
- ☐ WHITE (WH) **AZ2853**





NATURAL WOOD

ANCONA WOOD S

LED integrated

voltage: 230V

LED 6W 360lm 3000K

IP20



LED

technical

installation place





specification

beam angle: 360°



COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2714**



NATURAL WOOD

ANCONA WOOD M

LED integrated

voltage: 230V

LED 12W 720lm 3000K

IP20



LED

technical

installation place




specification

beam angle: 360°



COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2715**



TORCH LED IP54

Indoor wall lamps




TORCH

LED integrated

voltage: 230V	LED 6W 420lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 45°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2206**
- WHITE (WH) **AZ2207**



* - EXPLANATION SHORTCUT PAGE 2 (E)





VEGA

bulb not included 

voltage: 230V	connect G9 1x Max. 40W	
IP20	installation place	


COLOUR / NEW INDEX NO.

-  BLACK / GOLD (BK / GO) **AZ1709**
-  WHITE (WH). **AZ1708**
-  CHROME (CH). **AZ1758**
-  ANODISED GOLD (AGO). **AZ1746**



ARCHO

Indoor wall lamps




ARCHO A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

☐ ALUMINIUM (ALU) **AZ0199**





ARCHO 2A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

☐ CHROME (CH) **AZ0326**




ARCHO 2B

bulb included


voltage: 230V	connect PL-L 1x Max.36W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

☐ CHROME (CH) **AZ0327**



* - EXPLANATION SHORTCUT PAGE 2 (E)





ARCHO C

bulb included

voltage: 230V	connect PL-L 1x Max.55W	
IP20	installation place	

COLOUR / NEW INDEX NO.

☐ ALUMINIUM (ALU) **AZ0201**




ARCHO 2C

bulb included

voltage: 230V	connect PL-L 1x Max.55W	
IP20	installation place	

COLOUR / NEW INDEX NO.

☐ CHROME (CH) **AZ0328**





GINNO 1

LED integrated

voltage: 230V

LED 2x 1W 160 lm 3000K

IP20



LED


technical

installation place

specification

beam angle: 2x45°

COLOUR / NEW INDEX NO.

☒ WHITE / ALUMINIUM (WH / ALU) . . . **AZ0761**
☐ ALUMINIUM (ALU) **AZ0764**


GINNO 2

LED integrated

voltage: 230V

LED 4x 1W 320 lm 3000K

IP20



LED


technical

installation place

specification

beam angle: 4x45°

COLOUR / NEW INDEX NO.

☒ WHITE / ALUMINIUM (WH / ALU) . . . **AZ0762**
☐ ALUMINIUM (ALU) **AZ0765**


GINNO 3

LED integrated

voltage: 230V

LED 6x 1W 440 lm 3000K

IP20



LED



technical


installation place

specification

beam angle: 6x45°

COLOUR / NEW INDEX NO.

☒ WHITE / ALUMINIUM (WH / ALU) . . . **AZ0763**
☐ ALUMINIUM (ALU) **AZ0766**




ANGUS LED SWITCH

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP20

LED

technical

installation place


specification

beam angle: 15°




COLOUR / NEW INDEX NO.

- WHITE (WH). **AZ2446**
- CHROME (CH). **AZ2445**



Indoor wall lamps



RAMONA 1 LED SWITCH

LED integrated

voltage: 230V

LED 6W 3000K 500lm

IP20



LED

technical

installation place



specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- ☐ SAND WHITE (WH) **AZ2566**
- ☒ SAND BLACK (BK) **AZ2565**



RAMONA 2 LED SWITCH

LED integrated

voltage: 230V

LED 2X 6W 3000K 500lm

IP20



LED

technical

installation place


specification

beam angle: 2x60°



COLOUR / NEW INDEX NO.

- ☐ SAND WHITE (WH) **AZ2564**
- ☒ SAND BLACK (BK) **AZ2563**





Indoor wall lamps



BK *

VERA LED SWITCH

LED integrated

voltage: 230V

LED 6W+3W 510lm+255lm 3000K

IP20



technical


specification

installation place

beam angle: 110° + 10°


LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4417**
☒ BLACK (BK) **AZ3201**


TILT 180°

ROTATION 360°



switch

usb socket 5V





FARO LED SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 6W 420lm

+ LED 3W 250lm 3000K

installation place


beam angle: 360°+10°

LED



COLOUR / NEW INDEX NO.

- SATIN NICKEL (NI). **AZ2552**
- CHROME (CH). **AZ2424**
- BLACK (BK). **AZ3204**



LUMI LED

340

Indoor wall lamps



new




LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K	LED
IP20		installation place
technical specification		adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

- ☐ WHITE FINISH SHINING (WH) **AZ4556**
- ☒ BLACK FINISH SHINING (BK) **AZ4555**



19° 70°

ADJUSTABLE BEAM ANGLE TILT 90° ROTATION 350°



new



WH *



BK



WH

LUMI FLEX

LED integrated

voltage: 230V

LED 5W 500lm 3000K

IP20



LED

technical

installation place


specification

adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

☐ WHITE FINISH SHINING (WH) **AZ4562**

☒ BLACK FINISH SHINING (BK) **AZ4561**



19° 70°



ADJUSTABLE BEAM ANGLE

FLEXIBLE TILT

FLEXIBLE ROTATION





VERONICA LED IP44 SWITCH

LED integrated

voltage: 230V

LED 1x 3W 150 lm 3000K

IP44



technical


installation place

specification

beam angle: 15°


LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ1547**☒ BLACK (BK) **AZ1548**☐ CHROME (CH) **AZ1546**

FLEXIBLE TILT FLEXIBLE ROTATION

* - EXPLANATION SHORTCUT PAGE 2 (E)



NOGAT LED SWITCH

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP20



technical

specification


installation place

beam angle: 10°

LED

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ2943**
- ☐ WHITE (WH) **AZ2944**



FLEXIBLE TILT

FLEXIBLE ROTATION



AZzardo®

OUTDOORLINE

www.azzardolighting.com




OUTDOOR WALL LAMPS

OUTDOOR

Wall lamps

- 348 HYDE IP54
- 349 FANO SMART
- 350 FANO IP54
- 352 CASPER SQUARE IP54
- 353 CASPER ROUND IP54
- 354 APULIA IP54
- 355 PAPIKO IP65
- 356 ALIX IP65
- 358 JOE IP54
- 360 TONIO IP54
- 361 IKA IP65
- 362 REZIA IP54
- 364 RIMINI SQUARE IP54
- 366 RIMINI IP54
- 367 JAKE WALL 2 IP54
- 368 PEDER IP54
- 369 GORAN
- 370 ULF IP44
- 372 VENTA IP54
- 373 VENETO IP54
- 374 CASOLA IP54
- 375 COSEL IP54
- 376 ARBAX IP54
- 377 ARIDA IP54
- 378 GAMBINO IP54
- 379 LETICIA 2 LED IP54
- 380 CREMONA IP54
- 382 LARS IP54
- 383 ZITA XL IP54
- 384 CIVITA IP54
- 385 GINNA IP54
- 386 FONS IP65
- 387 LIVIO 2 IP54
- 388 GAGARIN IP44
- 389 SARONA IP54
- 390 ENOK IP54
- 392 CASORIA IP54
- 394 AFI IP54
- 395 OVE WALL IP54
- 396 ALF IP65
- 398 NIKLAS IP44
- 400 MIKKEL IP54
- 402 RASMUS IP65
- 403 OSVALD IP44
- 404 ROLF IP44
- 406 SORANO IP44
- 408 NILS IP44
- 410 FRAME IP54
- 412 AGAPE IP54
- 413 MATERA IP54
- 414 EDVIN IP65
- 414 EDVARD IP65
- 415 FLOKI IP54
- 416 HAVANA IP44
- 418 BOOMBOX IP44



HYDE IP54

Outdoor lamps



CH *



HYDE OVAL

bulb not included

voltage: 230V	LED GU10 1x MAX 35W	
IP54		
	installation place	
	inlet opening	Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ3325**



CH *


HYDE SQUARE

bulb not included

voltage: 230V	LED GU10 1x MAX 35W	
IP54		
	installation place	
	inlet opening	Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ3326**



* - EXPLANATION SHORTCUT PAGE 2 (E)




FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL




FANO R 30 SMART LED RGB

LED integrated


voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL



FANO IP54

Outdoor lamps


**FANO S 30**

bulb not included

voltage: 230V	E27 2X MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4372**
- DARK GREY (DGR) **AZ4370**
- WHITE (WH) **AZ4374**



**FANO R 30**

bulb not included

voltage: 230V	E27 2X MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4371**
- DARK GREY (DGR) **AZ4369**
- WHITE (WH) **AZ4373**





DGR *


FANO SQUARE

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



22



DGR *

FANO R

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



Ø22



CASPER SQUARE IP54



Outdoor lamps



CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K

installation place


beam angle: 110°

LED



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4496**
- 3000K DARK GREY (DGR) **AZ4498**
- 3000K WHITE (WH) **AZ4500**
- 4000K BLACK (BK) **AZ4497**
- 4000K DARK GREY (DGR) **AZ4499**
- 4000K WHITE (WH) **AZ4501**



* - EXPLANATION SHORCUT PAGE 2 (E)



new



WH *

CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K

installation place

beam angle: 110°

LED



DGR

BK

WH

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**

5,5



20



APULIA R

LED integrated

voltage: 230V

LED 10W 800lm 3000K

IP54



technical

installation place


specification

beam angle: 130°

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
 DARK GREY (DGR) **AZ4335**
 WHITE (WH) **AZ4334**



APULIA S

LED integrated

voltage: 230V

LED 10W 800lm 3000K

IP54



technical

installation place


specification

beam angle: 130°

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
 DARK GREY (DGR) **AZ4338**
 WHITE (WH) **AZ4337**






PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4216**
- WHITE (WH) **AZ4217**



ALIX IP65

Outdoor lamps





ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 35W	
IP65	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4056**
- GREY (GR) **AZ4057**
- WHITE (WH) **AZ4055**



* - EXPLANATION SHORTCUT PAGE 2 (E)





JOE IP54

Outdoor lamps



DGR *


JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3313**
- BLACK (BK) **AZ3314**
- WHITE (WH) **AZ3315**
- BRIGHT GREY (BGR) **AZ3316**



WH *


JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3317**
- BLACK (BK) **AZ3318**
- WHITE (WH) **AZ4315**



* - EXPLANATION SHORTCUT PAGE 2 (E)




JOE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3319**
- BLACK (BK) **AZ3320**
- WHITE (WH) **AZ4316**




JOE SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3323**
- WHITE (WH) **AZ3324**
- BLACK (BK) **AZ4270**



TONIO IP54

Outdoor lamps




TONIO

bulb not included 

voltage: 230V	connect GU10 1x Max.35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ0870**







IKA SQUARE IP65

bulb not included 

voltage: 230V	connect GU10 1x Max. 35W	
IP65		
	installation place	
	inlet opening	 Ø 6,4cm

COLOUR / NEW INDEX NO.

-  WHITE (WH) **AZ2864**
-  BLACK (BK) **AZ4230**
-  DARK GREY (DGR) **AZ4231**




IKA ROUND IP65

bulb not included 

voltage: 230V	connect GU10 1x Max. 35W	
IP65		
	installation place	
	inlet opening	 Ø 6cm

COLOUR / NEW INDEX NO.

-  WHITE (WH) **AZ2865**
-  BLACK (BK) **AZ3017**
-  DARK GREY (DGR) **AZ4232**



REZIA IP54

Outdoor lamps





REZIA 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK)AZ4343
- DARK GRAY (DGR)AZ4344




REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK)AZ4345
- DARK GRAY (DGR)AZ4346



* - EXPLANATION SHORTCUT PAGE 2 (E)

REZIA IP54

Outdoor lamps

363



RIMINI SQUARE IP54

Outdoor lamps





RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4311**
- WHITE (WH) **AZ4313**
- BLACK (BK) **AZ4267**




RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4312**
- WHITE (WH) **AZ4314**
- BLACK (BK) **AZ4268**



* - EXPLANATION SHORTCUT PAGE 2 (E)



RIMINI IP54

Outdoor lamps




RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2176**
- WHITE (WH). **AZ2175**
- BLACK (BK) **AZ4265**




RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2178**
- WHITE (WH). **AZ2177**
- BLACK (BK) **AZ4266**



JAKE WALL 2 IP54

Outdoor lamps

367





JAKE WALL 2 IP54

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place


COLOUR / NEW INDEX NO.

-  DARK GREY (DGR) **AZ3321**
-  WHITE (WH) **AZ3322**
-  BLACK (BK) **AZ4269**



PEDER IP54

Outdoor lamps




PEDER

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4514**
- DARK GREY (DGR) **AZ4515**



TILT 90°

* - EXPLANATION SHORTCUT PAGE 2 (E)






GORAN SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4695**
- DARK GRAY (DGR) **AZ4696**
- WHITE (WH) **AZ4697**




TILT 90°



MASTER SLAVE SYSTEM



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



TIME



LUX



ULF IP44


Outdoor lamps



DGR



BK




ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4454**
- DARK GREY (DGR) **AZ4455**





ULF 2 WALL

bulb not included


voltage: 230V	GU10 2x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4473**
- DARK GREY (DGR) **AZ4474**




MASTER SLAVE SYSTEM



VENTA IP54

Outdoor lamps




VENTA

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4350**
- DARK GREY (DGR) **AZ4351**




* - EXPLANATION SHORTCUT PAGE 2 (E)

VENETO IP54

Outdoor lamps

373




VENETO

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4348**
- DARK GREY (DGR) **AZ4349**



CASOLA IP54



Outdoor lamps



CASOLA

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP54



technical

installation place

specification

beam angle: 110°

LED


COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4355**

DARK GREY (DGR) **AZ4356**



* - EXPLANATION SHORTCUT PAGE 2 (E)



COSEL

LED integrated 

voltage: 230V

LED 2x8W 1300lm 3000K

IP54



technical

specification

installation place 


beam angle: 2x 110° 

LED

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4353**

 DARK GREY (DGR) **AZ4354**



ARBAX IP54

Outdoor lamps




ARBAX 1

LED integrated

voltage: 230V	LED 6W 500lm 3000K		
IP54			
technical	installation place		
specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4341**




ARBAX 2

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP54			
technical	installation place		
specification	beam angle: 2x 60°		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4342**




* - EXPLANATION SHORTCUT PAGE 2 (E)

**ARIDA**

bulb not included

voltage: 230V	E27 1x Max 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4347**


** NUMBERS IS NOT INCLUDED

**



**GAMBINO 1** 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 2x3W 500lm 3000K

LED 2x3W 500lm 4000K


installation place

adjustable beam angle Max 90°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ0950**
- ☐ 3000K BRIGHT GREY (BGR). **AZ0958**
- ☐ 3000K DARK GREY (DGR). **AZ0957**
- ☐ 3000K BLACK (BK) **AZ4148**
- ☐ 4000K BLACK (BK) **AZ4470**
- ☐ 4000K DARK GREY (DGR). **AZ4471**
- ☐ 4000K WHITE (WH) **AZ4472**



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°

**GAMBINO 2**

LED integrated

voltage: 230V

IP54

technical

specification



LED 4x 6W 480 lm 3000K


installation place

adjustable beam angle Max 90°

LED

COLOUR / NEW INDEX NO.



- ☐ WHITE (WH). **AZ1882**



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

FOUR ADJUSTABLE LIGHT ANGLE



LETICIA 2 LED

LED integrated

voltage: 230V

IP54

technical
specification



LED 2x3W 400lm 3000K

LED

installation place





adjustable beam angle Max 90°




COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4469**
- DARK GREY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**



FOUR ADJUSTABLE LIGHT ANGLE








CREMONA S

LED integrated

voltage: 230V	LED 2x3W 350lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2180**
- WHITE (WH) **AZ2179**
- BLACK (BK) **AZ4339**




CREMONA M

LED integrated

voltage: 230V	LED 2x5W 500lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 2x 60°	

COLOUR / NEW INDEX NO.


- DARK GREY (DGR) **AZ2182**
- WHITE (WH) **AZ2181**
- BLACK (BK) **AZ4340**



DGR



WH




BK



DGR



WH



BK

new



BK *

LARS ROUND WALL 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 13W 1000lm 3000K

LED 13W 1000lm 4000K

installation place


beam angle: 2x 180°

LED




COLOUR / NEW INDEX NO.

 3000K BLACK (BK) **AZ4504**

 4000K BLACK (BK) **AZ4505**


new



BK *

LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 13W 1000lm 3000K

LED 13W 1000lm 4000K

installation place


beam angle: 2x 180°

LED



COLOUR / NEW INDEX NO.

 3000K BLACK (BK) **AZ4506**

 4000K BLACK (BK) **AZ4507**




BK *

ZITA XL

LED integrated

voltage: 230V

IP54

technical

specification



LED 6W 450lm 3000K

LED

installation place




beam angle: 35°



COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2200**
- BRIGHT GREY (BGR) **AZ2201**
- BLACK (BK) **AZ4150**
- WHITE (WH) **AZ4151**





CIVITA

LED integrated

voltage: 230V

IP54

technical

specification



LED 12W 800lm 3000K

LED

installation place



beam angle: 180°



COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4361**


CIVITA SENSOR

LED integrated

voltage: 230V

IP54

technical

specification



LED 12W 800lm 3000K

LED


installation place



beam angle: 180°



COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4360**


TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT




TIME

LUX



MASTER SLAVE SYSTEM (OPTION)





GINNA 3

LED integrated

voltage: 230V

LED 6x1W 500lm 3000K

IP54



technical
specification



installation place

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3484**
- GOLD (GO) **AZ3485**
- DARK GREY (DGR) **AZ4194**
- WHITE (WH) **AZ4195**



FONS IP65

Outdoor lamps



DGR *


FONS

bulb not included 

voltage: 230V	connect GU10 1x Max.35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

-  DARK GREY (DGR) **AZ0869**
-  BRIGHT GREY (BGR) **AZ0890**



BGR

DGR

* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



LIVIO 2

bulb not included

voltage: 230V	connect GU10 2x Max.35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ0776**
- BRIGHT GREY (BGR) **AZ0888**



BK

BGR



DGR



GAGARIN IP44

Outdoor lamps




GAGARIN IP44

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4352**



* — EXPLANATION SHORTCUT PAGE 2 (E)



SARONA LED IP54

LED integrated

voltage: 230V

IP54

technical
specification



LED 3W 250lm 3000K


LED

installation place inlet opening Ø 7,2cm

beam angle: 10°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2183**



ENOK IP54

390

Outdoor lamps



* - EXPLANATION SHORTCUT, PAGE 2 (IE)




ENOK ROUND WALL 3000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP54	installation place	
technical	beam angle: 360°	
specification		

COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4460**




ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP54	LED 9W 700lm 4000K	
technical	installation place	
specification	beam angle: 360°	


COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4461**
4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.



CASORIA IP54



Outdoor lamps





CASORIA ROUND

LED integrated

voltage: 230V		LED 6W 450lm 3000K	
IP54		installation place	
technical specification		beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4365**
- BLACK (BK) **AZ4366**




CASORIA SLIM

LED integrated

voltage: 230V		LED 6W 450lm 3000K	
IP54		installation place	
technical specification		beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4368**




CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification	beam angle: 60°		


COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4367**



* - EXPLANATION SHORTCUT PAGE 2 (E)





AFI 3000K / 4000K

LED integrated 

voltage: 230V

IP54

technical

specification



LED 2W 150lm 3000K

LED 2W 150lm 4000K

installation place


beam angle: 60°

LED



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4510**
- 3000K BLACK (BK) **AZ4512**
- 4000K DARK GREY (DGR) **AZ4511**
- 4000K BLACK (BK) **AZ4513**



* - EXPLANATION SHORTCUT PAGE 2 (E)

new



DGR *

OVE WALL 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 2W 150lm 3000K

LED 2W 150lm 4000K

installation place

beam angle: 60°



LED



COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4508**

4000K DARK GREY (DGR) **AZ4509**



ALF IP65

Outdoor lamps



BK *

ALF ROUND 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65



LED

technical


installation place inlet opening Ø 4,5cm

specification

beam angle: 180°

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4463**

 DARK GREY (DGR) **AZ4464**


BK *

ALF SQUARE 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65



LED

technical

installation place inlet opening 4,5x4,5cm

specification

beam angle: 180°



COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4465**

 DARK GREY (DGR) **AZ4466**


* - EXPLANATION SHORTCUT PAGE 2 (E)

Azzardo®



NIKLAS IP44

Outdoor lamps




NIKLAS WALL SENSOR

bulb not included

voltage: 230Vs	E27 1x MAX 40W	
IP44		
	installation place	


COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4487**





TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



MASTER SLAVE SYSTEM (OPTION)



NIKLAS IP44

Outdoor lamps

399




NIKLAS WALL

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4486**




NIKLAS 2 WALL

bulb included 

voltage: 230V	E27 2x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4488**



MIKKEL IP54

Outdoor lamps




MIKKEL WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4484**




MIKKEL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4485**



* - EXPLANATION SHORTCUT PAGE 2 (E)

MIKKEL IP54

Outdoor lamps

401



RASMUS IP65

Outdoor lamps




RASMUS WALL

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4482**




RASMUS

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4483**



* - EXPLANATION SHORTCUT PAGE 2 (E)




OSVALD WALL

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4489**



ROLF IP44

Outdoor lamps




ROLF 1 WALL

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4475**
- DARK GREY (DGR) **AZ4476**
- WHITE (WH) **AZ4477**





ROLF 2 500

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4456**
- DARK GREY (DGR) **AZ4457**





ROLF 2 900

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4458**
- DARK GREY (DGR) **AZ4459**




* - EXPLANATION SHORTCUT PAGE 2 (E)



SORANO IP54

Outdoor lamps




SORANO 500

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4444**
-  DARK GREY (DGR) **AZ4358**



SORANO 700

bulb not included 

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4445**
-  DARK GREY (DGR) **AZ4359**



* - EXPLANATION SHORTCUT PAGE 2 (E)





SORANO WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4446**
- DARK GREY (DGR) **AZ4357**




NILS IP44

Outdoor lamps



MASTER SLAVE SYSTEM (OPTION)




NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4479**



NILS WALL


bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4478**





TIME - LIGHTING TIME ADJUSTMENT
LUX - DUSK SENSITIVITY ADJUSTMENT



BK *


NILS 500

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4480**



BK *


NILS 800

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4481**








FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 90°	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4308
	DARK GREY (DGR)	AZ2132
	BRIGHT GREY (BGR)	AZ2133




FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 90°	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4307
	DARK GREY (DGR)	AZ2128
	BRIGHT GREY (BGR)	AZ2129




FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 90°	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4305
	DARK GREY (DGR)	AZ2130
	BRIGHT GREY (BGR)	AZ2131



AGAPE IP54

Outdoor lamps




AGAPE 60

LED integrated

voltage: 230V		LED 6W 480lm 3000K	
IP54		installation place	
technical		beam angle: 60°	
specification			

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3482**




AGAPE 80

LED integrated

voltage: 230V		LED 6W 480lm 3000K	
IP54		installation place	
technical		beam angle: 60°	
specification			

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3483**






MATERA 600

bulb not included 

voltage: 230V	connect GU10 1x Max. 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ2185**




MATERA WALL

bulb not included 

voltage: 230V	connect GU10 1x Max. 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ2184**



EDVIN / EDVARD IP65

Outdoor lamps




EDVIN

bulb not included 

voltage: 230V	GU10 1x MAX 35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4502**



TILT 90° 




EDVARD

bulb not included 

voltage: 230V	GU10 1x MAX 35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4503**



TILT 90° 





FLOKI 3000K / 4000K

LED integrated

voltage: 230V

IP65

technical

specification



LED 6W 500lm 3000K

LED 6W 500lm 4000K

installation place


beam angle: 30°



COLOUR / NEW INDEX NO.

3000K BLACK (BK) AZ4468

4000K BLACK (BK) AZ4467



TILT 180°



HAVANA IP44

Outdoor lamps




HAVANA

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4662**
- WHITE (WH) **AZ4663**



* - EXPLANATION SHORTCUT PAGE 2 (E)



waterproof switch button



Outdoor lamps



HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere

due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
 Power: 10W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
 Power: 5W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included





BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 10W 800lm RGBW DIMM USB	
IP44	3000K	
technical	installation place	
specification	beam angle: 360°	

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4664**



22



BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 5W 400lm RGBW DIMM USB	
IP44	3000K	
technical	installation place	
specification	beam angle: 360°	

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4665**




22



LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes


LED Grill & Hermetic lamps



ACCESSORIES

LED tubes, LED grill & hermetic lamps

LED TUBE 600mm 4300K / AZ1153

















LED TUBE 600mm 6400K / AZ1154
















LED TUBE 1200mm 4300K / AZ1155
















LED TUBE 1200mm 6400K / AZ1156
















LED TUBE 1500mm 4300K / AZ1157
















LED TUBE 1500mm 6400K / AZ1158



















LED Grill Lamp Surface 1200mm / **AZ1190**




LED Grill Lamp Concealed 1200mm / **AZ1191**



LED Grill Lamp Concealed 600mm / **AZ1189**



LED HERMETIC LAMP Surface 1200mm / **AZ1192**






LEDBULBS

LED

bulbs





E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4019**

DIMMABLE / **FULL GLASS**




E27 AZZARDO BULB LED E27 8,5W BALL WH / **AZ4020**

DIMMABLE / **FULL GLASS**




E27 AZZARDO BULB LED E27 8W BALL AM / **AZ4021**

DIMMABLE / **FULL GLASS**




E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4022**

DIMMABLE / **FULL GLASS**



E27 8W LL127081 / **AZ1638**


FULL GLASS



E27 10W LL127101 / **AZ1639**

FULL GLASS





E27 12W LL127121 / **AZ1640**

FULL GLASS




E27 15W LL127151 / **AZ1081**



E14 AZZARDO BULB LED E14 5W CANDLE WH / **AZ4016**

DIMMABLE / FULL GLASS



E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4017**

DIMMABLE / FULL GLASS




E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4018**

DIMMABLE / FULL GLASS



E14 12W / **AZ3055**





E14 12W / **AZ3056**

LED bulb



GU10 AZZARDO BULB LED GU10 7W / **AZ4023**

DIMMABLE / FULL GLASS



GU10 AZZARDO BULB LED GU10 7W / **AZ4024**

DIMMABLE / FULL GLASS



GU10 4W LL110042 / **AZ2502**

FULL GLASS



GU10 7W LL210071 RA>90 DIMMABLE 4000K **AZ2165**

FULL GLASS



GU10 7W CHROME ELEGANT LED LL110076

3000K / **AZ2227**

ELEGANT LED BULB



GU10 7W CHROME ELEGANT LED LL210076
4000K / **AZ2226**





 GU10	450lm 7W	 4000 K	 NO DIMM	25 000 h = 2,7h/day 25 Years	 50 mm 27 mm	RA ≥90	 220-240V 50/60Hz	 INTERIOR	 ON < 0,2s	 ON OFF ≥15 000x	
---	--------------------	---	--	--	---	------------------	--	---	--	---	---


ADAPTER PAR-16 ADAP111 / **AZ1117**



HOW TO USE:



GU10 + = ES111
MR16 + = QR111



ES111 15W White LL110152 / **AZ1500**
DIMMABLE - 3000K




 GU10	1150lm 15W	 3000 K	 DIMMABLE	25 000 h = 2,7h/day 25 Years	 111 mm 46 mm	RA ≥80	 220-240V 50/60Hz	 INTERIOR	 ON < 0,2s	 ON OFF ≥15 000x	
---	----------------------	---	---	--	--	------------------	--	---	--	---	---

ES111 15W White LL210152 / **AZ1877**
DIMMABLE - 4000K




 GU10	1200lm 15W	 4300 K	 DIMMABLE	25 000 h = 2,7h/day 25 Years	 111 mm 46 mm	RA ≥80	 220-240V 50/60Hz	 INTERIOR	 ON < 0,2s	 ON OFF ≥15 000x	
---	----------------------	---	---	--	--	------------------	--	---	--	---	---

ES111 15W BLACK LL110151 / **AZ1499**
DIMMABLE - 3000K




 GU10	1150lm 15W	 3000 K	 DIMMABLE	25 000 h = 2,7h/day 25 Years	 111 mm 46 mm	RA ≥80	 220-240V 50/60Hz	 INTERIOR	 ON < 0,2s	 ON OFF ≥15 000x	
---	----------------------	---	---	--	--	------------------	--	---	--	---	---

ES111 15W BLACK LL210151 / **AZ1876**
DIMMABLE - 4000K




 GU10	1200lm 15W	 4300 K	 DIMMABLE	25 000 h = 2,7h/day 25 Years	 111 mm 46 mm	RA ≥80	 220-240V 50/60Hz	 INTERIOR	 ON < 0,2s	 ON OFF ≥15 000x	
---	----------------------	---	---	--	--	------------------	--	---	--	---	---



QR111 17W WHITE LL153171 / **AZ1109**

NO DIMM - 3000K



QR111 17W BLACK LL153172 / **AZ1108**

NO DIMM - 3000K



QR111 NEW CHROME 15W 12V LL153151 / **AZ1783**

NO DIMM



QR111 NEW CHROME 15W 12V LL153152 / **AZ1784**

NO DIMM



ES111 NEW chrome 15W 230V LL110154 / **AZ1785**

DIMMABLE



QR111 NEW chrome 12W 12V LL110123 / **AZ1182**

no DIMM - 3000K





QR111 NEW CHROME 12W 12V LL210123 / **AZ2507**
NO DIMM - 4000K



560 lm
12W



25 000 h =
25 Years
2.7h/day



ES111 NEW chrome 12W 230V LL110122 / **AZ2364**
DIMMABLE - 3000K



480 lm
12W



25 000 h =
25 Years
2.7h/day



ES111 NEW chrome 12W 230V LL210122 / **AZ2365**
DIMMABLE - 4000K



560 lm
12W



25 000 h =
25 Years
2.7h/day



ES111 NEW chrome 12W 230V LL110121 / **AZ2362**
no DIMM - 3000K



480 lm
12W



25 000 h =
25 Years
2.7h/day



ES111 NEW chrome 12W 230V LL210121 / **AZ2363**
no DIMM - 4000K



560 lm
12W



25 000 h =
25 Years
2.7h/day



G9 2W LL109021 / **AZ1376**



180 lm
2W



25 000 h =
25 Years
2.7h/day





G9 2,5W LL109251 / **AZ1377**



200lm
2,5W



25 000 h =
25 Years
2,7h/day



RA
≥80



G9 3,5W **AZ3051**
FULL GLASS




350lm
3,5W



25 000 h =
25 Years
2,7h/day



RA
≥80



G9 3,5W **AZ3052**
FULL GLASS



360lm
3,5W



25 000 h =
25 Years
2,7h/day



RA
≥80



G9 4W LL109041 / **AZ1097**




390lm
4W



25 000 h =
25 Years
2,7h/day



RA
≥80



G9 6W LL109061 / **AZ1378**



550lm
6W



25 000 h =
25 Years
2,7h/day



RA
≥80



G9 8W LL109081 / **AZ1891**



720lm
8W




25 000 h =
25 Years
2,7h/day



RA
≥80





G4 1,6W LL104161 / **AZ2324**

NO DIMM - 3000K



150lm
1,6W



25 000 h =
25 Years
2,7h/day



RA
≥80



ENERGY efficiency

Group energy label **A**



.....

Group energy label **B**



.....

Group energy label **C**



.....

Group energy label **D**



.....

Group energy label **E**



.....

Group energy label **F**



.....

Group energy label **G**



ARTICLES SYMBOL index

AZ0199... 332	AZ0813... 265	AZ0951... 316	AZ1369... 168	AZ1496... 225	AZ1758... 331
AZ0201... 333	AZ0814... 263	AZ0952... 316	AZ1370... 169	AZ1499... 429	AZ1781... 114
AZ0326... 332	AZ0815... 263	AZ0957... 314	AZ1371... 169	AZ1500... 429	AZ1783... 430
AZ0327... 332	AZ0817... 266	AZ0957... 378	AZ1372... 170	AZ1546... 342	AZ1784... 430
AZ0328... 333	AZ0818... 110	AZ0958... 314	AZ1373... 170	AZ1547... 342	AZ1785... 430
AZ0573... 327	AZ0819... 110	AZ0958... 378	AZ1375... 170	AZ1548... 342	AZ1787... 96
AZ0578... 325	AZ0820... 110	AZ0959... 159	AZ1376... 431	AZ1611... 216	AZ1788... 275
AZ0598... 117	AZ0821... 110	AZ0960... 159	AZ1377... 432	AZ1612... 216	AZ1789... 275
AZ0606... 116	AZ0821... 269	AZ0964... 159	AZ1378... 432	AZ1613... 210	AZ1800... 158
AZ0607... 116	AZ0821... 270	AZ0965... 159	AZ1381... 115	AZ1614... 210	AZ1825... 275
AZ0707... 116	AZ0822... 110	AZ0991... 106	AZ1382... 115	AZ1615... 210	AZ1826... 275
AZ0708... 116	AZ0822... 269	AZ1015... 266	AZ1383... 117	AZ1616... 210	AZ1876... 429
AZ0735... 117	AZ0822... 270	AZ1051... 265	AZ1385... 117	AZ1617... 225	AZ1877... 429
AZ0736... 117	AZ0823... 110	AZ1052... 312	AZ1386... 117	AZ1618... 143	AZ1882... 315
AZ0737... 117	AZ0823... 269	AZ1053... 112	AZ1387... 117	AZ1619... 212	AZ1882... 378
AZ0742... 116	AZ0823... 270	AZ1054... 112	AZ1388... 117	AZ1621... 217	AZ1885... 169
AZ0758... 274	AZ0824... 110	AZ1055... 113	AZ1436... 96	AZ1622... 217	AZ1886... 169
AZ0759... 274	AZ0824... 269	AZ1056... 113	AZ1437... 96	AZ1623... 153	AZ1891... 432
AZ0760... 277	AZ0824... 270	AZ1058... 317	AZ1439... 106	AZ1624... 153	AZ2128... 411
AZ0761... 334	AZ0825... 110	AZ1059... 317	AZ1446... 291	AZ1625... 153	AZ2129... 411
AZ0762... 334	AZ0825... 269	AZ1081... 427	AZ1447... 291	AZ1626... 153	AZ2130... 411
AZ0763... 334	AZ0825... 270	AZ1090... 312	AZ1449... 226	AZ1638... 426	AZ2131... 411
AZ0764... 334	AZ0826... 108	AZ1097... 432	AZ1450... 226	AZ1639... 426	AZ2132... 411
AZ0765... 334	AZ0827... 108	AZ1108... 430	AZ1451... 226	AZ1640... 427	AZ2133... 411
AZ0766... 334	AZ0828... 108	AZ1109... 430	AZ1452... 143	AZ1706... 114	AZ2135... 96
AZ0767... 290	AZ0829... 108	AZ1110... 112	AZ1453... 142	AZ1707... 114	AZ2136... 96
AZ0768... 290	AZ0830... 108	AZ1111... 113	AZ1454... 142	AZ1708... 331	AZ2137... 106
AZ0769... 290	AZ0831... 108	AZ1117... 429	AZ1455... 172	AZ1709... 331	AZ2138... 106
AZ0770... 290	AZ0832... 108	AZ1152... 268	AZ1456... 172	AZ1710... 94	AZ2165... 428
AZ0771... 290	AZ0833... 108	AZ1153... 422	AZ1457... 140	AZ1711... 94	AZ2175... 366
AZ0772... 290	AZ0851... 117	AZ1154... 422	AZ1458... 214	AZ1712... 95	AZ2176... 366
AZ0773... 290	AZ0852... 117	AZ1155... 422	AZ1459... 214	AZ1713... 95	AZ2177... 366
AZ0776... 387	AZ0855... 110	AZ1156... 422	AZ1460... 214	AZ1714... 262	AZ2178... 366
AZ0779... 96	AZ0855... 269	AZ1157... 422	AZ1462... 216	AZ1715... 262	AZ2179... 381
AZ0780... 96	AZ0855... 270	AZ1158... 422	AZ1463... 216	AZ1716... 274	AZ2180... 381
AZ0781... 96	AZ0856... 108	AZ1182... 430	AZ1464... 212	AZ1717... 274	AZ2181... 381
AZ0782... 96	AZ0857... 96	AZ1189... 423	AZ1466... 213	AZ1718... 277	AZ2182... 381
AZ0783... 96	AZ0858... 96	AZ1190... 423	AZ1471... 222	AZ1719... 277	AZ2186... 351
AZ0784... 96	AZ0859... 96	AZ1191... 423	AZ1472... 222	AZ1720... 277	AZ2187... 351
AZ0791... 138	AZ0860... 292	AZ1192... 423	AZ1473... 210	AZ1723... 168	AZ2189... 318
AZ0792... 138	AZ0861... 292	AZ1265... 158	AZ1474... 210	AZ1724... 168	AZ2189... 379
AZ0793... 291	AZ0862... 326	AZ1267... 158	AZ1475... 224	AZ1729... 269	AZ2190... 318
AZ0794... 291	AZ0863... 326	AZ1278... 277	AZ1476... 224	AZ1730... 269	AZ2190... 379
AZ0795... 276	AZ0868... 324	AZ1312... 387	AZ1477... 132	AZ1731... 269	AZ2191... 328
AZ0796... 276	AZ0869... 386	AZ1352... 106	AZ1478... 132	AZ1732... 269	AZ2192... 328
AZ0797... 276	AZ0871... 264	AZ1353... 106	AZ1479... 132	AZ1737... 271	AZ2193... 328
AZ0798... 276	AZ0872... 106	AZ1354... 106	AZ1480... 218	AZ1738... 271	AZ2194... 328
AZ0799... 276	AZ0873... 106	AZ1355... 106	AZ1481... 218	AZ1739... 271	AZ2195... 320
AZ0800... 276	AZ0888... 387	AZ1356... 162	AZ1482... 218	AZ1740... 271	AZ2196... 320
AZ0801... 276	AZ0890... 386	AZ1357... 162	AZ1483... 218	AZ1744... 139	AZ2197... 320
AZ0802... 276	AZ0891... 324	AZ1358... 163	AZ1484... 219	AZ1745... 139	AZ2198... 321
AZ0803... 276	AZ0892... 324	AZ1359... 163	AZ1485... 219	AZ1746... 331	AZ2199... 321
AZ0804... 272	AZ0893... 313	AZ1360... 92	AZ1486... 219	AZ1749... 277	AZ2200... 383
AZ0805... 272	AZ0894... 313	AZ1361... 280	AZ1487... 219	AZ1750... 168	AZ2201... 383
AZ0806... 273	AZ0895... 312	AZ1362... 282	AZ1489... 133	AZ1751... 168	AZ2202... 322
AZ0807... 273	AZ0896... 312	AZ1363... 281	AZ1490... 133	AZ1752... 168	AZ2203... 322
AZ0808... 264	AZ0929... 106	AZ1364... 168	AZ1491... 133	AZ1753... 96	AZ2204... 323
AZ0809... 264	AZ0930... 106	AZ1365... 168	AZ1492... 223	AZ1754... 95	AZ2205... 323
AZ0810... 264	AZ0941... 96	AZ1366... 169	AZ1493... 223	AZ1755... 95	AZ2206... 330
AZ0811... 265	AZ0950... 314	AZ1367... 169	AZ1494... 230	AZ1756... 94	AZ2207... 330
AZ0812... 265	AZ0950... 378	AZ1368... 168	AZ1495... 231	AZ1757... 94	AZ2208... 232

AZ2209... 232	AZ2416... 130	AZ2721... 191	AZ2802... 282	AZ2924... 25	AZ3317... 358
AZ2211... 145	AZ2417... 130	AZ2722... 191	AZ2803... 280	AZ2925... 25	AZ3318... 358
AZ2214... 145	AZ2424... 339	AZ2723... 191	AZ2804... 280	AZ2929... 102	AZ3319... 359
AZ2215... 145	AZ2425... 311	AZ2724... 200	AZ2805... 290	AZ2930... 102	AZ3320... 359
AZ2218... 145	AZ2426... 311	AZ2725... 200	AZ2806... 290	AZ2931... 312	AZ3321... 367
AZ2219... 145	AZ2427... 311	AZ2726... 200	AZ2809... 291	AZ2932... 316	AZ3322... 367
AZ2220... 145	AZ2430... 278	AZ2727... 202	AZ2810... 291	AZ2933... 317	AZ3323... 359
AZ2221... 145	AZ2431... 278	AZ2728... 202	AZ2811... 292	AZ2934... 297	AZ3324... 359
AZ2222... 39	AZ2432... 278	AZ2729... 202	AZ2814... 316	AZ2935... 297	AZ3345... 309
AZ2223... 39	AZ2433... 279	AZ2730... 198	AZ2815... 317	AZ2943... 343	AZ3346... 309
AZ2224... 39	AZ2434... 279	AZ2731... 220	AZ2818... 102	AZ2944... 343	AZ3369... 302
AZ2225... 39	AZ2435... 279	AZ2732... 198	AZ2819... 102	AZ2952... 143	AZ3370... 302
AZ2226... 233	AZ2436... 279	AZ2733... 198	AZ2820... 102	AZ2955... 96	AZ3371... 302
AZ2226... 429	AZ2437... 279	AZ2734... 220	AZ2821... 102	AZ2956... 96	AZ3372... 303
AZ2227... 233	AZ2438... 279	AZ2735... 198	AZ2822... 105	AZ2957... 292	AZ3373... 303
AZ2227... 428	AZ2439... 279	AZ2736... 198	AZ2823... 105	AZ2963... 305	AZ3374... 303
AZ2232... 247	AZ2440... 279	AZ2737... 198	AZ2824... 104	AZ2964... 305	AZ3375... 123
AZ2233... 247	AZ2441... 279	AZ2738... 220	AZ2825... 104	AZ2965... 305	AZ3376... 123
AZ2234... 247	AZ2442... 279	AZ2739... 198	AZ2826... 104	AZ2973... 12	AZ3377... 249
AZ2235... 247	AZ2443... 279	AZ2740... 220	AZ2827... 104	AZ2974... 12	AZ3378... 249
AZ2244... 246	AZ2444... 279	AZ2741... 198	AZ2828... 258	AZ2975... 12	AZ3379... 249
AZ2246... 246	AZ2445... 335	AZ2742... 198	AZ2829... 258	AZ2976... 12	AZ3380... 249
AZ2250... 246	AZ2446... 335	AZ2743... 198	AZ2830... 242	AZ2981... 13	AZ3381... 248
AZ2251... 246	AZ2456... 311	AZ2744... 198	AZ2831... 245	AZ2982... 13	AZ3382... 248
AZ2252... 178	AZ2457... 33	AZ2745... 198	AZ2832... 245	AZ2983... 14	AZ3383... 38
AZ2253... 178	AZ2458... 32	AZ2746... 192	AZ2833... 242	AZ2984... 14	AZ3384... 38
AZ2254... 178	AZ2459... 32	AZ2747... 192	AZ2834... 245	AZ2985... 14	AZ3385... 38
AZ2255... 178	AZ2460... 33	AZ2748... 192	AZ2835... 245	AZ2986... 14	AZ3386... 38
AZ2256... 178	AZ2467... 226	AZ2749... 192	AZ2836... 242	AZ2987... 12	AZ3387... 38
AZ2257... 178	AZ2496... 179	AZ2750... 192	AZ2837... 242	AZ2988... 12	AZ3388... 38
AZ2258... 178	AZ2502... 428	AZ2751... 192	AZ2838... 245	AZ2991... 12	AZ3389... 134
AZ2259... 178	AZ2507... 431	AZ2758... 196	AZ2839... 245	AZ2992... 12	AZ3390... 38
AZ2260... 178	AZ2552... 339	AZ2759... 196	AZ2840... 245	AZ2997... 321	AZ3391... 38
AZ2261... 178	AZ2558... 92	AZ2760... 196	AZ2841... 245	AZ2998... 321	AZ3392... 134
AZ2262... 178	AZ2559... 92	AZ2761... 197	AZ2842... 245	AZ2999... 12	AZ3393... 134
AZ2263... 178	AZ2562... 218	AZ2763... 197	AZ2843... 245	AZ3000... 12	AZ3394... 134
AZ2264... 178	AZ2563... 336	AZ2765... 304	AZ2844... 119	AZ3001... 12	AZ3395... 134
AZ2265... 178	AZ2564... 336	AZ2766... 304	AZ2845... 119	AZ3002... 12	AZ3396... 259
AZ2266... 178	AZ2565... 336	AZ2767... 304	AZ2846... 119	AZ3017... 267	AZ3397... 259
AZ2267... 178	AZ2566... 336	AZ2768... 304	AZ2852... 328	AZ3017... 361	AZ3398... 288
AZ2268... 182	AZ2567... 219	AZ2769... 304	AZ2853... 328	AZ3051... 432	AZ3399... 288
AZ2269... 182	AZ2570... 179	AZ2770... 304	AZ2856... 100	AZ3052... 432	AZ3400... 288
AZ2270... 182	AZ2682... 293	AZ2771... 304	AZ2857... 100	AZ3055... 427	AZ3401... 288
AZ2271... 182	AZ2683... 293	AZ2772... 261	AZ2859... 319	AZ3056... 428	AZ3433... 200
AZ2272... 182	AZ2684... 293	AZ2773... 261	AZ2861... 245	AZ3069... 308	AZ3434... 200
AZ2273... 182	AZ2685... 293	AZ2774... 260	AZ2862... 245	AZ3193... 136	AZ3435... 200
AZ2274... 182	AZ2692... 262	AZ2775... 260	AZ2864... 267	AZ3194... 136	AZ3436... 202
AZ2275... 182	AZ2702... 101	AZ2776... 289	AZ2864... 361	AZ3195... 136	AZ3437... 202
AZ2276... 179	AZ2703... 101	AZ2777... 289	AZ2865... 267	AZ3196... 136	AZ3438... 202
AZ2277... 179	AZ2705... 100	AZ2778... 286	AZ2865... 361	AZ3197... 137	AZ3445... 200
AZ2278... 173	AZ2705... 256	AZ2779... 286	AZ2869... 296	AZ3198... 137	AZ3446... 200
AZ2279... 173	AZ2706... 100	AZ2780... 190	AZ2870... 296	AZ3199... 6	AZ3447... 200
AZ2280... 173	AZ2706... 256	AZ2781... 190	AZ2871... 296	AZ3199... 41	AZ3448... 202
AZ2281... 173	AZ2708... 257	AZ2782... 190	AZ2872... 297	AZ3200... 6	AZ3449... 202
AZ2282... 173	AZ2714... 329	AZ2783... 190	AZ2873... 297	AZ3200... 41	AZ3450... 202
AZ2283... 173	AZ2715... 329	AZ2784... 118	AZ2875... 296	AZ3201... 338	AZ3453... 181
AZ2324... 433	AZ2716... 194	AZ2785... 118	AZ2876... 296	AZ3204... 339	AZ3453... 187
AZ2362... 431	AZ2717... 194	AZ2786... 118	AZ2877... 296	AZ3313... 358	AZ3454... 181
AZ2363... 431	AZ2718... 191	AZ2787... 118	AZ2878... 105	AZ3314... 358	AZ3454... 187
AZ2364... 431	AZ2719... 191	AZ2800... 262	AZ2879... 105	AZ3315... 358	AZ3464... 299
AZ2365... 431	AZ2720... 191	AZ2801... 282	AZ2890... 158	AZ3316... 358	AZ3465... 299

AZ3466.....	298	AZ3679....	181	AZ4134....	156	AZ4231....	361	AZ4295....	15	AZ4361....	384
AZ3467.....	298	AZ3680....	181	AZ4139....	263	AZ4232....	267	AZ4297....	15	AZ4365....	392
AZ3470....	255	AZ3681....	181	AZ4140....	266	AZ4232....	361	AZ4298....	15	AZ4366....	392
AZ3471....	255	AZ3682....	184	AZ4141....	272	AZ4233....	174	AZ4299....	15	AZ4367....	392
AZ3484....	385	AZ3683....	184	AZ4142....	282	AZ4234....	174	AZ4300....	15	AZ4368....	392
AZ3485....	385	AZ3684....	184	AZ4143....	281	AZ4235....	174	AZ4301....	17	AZ4369....	350
AZ3486....	30	AZ3685....	184	AZ4144....	273	AZ4236....	174	AZ4302....	17	AZ4370....	350
AZ3487....	30	AZ3686....	184	AZ4148....	378	AZ4237....	174	AZ4303....	15	AZ4371....	350
AZ3488....	141	AZ3687....	184	AZ4150....	383	AZ4238....	174	AZ4304....	15	AZ4372....	350
AZ3489....	141	AZ3688....	184	AZ4151....	383	AZ4239....	174	AZ4305....	411	AZ4373....	350
AZ3490....	45	AZ3689....	184	AZ4152....	120	AZ4240....	174	AZ4307....	411	AZ4374....	350
AZ3491....	45	AZ3690....	184	AZ4153....	120	AZ4241....	174	AZ4308....	411	AZ4379....	238
AZ3492....	164	AZ3691....	184	AZ4154....	120	AZ4242....	174	AZ4309....	15	AZ4380....	238
AZ3493....	164	AZ3692....	184	AZ4155....	121	AZ4243....	174	AZ4310....	15	AZ4381....	238
AZ3494....	164	AZ3693....	184	AZ4156....	121	AZ4244....	174	AZ4311....	364	AZ4382....	238
AZ3495....	164	AZ3694....	185	AZ4157....	121	AZ4245....	176	AZ4312....	364	AZ4383....	240
AZ3496....	164	AZ3695....	185	AZ4171....	247	AZ4246....	176	AZ4313....	364	AZ4384....	240
AZ3497....	153	AZ3697....	185	AZ4172....	247	AZ4247....	176	AZ4314....	364	AZ4385....	240
AZ3498....	98	AZ3698....	185	AZ4173....	225	AZ4248....	176	AZ4315....	358	AZ4386....	240
AZ3499....	98	AZ3790....	180	AZ4174....	224	AZ4249....	176	AZ4316....	359	AZ4387....	241
AZ3500....	40	AZ3791....	180	AZ4175....	226	AZ4250....	176	AZ4317....	167	AZ4388....	241
AZ3501....	40	AZ3792....	180	AZ4176....	226	AZ4251....	176	AZ4318....	167	AZ4389....	239
AZ3502....	98	AZ3793....	180	AZ4181....	130	AZ4252....	176	AZ4319....	166	AZ4390....	239
AZ3503....	98	AZ3794....	180	AZ4182....	130	AZ4253....	176	AZ4320....	166	AZ4391....	239
AZ3508....	144	AZ3795....	180	AZ4183....	25	AZ4254....	176	AZ4322....	119	AZ4392....	241
AZ3509....	144	AZ3796....	180	AZ4184....	25	AZ4255....	176	AZ4323....	119	AZ4393....	241
AZ3510....	42	AZ3798....	180	AZ4194....	385	AZ4256....	176	AZ4324....	119	AZ4397....	306
AZ3511....	42	AZ3799....	180	AZ4195....	385	AZ4259....	93	AZ4325....	120	AZ4398....	306
AZ3512....	42	AZ3800....	180	AZ4196....	150	AZ4260....	93	AZ4326....	120	AZ4399....	306
AZ3513....	126	AZ3801....	180	AZ4197....	150	AZ4261....	93	AZ4327....	120	AZ4401....	307
AZ3514....	126	AZ4016....	427	AZ4198....	150	AZ4265....	366	AZ4328....	121	AZ4402....	307
AZ3515....	126	AZ4017....	427	AZ4199....	150	AZ4266....	366	AZ4329....	121	AZ4403....	307
AZ3516....	125	AZ4018....	427	AZ4200....	130	AZ4267....	364	AZ4330....	121	AZ4410....	228
AZ3517....	125	AZ4019....	426	AZ4201....	130	AZ4268....	364	AZ4333....	354	AZ4411....	228
AZ3518....	125	AZ4020....	426	AZ4202....	24	AZ4269....	367	AZ4334....	354	AZ4412....	228
AZ3519....	127	AZ4021....	426	AZ4203....	24	AZ4270....	359	AZ4335....	354	AZ4413....	228
AZ3520....	127	AZ4022....	426	AZ4204....	20	AZ4271....	12	AZ4336....	354	AZ4414....	228
AZ3521....	127	AZ4023....	428	AZ4205....	20	AZ4272....	12	AZ4337....	354	AZ4415....	228
AZ3522....	131	AZ4024....	428	AZ4206....	20	AZ4273....	14	AZ4338....	354	AZ4417....	338
AZ3523....	131	AZ4055....	356	AZ4207....	124	AZ4274....	14	AZ4339....	381	AZ4430....	154
AZ3524....	43	AZ4056....	356	AZ4208....	124	AZ4275....	14	AZ4340....	381	AZ4431....	154
AZ3525....	43	AZ4057....	356	AZ4209....	124	AZ4276....	14	AZ4341....	376	AZ4432....	154
AZ3526....	294	AZ4063....	254	AZ4210....	128	AZ4277....	14	AZ4342....	376	AZ4433....	154
AZ3527....	294	AZ4064....	152	AZ4211....	128	AZ4278....	14	AZ4343....	362	AZ4434....	154
AZ3528....	294	AZ4065....	152	AZ4212....	128	AZ4279....	16	AZ4344....	362	AZ4435....	154
AZ3529....	294	AZ4066....	27	AZ4213....	128	AZ4280....	16	AZ4345....	362	AZ4436....	155
AZ3530....	294	AZ4067....	27	AZ4214....	128	AZ4281....	17	AZ4346....	362	AZ4437....	155
AZ3531....	294	AZ4068....	204	AZ4215....	128	AZ4282....	17	AZ4347....	377	AZ4438....	155
AZ3532....	280	AZ4069....	204	AZ4216....	355	AZ4283....	14	AZ4348....	373	AZ4439....	155
AZ3539....	287	AZ4070....	152	AZ4217....	355	AZ4284....	14	AZ4349....	373	AZ4440....	155
AZ3540....	165	AZ4071....	254	AZ4218....	236	AZ4285....	16	AZ4350....	372	AZ4441....	155
AZ3541....	165	AZ4072....	152	AZ4220....	236	AZ4286....	16	AZ4351....	372	AZ4442....	21
AZ3542....	103	AZ4073....	285	AZ4222....	236	AZ4287....	17	AZ4352....	388	AZ4443....	21
AZ3543....	103	AZ4074....	285	AZ4224....	236	AZ4288....	17	AZ4353....	375	AZ4444....	406
AZ3544....	103	AZ4075....	284	AZ4226....	237	AZ4289....	13	AZ4354....	375	AZ4445....	406
AZ3545....	103	AZ4076....	284	AZ4227....	237	AZ4290....	13	AZ4355....	374	AZ4446....	407
AZ3674....	180	AZ4116....	14	AZ4228....	237	AZ4291....	13	AZ4356....	374	AZ4454....	371
AZ3675....	180	AZ4117....	14	AZ4229....	237	AZ4292....	13	AZ4357....	407	AZ4455....	371
AZ3676....	180	AZ4128....	156	AZ4230....	267	AZ4293....	13	AZ4358....	406	AZ4456....	404
AZ3677....	180	AZ4130....	156	AZ4230....	361	AZ4294....	13	AZ4359....	406	AZ4457....	404
AZ3678....	181	AZ4132....	156	AZ4231....	267	AZ4295....	15	AZ4360....	384	AZ4458....	404

ARTICLES SYMBOL INDEX

Index pages

AZ4459... 404	AZ4519... 44	AZ4587... 69	AZ4648... 49	AZ4723... 3	AZ4797... 16
AZ4460... 391	AZ4520... 44	AZ4588... 69	AZ4649... 49	AZ4724... 3	AZ4798... 78
AZ4461... 391	AZ4522... 149	AZ4589... 68	AZ4649... 52	AZ4725... 3	AZ4799... 78
AZ4462... 391	AZ4523... 252	AZ4590... 68	AZ4650... 49	AZ4726... 3	AZ4800... 78
AZ4463... 396	AZ4524... 252	AZ4591... 68	AZ4651... 49	AZ4727... 3	AZ4801... 78
AZ4464... 396	AZ4525... 252	AZ4592... 68	AZ4652... 53	AZ4728... 2	AZ4802... 79
AZ4465... 396	AZ4526... 252	AZ4593... 68	AZ4653... 53	AZ4729... 2	AZ4803... 79
AZ4466... 396	AZ4527... 252	AZ4594... 68	AZ4654... 7	AZ4730... 2	AZ4804... 79
AZ4467... 415	AZ4528... 252	AZ4595... 67	AZ4655... 7	AZ4731... 2	AZ4805... 79
AZ4468... 415	AZ4529... 252	AZ4596... 67	AZ4656... 8	AZ4732... 2	AZ4806... 80
AZ4469... 379	AZ4530... 252	AZ4597... 67	AZ4657... 8	AZ4733... 2	AZ4807... 80
AZ4470... 378	AZ4531... 250	AZ4598... 67	AZ4658... 26	AZ4734... 2	AZ4808... 80
AZ4471... 378	AZ4532... 250	AZ4599... 67	AZ4659... 26	AZ4735... 2	AZ4809... 80
AZ4472... 378	AZ4533... 250	AZ4600... 67	AZ4662... 416	AZ4736... 2	AZ4810... 81
AZ4473... 371	AZ4534... 250	AZ4601... 67	AZ4663... 416	AZ4737... 2	AZ4811... 81
AZ4474... 371	AZ4535... 251	AZ4602... 67	AZ4664... 36	AZ4738... 4	AZ4812... 81
AZ4475... 404	AZ4536... 251	AZ4603... 62	AZ4664... 419	AZ4739... 4	AZ4813... 81
AZ4476... 404	AZ4537... 146	AZ4604... 62	AZ4665... 419	AZ4740... 4	AZ4814... 82
AZ4477... 404	AZ4538... 146	AZ4605... 62	AZ4666... 9	AZ4741... 4	AZ4815... 82
AZ4478... 408	AZ4539... 146	AZ4606... 62	AZ4666... 36	AZ4742... 3	AZ4816... 82
AZ4479... 408	AZ4540... 146	AZ4607... 62	AZ4667... 9	AZ4743... 3	AZ4817... 82
AZ4480... 409	AZ4541... 35	AZ4608... 62	AZ4670... 52	AZ4744... 4	AZ4818... 84
AZ4481... 409	AZ4542... 35	AZ4609... 62	AZ4671... 52	AZ4745... 4	AZ4819... 84
AZ4482... 402	AZ4543... 35	AZ4610... 62	AZ4672... 52	AZ4746... 4	AZ4820... 83
AZ4483... 402	AZ4544... 35	AZ4611... 62	AZ4673... 52	AZ4747... 4	AZ4821... 83
AZ4484... 400	AZ4545... 147	AZ4612... 62	AZ4674... 52	AZ4748... 5	AZ4822... 85
AZ4485... 400	AZ4546... 147	AZ4613... 64	AZ4675... 53	AZ4749... 5	AZ4823... 85
AZ4486... 399	AZ4547... 35	AZ4614... 64	AZ4676... 53	AZ4756... 186	AZ4824... 86
AZ4487... 398	AZ4548... 35	AZ4615... 64	AZ4677... 52	AZ4757... 186	AZ4825... 86
AZ4488... 399	AZ4549... 31	AZ4616... 64	AZ4678... 52	AZ4758... 186	AZ4826... 86
AZ4489... 403	AZ4550... 31	AZ4617... 64	AZ4679... 50	AZ4759... 186	AZ4827... 86
AZ4490... 353	AZ4551... 31	AZ4618... 64	AZ4680... 50	AZ4760... 186	AZ4830... 187
AZ4491... 353	AZ4552... 31	AZ4619... 64	AZ4681... 51	AZ4761... 186	AZ4836... 56
AZ4492... 353	AZ4553... 100	AZ4620... 64	AZ4682... 51	AZ4762... 186	AZ4838... 56
AZ4493... 353	AZ4554... 100	AZ4621... 70	AZ4683... 50	AZ4763... 186	AZ4840... 57
AZ4494... 353	AZ4555... 340	AZ4622... 70	AZ4684... 50	AZ4764... 186	AZ4842... 57
AZ4495... 353	AZ4556... 340	AZ4623... 70	AZ4685... 51	AZ4765... 186	AZ4844... 59
AZ4496... 352	AZ4557... 28	AZ4624... 70	AZ4686... 51	AZ4766... 186	AZ4846... 58
AZ4497... 352	AZ4558... 28	AZ4625... 70	AZ4687... 51	AZ4767... 186	AZ4848... 58
AZ4498... 352	AZ4559... 28	AZ4626... 70	AZ4688... 51	AZ4768... 188	AZ4850... 58
AZ4499... 352	AZ4560... 28	AZ4627... 75	AZ4689... 52	AZ4769... 188	AZ4852... 60
AZ4500... 352	AZ4561... 341	AZ4628... 75	AZ4690... 52	AZ4770... 188	AZ4854... 60
AZ4501... 352	AZ4562... 341	AZ4629... 74	AZ4691... 53	AZ4771... 188	AZ4856... 55
AZ4502... 414	AZ4563... 36	AZ4630... 72	AZ4692... 53	AZ4772... 188	AZ4857... 55
AZ4503... 414	AZ4565... 36	AZ4631... 72	AZ4693... 52	AZ4773... 188	AZ4860... 54
AZ4504... 382	AZ4567... 36	AZ4632... 72	AZ4694... 52	AZ4774... 188	AZ4861... 54
AZ4505... 382	AZ4568... 36	AZ4633... 73	AZ4695... 369	AZ4775... 188	AZ4862... 51
AZ4506... 382	AZ4569... 206	AZ4634... 73	AZ4696... 369	AZ4776... 188	AZ4863... 49
AZ4507... 382	AZ4570... 206	AZ4635... 73	AZ4697... 369	AZ4780... 5	AZ4864... 49
AZ4508... 395	AZ4571... 206	AZ4636... 71	AZ4709... 23	AZ4780... 16	AZ4865... 49
AZ4509... 395	AZ4572... 206	AZ4637... 71	AZ4710... 23	AZ4780... 53	AZ4866... 53
AZ4510... 394	AZ4577... 22	AZ4638... 48	AZ4711... 23	AZ4782... 5	AZ4901... 61
AZ4511... 394	AZ4578... 22	AZ4639... 48	AZ4712... 48	AZ4782... 16	AZ4902... 61
AZ4512... 394	AZ4579... 69	AZ4640... 48	AZ4713... 48	AZ4782... 53	AZ4903... 61
AZ4513... 394	AZ4580... 69	AZ4641... 48	AZ4714... 48	AZ4783... 349	AZ5001... 50
AZ4514... 368	AZ4581... 69	AZ4642... 48	AZ4715... 48	AZ4784... 349	AZ5002... 50
AZ4515... 368	AZ4582... 69	AZ4643... 48	AZ4716... 48	AZ4785... 349	AZ5003... 50
AZ4516... 34	AZ4583... 69	AZ4644... 48	AZ4717... 48	AZ4786... 349	AZ5004... 50
AZ4517... 148	AZ4584... 69	AZ4645... 48	AZ4718... 48	AZ4787... 349	
AZ4517... 149	AZ4585... 69	AZ4646... 49	AZ4719... 48	AZ4788... 349	
AZ4518... 148	AZ4586... 69	AZ4647... 49	AZ4722... 3	AZ4796... 16	



Ra (CRI) - Colour Rendering Index **EU standard – Ra $\geq$ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra $\geq$ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra $\geq$ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra $\geq$ 80**
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.

Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.

Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.

Vzhľadom k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradujeme si právo na vykonávanie ponukových a konštrukčných zmien.

Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.